



Physical assessment of coastal vulnerability under enhanced land subsidence in Semarang, Indonesia, using multi-sensor satellite data

Husnayaen^a, A. Besse Rimba^{a,*}, Takahiro Osawa^{a,f,g}, I Nyoman Sudi Parwata^b,
Abd. Rahman As-syakur^{a,c}, Faizal Kasim^d, Ida Ayu Astarini^e

^a Center for Remote Sensing and Ocean Sciences (CReSOS), Udayana University, PB Sudirman Street, Denpasar, Bali 80232, Indonesia

^b Graduate School of Science and Technology for Innovation, Yamaguchi University, 2-16-1 Tokiwadai, Ube 755-8611, Japan

^c Marine Science Department, Faculty of Marine and Fisheries, Udayana University, Bukit Jimbaran, Bali 80361, Indonesia

^d Department of Aquatic Resources Management, Gorontalo State University, Jambura Campus, Gorontalo 96128, Indonesia

^e Biology Department, Faculty of Mathematics and Natural Sciences, Udayana University, Bukit Jimbaran, Bali 80361, Indonesia

^f Center for Research and Application of Satellite Remote Sensing (CRAS), Yamaguchi University, 2-6-1 Tokiwadai Ube, Yamaguchi 7558611, Japan

^g Regional Satellite Applications Center for Disaster Management (RSCD), Japan Aerospace Exploration Agency (JAXA), 4-1-1 Industrial Technology Institute Asutopia, Ube, Yamaguchi 7550195, Japan

Received 27 July 2017; received in revised form 11 January 2018; accepted 15 January 2018

Available online 5 February 2018

Abstract

Research has been conducted in Semarang, Indonesia, to assess coastal vulnerability under enhanced land subsidence using multi-sensor satellite data, including the Advanced Land Observing Satellite (ALOS) Phased Array type L-band SAR (PALSAR), Landsat TM, IKONOS, and TOPEX/Poseidon. A coastal vulnerability index (CVI) was constructed to estimate the level of vulnerability of a coastline approximately 48.68 km in length using seven physical variables, namely, land subsidence, relative sea level change, coastal geomorphology, coastal slope, shoreline change, mean tidal range, and significant wave height. A comparison was also performed between a CVI calculated using seven parameters and a CVI using six parameters, the latter of which excludes the land subsidence parameter, to determine the effects of land subsidence during the coastal vulnerability assessment. This study showed that the accuracy of coastal vulnerability was increased 40% by adding the land subsidence factor (i.e., CVI 6 parameters = 53%, CVI 7 parameters = 93%). Moreover, Kappa coefficient indicated very good agreement (0.90) for CVI 7 parameters and fair agreement (0.3) for CVI 6 parameters. The results indicate that the area of very high vulnerability increased by 7% when land subsidence was added. Hence, using the CVI calculation including land subsidence parameters, the very high vulnerability area is determined to be 20% of the total coastline or 9.7 km of the total 48.7 km of coastline. This study proved that land subsidence has significant influence on coastal vulnerability in Semarang.

© 2018 COSPAR. Published by Elsevier Ltd. All rights reserved.

Keywords: CVI; Semarang; Land subsidence; Remote sensing

1. Introduction

Coastal zones are dynamic and complex areas with multi-purpose uses, which often conflict with human socioeconomic activities (Turner et al., 2004). Coastal communities are usually distributed in lowland geographic ele-

* Corresponding author at: Center for Remote Sensing and Ocean Sciences (CReSOS), Udayana University, Sudirman Campus, Post Graduate Building (3rd Fl), Jalan P.B. Sudirman, Denpasar, Bali 80232, Indonesia.

E-mail address: a.besserimba@yahoo.com (A.B. Rimba).

- Bagdanavičiūtė, I., Kelpšaitė, L., Soomere, T., 2015. Multi-criteria evaluation approach to coastal vulnerability index development in micro-tidal low-lying areas. *Ocean Coast. Manag.* 104, 124–135. <https://doi.org/10.1016/j.ocecoaman.2014.12.011>.
- Balica, S.F., Wright, N.G., van der Meulen, F., 2012. A flood vulnerability index for coastal cities and its use in assessing climate change impacts. *Nat. Hazards* 64 (1), 73–105. <https://doi.org/10.1007/s11069-012-0234-1>.
- Banerjee, A., 2005. Tsunami deaths. *Curr. Sci.* 88 (9), 1358.
- Bayuaji, L., Sumantyo, J.T.S., Kuze, H., 2010. ALOS PALSAR D-InSAR for land subsidence mapping in Jakarta, Indonesia. *Can. J. Remote Sens.* 36 (1), 1–8. <https://doi.org/10.5589/m10-023>.
- Bird, E.C.F., Ongkosongo, O.S.R., 1980. *Environmental Changes on the Coasts of Indonesia*. United Nation University Press, Tokyo.
- BPS (Central Agency on Statistics), <<https://www.bps.go.id/QuickMap?id=0000000000>> (accessed on 22 December 2017).
- Chadha, R.K. et al., 2005. The tsunami of the great Sumatra earthquake of M 9.0 on 26 December 2004 – Impact on the east coast of India. *Curr. Sci.* 88 (8), 1297–1301.
- Chaussard, E., Amelung, F., Abidin, H., Hong, S.H., 2013. Sinking cities in Indonesia: ALOS PALSAR detects rapid subsidence due to groundwater and gas extraction. *Remote Sens. Environ.* 128, 150–161. <https://doi.org/10.1016/j.rse.2012.10.015>.
- Church, J. et al., 2013. Sea Level Change. In: Stocker, T. (Ed.), *Climate Change 2013 The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, pp. 1137–1216.
- Cooper, M.J., Beevers, M.D., Oppenheimer, M., 2008. The potential impacts of sea level rise on the coastal region of New Jersey, USA. *Clim. Change* 90 (4), 475–492. <https://doi.org/10.1007/s10584-008-9422-0>.
- Cutter, S.L., 1996. Vulnerability to environmental hazards. *Prog. Hum. Geogr.* 20 (4), 529–539.
- Denner, K., Phillips, M.R., Jenkins, R.E., Thomas, T., 2015. A coastal vulnerability and environmental risk assessment of Loughor Estuary, South Wales. *Ocean Coast. Manag.* 116, 478–490. <https://doi.org/10.1016/j.ocecoaman.2015.09.002>.
- Dewi, R.S., Bijker, W., Stein, A., Marfai, M.A., 2016. Fuzzy classification for shoreline change monitoring in a part of the Northern Coastal Area of Java, Indonesia. *Remote Sens.* 8 (3), 190. <https://doi.org/10.3390/rs8030190>.
- Di Paola, G. et al., 2011. Estimating coastal vulnerability in a meso-tidal beach by means of quantitative and semi-quantitative methodologies. *J. Coastal Res.* 61, 303–308. <https://doi.org/10.2112/SI161-001.30>.
- Diez, P., Perillo, G., Piccolo, M., 2007. Vulnerability to sea-level rise on the coast of the Buenos Aires Province. *J. Coast. Res.* 23, 119–142.
- Domínguez, L., Anfuso, G., Gracia, F., 2005. Vulnerability assessment of a retreating coast in SW Spain. *Environ. Geol.* 47, 1037–1044. <https://doi.org/10.1007/s00254-005-1235-0>.
- Doukakias, E., 2005. Coastal vulnerability and risk parameters, s.l.: Eur. Water 11/12, 3e7.
- Duriyapong, F., Nakhapakorn, K., 2011. Coastal vulnerability assessment: a case study of Samut Sakhon coastal zone. *Songklanakarin J. Sci. Technol.* 33 (4), 469–476.
- EORC (JAXA Earth Observation Research Center), 2008. ALOS data users handbook-revision C. Earth Observation Research and Application Center Japan Aerospace Exploration Agency. Available at: <http://www.eorc.jaxa.jp/ALOS/en/doc/fdata/ALOS_HB_RevC_EN.pdf>.
- Farhan, A.R., Lim, S., 2012. Vulnerability assessment of ecological conditions in Seribu Islands, Indonesia. *Ocean Coastal Manag.* 65, 1–14. <https://doi.org/10.1016/j.ocecoaman.2012.04.015>.
- Ferretti, A., et al., 2015. InSAR data for monitoring land subsidence: time to think big. 372, 331. s.l., s.n., p. 372. <<https://doi.org/10.5194/piahs-372-331-2015>>.
- Firman, T., 2007. The urbanisation of Java, 2000–2010: towards ‘the island of mega-urban regions’. *Asian Popul. Stud.* 13 (1), 50–66. <https://doi.org/10.1080/17441730.2016.1247587>.
- Fitzpatrick-Lins, K., 1981. Comparison of sampling procedures and data analysis for a land-use and land-cover map. *Photogramm. Eng. Remote Sens.* 47 (3), 343–351.
- Gaffara, G., Hisbaron, D.R., Marfai, M., 2017. Land use changes analysis for land subsidence in coastal areas (Case Study: North Semarang District). *Indonesian J. Geogr.* 19 (2), 121–134. <https://doi.org/10.1080/19475705.2012.692336>.
- Gaki-Papanastassiou, K. et al., 2010. Coastal vulnerability assessment to sea-level rise based on geomorphological and oceanographical parameters: the case of Argolikos Gulf, Peloponnese, Greece. *Hellenic J. Geosci.* 45 (45), 109–122.
- Goldstein, R.M., Wenner, C.L., 1998. Radar interferogram filtering for geophysical applications. *Geophys. Res. Lett.* 25 (21), 4035–4038.
- Gornitz, V., White, T., Cushman, R., 1991. Vulnerability of the U.S. to future sea-level rise. Long Beach, s.n., pp. 2354–2368.
- Gornitz, V., 1990. Vulnerability of the East Coast, USA to future sea level rise. *J. Coastal Res.* 9, 201–237.
- Gornitz, V.M., Daniels, R.C., White, T.W., Birdwell, K.R., 1994. The development of a coastal risk assessment database: vulnerability to sea-level rise in the US Southeast. *J. Coastal Res.*, 327–338.
- Gornitz V.M., White T.W., 1992. A coastal hazard data base for the U.S. East Coast, The University of Tennessee; Tennessee.
- Hadi, F., et al., 2016. Urban growth and land use/land cover modeling in Semarang, Central Java, Indonesia. Colombo-Srilanka, ACRS2016.
- Handayani, W., Rudiarto, I., 2014. Dynamics of urban growth in semarang metropolitan-central java: an examination based on built-up area and population change. *J. Geogr. Geol.* 6 (4), 80–87. <https://doi.org/10.5539/jgg.v6n4p80>.
- Harwitasari, D., Van Ast, J.A., 2011. Climate change adaptation in practice: people’s responses to tidal flooding in Semarang, Indonesia. *J. Flood Risk Manag.* 4 (3), 216–233. <https://doi.org/10.1111/j.1753-318X.2011.01104.x>.
- Kasim, F., Siregar, V.P., 2012. Coastal vulnerability assessment using integrated method of CVI-MCA: a case study on the coastline of Indramayu. *Geogr. Forum* 26, 65–76.
- Klein, R.J., Nicholls, R.J., 1999. Assessment of coastal vulnerability to climate change. *Ambio*, 182–187.
- Klemas, V., 2010. Remote sensing techniques for studying coastal ecosystems: an overview. *J. Coastal Res.* 27 (1), 2–17. <https://doi.org/10.2112/JCOASTRES-D-10-00103.1>.
- Kumar, A.A., Kunte, P.D., 2012. Coastal vulnerability assessment for Chennai, east coast of India using geospatial techniques. *Nat. Hazards* 64 (1), 853–872. <https://doi.org/10.1007/s11069-012-0276-4>.
- Kumar, T.S. et al., 2010. Coastal vulnerability assessment for Orissa State, East coast of India. *J. Coastal Res.* 26 (3), 523–534. <https://doi.org/10.2112/09-1186.1>.
- Kunte, P.D. et al., 2014. Multi-hazards coastal vulnerability assessment of Goa, India, Using geospatial techniques. *Ocean Coastal Manag.* 95, 264–281. <https://doi.org/10.1016/j.ocecoaman.2014.04.024>.
- Li, Y. et al., 2016. Assessing spatial vulnerability from rapid urbanization to inform coastal urban regional planning. *Ocean Coast. Manag.* 123, 53–65. <https://doi.org/10.1016/j.ocecoaman.2016.01.010>.
- Lillesand, T.M., Kiefer, R.W., 2000. *Remote Sensing and Image Interpretation*. John Wiley & Sons, New York.
- Lubis, A.M. et al., 2011. Ground subsidence in Semarang-Indonesia investigated by ALOS-PALSAR satellite SAR interferometry. *J. Asian Earth Sci.* 40 (5), 1079–1088. <https://doi.org/10.1016/j.jseaes.2010.12.001>.
- Mahapatra, M., Ramakrishnan, R., Rajawat, A.S., 2015. Coastal vulnerability assessment of Gujarat coast to sea level rise using GIS techniques: a preliminary study. *J. Coast Conserv.* 19 (2), 241–256. <https://doi.org/10.1007/s11852-015-0384-x>.
- Marfai, M.A., 2011. The hazards of coastal erosion in Central Java, Indonesia: an overview. *Geografia-Malaysian J. Soc. Space* 7 (3), 1–9.
- Marfai, M.A. et al., 2008. Coastal dynamic and shoreline mapping: multi-sources spatial data analysis in Semarang Indonesia. *Environ. Monitor. Assess.* 142 (2), 297–308.

- Marfai, M.A., King, L., 2007. Monitoring land subsidence in Semarang, Indonesia. *Environ. Geol.* 53 (3), 651–659. <https://doi.org/10.1007/s00254-007-0680-3>.
- Marfai, M.A., King, L., 2008. Potential vulnerability implications of coastal inundation due to sea level rise for the coastal zone of Semarang city, Indonesia. *Environ. Geol.* 54 (6), 1235–1245. <https://doi.org/10.1007/s00254-007-0906-4>.
- Martins, K., Souza Pereira, P.D., Silva-Casarin, R., Nogueira Neto, A.V., 2017. The influence of climate change on coastal erosion vulnerability in northeast Brazil. *Coastal Eng. J.* 59 (2), 1740007. <https://doi.org/10.1142/S0578563417400071>.
- McGranahan, G., Balk, D., Anderson, B., 2007. The rising tide: assessing the risks of climate change and human settlements in low elevation coastal zones. *Environ. Urban.* 19 (1), 17–37.
- Meilistya, I., Sugianto, D.N., Indrayanti, E., 2012. Kajian Arus Sejajar Pantai (Longshore Current) Akibat Pengaruh Transformasi Gelombang Di Perairan Semarang (in Bahasa). *J. Oceanogr.* 1 (2), 128–138. NBDC and NOAA. 2017. At: <<http://www.ndbc.noaa.gov/measdes.shtml>>.
- Nguyen, T.T., Bonetti, J., Rogers, K., Woodroffe, C.D., 2016. Indicator-based assessment of climate-change impacts on coasts: a review of concepts, methodological approaches and vulnerability indices. *Ocean Coast. Manag.* 123, 18–43. <https://doi.org/10.1016/j.ocecoaman.2015.11.022>.
- Nicholls, R.J., 1995. Coastal megacities and climate change. *GeoJournal* 37 (3), 369–379. <https://doi.org/10.1007/BF00814018>.
- Palmer, B.J. et al., 2011. Preliminary coastal vulnerability assessment for KwaZulu-Natal, South Africa. *J. Coastal Res.* 64, 1390.
- Pendleton, E. A., Barras, J. & Williams, S., 2010. Coastal vulnerability assessment of the Northern Gulf of Mexico to sea-level rise and coastal change: U.S., U.S.: Geological Survey Open-File Report.
- Pendleton, E.A., Thieler, E.R., Williams, S.J., 2005. Coastal vulnerability assessment of golden gate national recreation area to sea level rise-Open-File Report 2005–1058. US Geological Survey, Reston, Virginia.
- Qu, F. et al., 2014. Land subsidence and ground fissures in Xi'an, China 2005–2012 revealed by multi-band InSAR time-series analysis. *Remote Sens. Environ.* 155, 366–376. <https://doi.org/10.1016/j.rse.2014.09.008>.
- Rahmawati, N., Vuillaume, J.F., Purnama, I.L.S., 2013. Salt intrusion in Coastal and Lowland areas of Semarang City. *J. Hydrol.* 494, 146–159. <https://doi.org/10.1016/j.jhydrol.2013.04.031>.
- Ramieri, E. et al., 2011. Methods for assessing coastal vulnerability to climate change. European Topic Centre on climate change impacts, vulnerability and adaptation, Bologna, Italy.: (ETC CCA) technical paper.
- Rao, K.N. et al., 2008. Sea-level rise and coastal vulnerability: an assessment of Andhra Pradesh coast, India through remote sensing and GIS. *J. Coastal Conserv.* 12 (4), 195–207. <https://doi.org/10.1007/s11852-009-0042-2>.
- Rocca, F., Prati, C., Guarnieri, M., Ferretti, A., 2000. SAR interferometry and its application. *Surveys Geophys.* 21, 159–176. <https://doi.org/10.1023/A:1006710731155>.
- Sandwell, D. et al., 2014. GMTSAR: An InSAR Processing System Based on Generic Mapping Tools. Scripps Institution of Oceanography University of California, San Diego.
- Shanas, P.R., Kumar, V.S., 2014. Trends in surface wind speed and significant wave height as revealed by ERA-Interim wind wave hindcast in the Central Bay of Bengal. *Int. J. Climatol.* 35 (9), 2654–2663.
- Semarang, 2014. Pemerintah Kota Semarang (in Bahasa). Available at: <<http://semarangkota.go.id/main/page/2/profil>> (accessed 10 2 2017).
- Sun, H. et al., 2017. Monitoring land subsidence in the southern part of the lower Liaohe plain, China with a multi-track PS-InSAR technique. *Remote Sens. Environ.* 188, 73–84. <https://doi.org/10.1016/j.rse.2016.10.037>.
- Thieler, E. & Hammar-Klose, E., 1999. National Assessment of Coastal Vulnerability to Future Sea-level Rise: Preliminary Results for the U.S., Atlantic Coast. U.S.: Geological Survey, pp. 99e593. Open-File Report.
- Thieler, E.R., Hammer-Klose, E.S., 2000. National Assessment of Coastal Vulnerability to Sea-Level Rise: Preliminary Results for the U.S. Pacific Coast, Woods Hole, Mass, USA, s.n.
- Turner, R.K. et al., 2004. An ecological economics approach to the management of a multi-purpose coastal wetland. 4(2–3). *Reg. Environ. Change* 4 (2–3), 86–99. <https://doi.org/10.1007/s10113-004-0075-x>.
- Tyo, J.S., Goldstein, D.L., Chenault, D.B., Shaw, J.A., 2006. Review of passive imaging polarimetry for remote sensing applications. *Appl. Opt.* 45 (22), 5453–5469.
- Wang, J., Gao, W., Xu, S., Yu, L., 2012. Evaluation of the combined risk of sea level rise, land subsidence, and storm surges on the coastal areas of Shanghai, China. *Climatic Change* 115 (3–4), 537–558. <https://doi.org/10.1007/s10584-012-0468-7>.
- Wöppelmann, G. et al., 2013. Is land subsidence increasing the exposure to sea level rise in Alexandria, Egypt? *Geophys. Res. Lett.* 40 (12), 2953–2957. <https://doi.org/10.1002/grl.50568>.
- Wu, S.Y., Yarnal, B., Fisher, A., 2002. Vulnerability of coastal communities to sea-level rise: a case study of Cape May County, New Jersey, USA. *Climate Res.* 22 (3), 255–270. <https://doi.org/10.3354/cr022255>.
- Yeung, Y.M., 2001. Coastal mega-cities in Asia: transformation, sustainability and management. *Ocean Coast. Manag.* 44 (5), 319–333. [https://doi.org/10.1016/S0964-5691\(01\)00053-9](https://doi.org/10.1016/S0964-5691(01)00053-9).
- Yin, J., Yin, Z., Wang, J., Xu, S., 2012. National assessment of coastal vulnerability to sea-level rise for the Chinese coast. *J. Coastal Conserv.* 16 (1), 123–133.