



## SURAT KETERANGAN

Nomor: 023/TB-II/2019

Kepada Yth,

Tim Penilai Angka Kredit Dosen  
di

Tempat

Yang bertanda tangan ini dibawah ini:

Nama : Novriyanto Napu, S.Pd., MAppLing., Ph.D.  
Pekerjaan : Direktur Transbahasa / Dosen  
Alamat : Jl. Pangeran Hidayat No 78 Kota Gorontalo

Dengan ini menerangkan bahwa sehubungan dengan proses penilaian angka kredit untuk pengusulan kenaikan jabatan akademik dosen a.n. Faiza A. Dali, dengan ini saya menyatakan bahwa semua dokumen karya ilmiah yang bersangkutan telah diuji kemiripan (plagiarisme) dengan menggunakan perangkat lunak Plagiarism Checker X Premium (berbayar). Penggunaan perangkat lunak uji plagiasi ini sesuai dengan ketentuan yang ada dalam surat edaran Dikti Nomor 1753/D2/KP/2016 tentang pemilihan dan penggunaan plagiarism check software yang harus menggunakan perangkat lunak berbayar (premium) seperti Turnitin, iThenticate, Plagiarisma atau perangkat lunak lainnya versi premium yang dapat dipertanggungjawabkan.

Transbahasa adalah lembaga resmi berbadan hukum dan kami telah menggunakan perangkat lunak premium tersebut diatas yang sudah dipakai sebagai rujukan oleh banyak dosen dari berbagai universitas di Indonesia untuk pengusulan kenaikan jabatan akademik dosen baik Lektor Kepada dan Guru Besar sejak 2017.

Demikian surat ini dibuat untuk digunakan seperlunya.

Gorontalo, 22 Februari 2019  
Direktur,

Novriyanto Napu, S.Pd., M.AppLing., Ph.D



# Originality Report

**Similarity Found: 2%**

Date: Sunday, December 09, 2018

Statistics: 24 words Plagiarized / 974 Total words

Remarks: Low Plagiarism Detected - Your Document needs Optional Improvement.

---

MICROBIOLOGICAL QUALITY OF **FLAVORING PRODUCTS BASED DIFFERENT RAW FISH AND CARBOHYDRATE CONCENTRATION** Faiza A. Dali \*, Rita M. Harmain **Teknologi Hasil Perikanan, Fakultas Perikanan dan Ilmu Kelautan, Universitas Negeri Gorontalo**

\*Email:vian.dali@gmail.com **ABSTRACT** Research focuses on the microbiological quality of flavoring products made from different raw fish and carbohydrate concentration aims to analyze the effect of different raw fish materials and carbohydrate concentration on microbiological quality of flavoring, especially with regard to the value of Standard Plate Count (SPC).

Raw materials for sampling used in this study are Nike fish (*Awaous melanocephalus*), Manggabai fish (*Glossogobius giuris*), Carbohydrate (rice flour) concentration of 20% and 40%. The method used is an experimental method in laboratory, technical data analysis using quantitative descriptive. Based on the experimental results showed that the quality of microbiological of flavoring is influenced by differences in raw materials of fish and concentrations of carbohydrate, the average value of the highest SPC there are Manggabai fish with a carbohydrate concentration 20% amounting to  $1.75 \times 10^3$  (cfu/g) and the lowest average SPC there are Nike fish with a carbohydrate concentration of 20% amounting to  $0.60 \times 10^3$  (cfu/g).

SPC value is still acceptable by SNI 01-4273-1996. Microbiological quality of flavoring shows that Nike fish is the raw material of fish better than Manggabai fish.

Keywords: flavoring, microbiological quality **INTRODUCTION** Indonesian waters especially Gorontalo have biodiversity including Nike fish and Manggabai fish. Development of fishery products Nike and Manggabai need to be done in order to provide added value to the potential of Gorontalo fishery.

## **TRANSBAHASA**

Professional Translation & Language Services

SK Menteri Hukum dan HAM RI Nomor. AHU-0009641.AH.01.07.2017

JL. Ir.Hi. Joesoef Dalie (Ex Jl. Pangeran Hidayat) No. 78 Kota Gorontalo

Email. transbahasa.go@gmail.com / Phone. +62 853 9862 5876

www.transbahasa.co.id

Raw flavor made from fresh local fish processed with simple technology is a product that is rarely available in the market. Commonly marketed is instant flavored flavor with the addition of monosodium glutamate. Whereas in terms of potential fish raw materials, especially local fish is quite large, because Indonesia is a maritime country.

Fish **fermentation technology is one of the** processing by using enzyme or microorganism. Microorganisms grow and develop during the fermentation process by utilizing raw materials to produce products that have many advantages in nutrition and health (Pawiroharsono, 2007).

Yanti and Dali (2013), reported that the results of microorganism analysis in fish fermentation process 'bakasang' found total colonies of bacteria  $5.0 \times 10^2$ - $1.6 \times 10^5$  CFU/g. Research focuses on the microbiological quality of flavoring products made from different raw fish and carbohydrate concentration aims to analyze the effect of different fish raw materials and carbohydrate concentration against microbiological quality or flavor, especially with regard to the value of Standard Plate Count (SPC).

**METHODS** The materials used in this study consisted of Nike fish (*Awaous melanocephalus*), Manggabai fish (*Glossogobius giuris*), salt, spices, aluminum foil, alcohol and microbiological materials. Equipment used includes a cool box, scales, incubators, ovens, mills and microbiological glassware. Based on the research object, the method using experimental approaches in the laboratory, based on characteristics of the population, the sampling method used in raw materials of fish and fish Manggabai Nike, and based linkages with analysis, technical data analysis using quantitative descriptive.

Making the product flavorings using raw materials of fish Nike added salt 15% and Carbohydrates 20% (A), fish Nike added salt 15% and Carbohydrates 40% (B), fish Manggabai added salt 15% and Carbohydrates 20% (C) and fish Manggabai added salt Carbohydrates 15% and 40% (D). Once homogeneous, each sample is fermented for 15 days, then the sample is flavored with cloves, cinnamon, onion, pepper, ginger and tamarind.

Furthermore, all samples were dried for 35 hours at a temperature of 90 °C, and then

**TRANSBAHASA**

Professional Translation & Language Services

SK Menteri Hukum dan HAM RI Nomor. AHU-0009641.AH.01.07.2017

JL. Ir.Hi. Joesoef Dalie (Ex Jl. Pangeran Hidayat) No. 78 Kota Gorontalo

Email. [transbahasa.go@gmail.com](mailto:transbahasa.go@gmail.com) / Phone. +62 853 9862 5876

[www.transbahasa.co.id](http://www.transbahasa.co.id)

ground and sieved to obtain a powder product. The product obtained is microbiologically tested immediately refers to the procedures SNI 01-2332.3-2006. RESULTS AND DISCUSSION In theory microbiological examination of the characteristics of the use of raw materials Fish and carbohydrate concentration (K) is different is to know the value of Standard Plate Count (SPC) from the calculation of the number of bacteria (CFU / g).

The results of this analysis adjusted for Quality Standard National Indonesia (SNI 01-4273-1996) on flavorings. Effect of fish raw materials and carbohydrate concentration (K) is different to the microbiological quality characteristics of flavoring products in this research can be described in Table 1. Table 1.

Microbiological Quality Characteristics (CFU / g) Seasonings Sense On Raw Fish and Karborhidrat Different Concentration \_ Source: Results of the analysis Based on Table 1, it can be explained that the use of raw materials Fish and concentration of different carbohydrates affect the quality standards Seasonings. Number of bacteria (CFU / g) in raw fish material Nike fish is lower than in the fish raw material Manggabai fish.

This means that the value of quality standards flavorings made from raw fish Nike higher than flavoring made from raw fish Manggabai. Based on The figure shows that the microbiological quality standards of raw materials Nike fish better than fish Manggabai for flavoring. In histogram differences in the use of raw materials of different fish against microbiological characteristics (CFU / g) in the flavoring can be shown in Figure 1. \_ Figure 1. Differences Microbiological Characteristics (CFU / g) of flavoring CONCLUSION 1.

Based on the experimental results, the use of different raw Fish and Carborhydrate concentrations affect the quality standards Seasonings. 2. Four treatments were tested still be accepted by Indonesia National Standard 01-4273-1996. The highest average value SPC there are Manggabai fish with a carbohydrate concentration of 20% and the lowest in Nike fish with a carbohyrate concentration of 20% 3.

Based on the results of microbiological observing the number of bacteria (CFU/g) in raw material of Nike fish is lower than the amount of bacteria in raw material of Manggabai

**TRANSBAHASA**

Professional Translation & Language Services

SK Menteri Hukum dan HAM RI Nomor. AHU-0009641.AH.01.07.2017

JL. Ir.Hi. Joesoef Dalie (Ex Jl. Pangeran Hidayat) No. 78 Kota Gorontalo

Email. transbahasa.go@gmail.com / Phone. +62 853 9862 5876

www.transbahasa.co.id



fish. This means that the value of quality standards flavorings made from raw Nike fish is higher and better than the flavor made from raw Manggabai fish.

ACKNOWLEDGEMENT Thanks to the Director General of Higher Education and Research Institute of the State University of Gorontalo.

INTERNET SOURCES:

-----  
1% - <http://www.ung.ac.id/formasi/people/198405142008122003>

1% - <http://kim.ung.ac.id/index.php/KIMFPIK/article/download/8652/8539>

1% - <https://www.omicsonline.org/fermentation-technology.php>

**TRANSBAHASA**

Professional Translation & Language Services

SK Menteri Hukum dan HAM RI Nomor. AHU-0009641.AH.01.07.2017

JL. Ir.Hi. Joesoef Dalie (Ex Jl. Pangeran Hidayat) No. 78 Kota Gorontalo

Email. [transbahasa.go@gmail.com](mailto:transbahasa.go@gmail.com) / Phone. +62 853 9862 5876

[www.transbahasa.co.id](http://www.transbahasa.co.id)

**CERTIFICATE OF ORIGINALITY**

To Whom It May Concern:

This is to certify that the following document has been checked for originality with premium plagiarism checker. The result is as follows:

Originality Report	
Document Title	Microbiological Quality Of Flavoring Products Based Different Raw Fish And Carbohiyrate Concentration
Author(s)	Faiza A. Dali Rita M. Harmain
Similarity Found	2%
Statistics	24 Words Plagiarized / 974 Total Words
Remark(s)	Low Plagiarism Detected
Internet Sources	
1% - <a href="http://www.ung.ac.id/formasi/people/198405142008122003">http://www.ung.ac.id/formasi/people/198405142008122003</a>	
1% - <a href="http://kim.ung.ac.id/index.php/KIMFPIK/article/download/8652/8539">http://kim.ung.ac.id/index.php/KIMFPIK/article/download/8652/8539</a>	
1% - <a href="https://www.omicsonline.org/fermentation-technology.php">https://www.omicsonline.org/fermentation-technology.php</a>	

Date: Sunday, December 09, 2018




**Novriyanto Napu, M.AppLing., Ph.D.**  
Director