QUARTERLY INTERNATIONAL JOURNAL



# **ENVIRONMENT & CONSERVATION**

### ISSN 0971-765 X



		ć	also developed	l by scima	go: <u>IIII</u>	SCIMAGO	INSTITUTIONS RAI	NKINGS
SJR	So	cimago Journal & Co	untry Rank	Enter Jou	ırnal Title, ISSN	l or Publish	er Name	Q
ł	Home	Journal Rankings	Country Ran	nkings	Viz Tools	Help	About Us	

# **Ecology, Environment and Conservation**

Country	India - IIII SIR Ranking of India	11
Subject Area and Category	Agricultural and Biological Sciences Ecology, Evolution, Behavior and Systematics	
	Environmental Science Ecology Nature and Landscape Conservation	H Index
Publisher	EM International	
Publication type	Journals	
ISSN	0971765X	
Coverage	1997-ongoing	
Scope	ECOLOGY, ENVIRONMENT AND CONSERVATION is one of the leading Int environmental journal. It is widely subsribed in India and abroad by Institu Individuals in education and research as well as by Industries, Govt. Depa Research Institutes.	ernational utions and artments and
?	Homepage	
	Contact	
	igsir > Join the conversation about this journal	



SJR

+





### Download Sample Paper

### **Brief About Ecology, Environment and Conservation**

Published Quarterly Since 1995. Ecology, Environment and Conservation is published in March, June, September and December every year.

ECOLOGY, ENVIRONMENT AND CONSERVATION is one of the leading International environmental journal. It is widely subsribed in India and abroad by Institutions and Individuals in education and research as well as by Industries, Govt. Departments and Research Institutes.

Ecology, Environment and Conservation is in Master Journal List of ISI (Thomson Reuters, U.S.A.).

Ecology, Environment and Conservation is abstracted/covered in:

- Chemical Abstracts, U.S.A.
- SCOPUS
- EBSCO Publishing, U.S.A.
- Cambridge Science Abstracts
- Ecology Abstracts •
- Pollution Abstracts
- Eco-Disc CD Rom
- Geological Abstracts •
- International Development Abstracts ٠
- Oceanographic Literature Review
- Zoological Records
- Indian Science Abstracts, Niscair, India •
- Elsevier's Compendex
- Elsevier's Current Awareness in Biological Sciences •
- Elsevier's Encompass
- Elsevier's Geobase

Ecology, Environment and Conservation journal is accredited with National Academy of Agricultural sciences, NAAS. India

Ecology, Environment and Conservation journal is covered by SCOPUS.

### Journal Issues

NAAS Rating - 4.89

Vol 24, Issue 3 2018 Vol 24, Issue 2 2018 Vol 24, Issue 1 2018 Vol 24, March Suppl. Issue 2018 Vol 24, Feb. Suppl. Issue 2018 Vol 23, Issue 4, 2017 Vol 23, Nov. Suppl. Issue 2017 Vol 23, Sept. Suppl. Issue 2017 Vol 23, Issue 3, 2017 Vol 23, Issue 2, 2017 Vol 23, Issue 1, 2017 Vol 23, Feb 2017 Suppl. Issue Vol 22, Dec 2016 Suppl. Issue Vol 22, Issue 4, 2016 Vol 22, Sept. Suppl. Issue, <u>2016</u> Vol 22, Issue 3, 2016 Vol. 22, June Suppl. Issue 2016 Vol 22, Issue 2, 2016 Vol. 22, April Suppl. Issue 2016 Vol 22, Issue 1, 2016 Vol 21, Issue 4, 2015 Vol. 21 Dec. 2015 Suppl. Issue Vol. 21 Nov. 2015 Suppl. Issue Vol 21, Issue 3, 2015 Vol. 21 Suppl.Issue August 2015 Vol 21, Issue 2, 2015 Vol 21.Suppl.Issue June 2015 Vol 21, Issue 1, 2015 Supplement Issue, Dec. 2014 Special Issue-2014 Vol 20, Issue 4, 2014 Vol 20, Issue 3, 2014



### Ecology, Environment and Conservation Editorial Advisory Board

#### **Chief Editor**

### Prof.(Dr.) R.K.Trivedy, Pune, India

EDITORIAL ADVISORY BOARD		
1. Dr. Teresa Ferreira, Portugal	19. Dr. A. Olawale, Nigeria	
2. Dr. Michael Ukwuru, Nigeria	20. Dr. Ing. Agr. Mario Ridardo Sabbatini, Argentina	
3. Dr. Moses Inbaraj, Chennai	21. Dr. Philip C. Reid, U.K.	
4. Dr. D.J. Lee, Taiwan	22. Dr. Bajcinovci, B. Kosovar, Bosnia	
5. Dr. Christial Paul P.delacruz, Phillipnes	23. Dr. Mohd. Yusuf, Malaysia	
6. Dr. T. Bahorun, Mauritius	24. Dr. Oswaldo A. Feernandez, Argentina	
7. Dr. Linda Blackwell, Australia	25. Dr. Ms. Mirela Tulik, Warsaw, Poland	
8. Dr. G. Zellner, Netherlands	26. Dr. L.L. Chukwu, Nigeria	
9. Dr. Wilson S. Tisera, Kupang, Indonesia	27. Dr. Azni Idris, UPM, Malaysia	
10. Dr. M.F. Hamoda, Kuwait	28. Dr. G. Suresha, Saudi Arabia	
11. Dr. H.A.Abrahamse, South Africa	29. Dr. Amresh Chandra Pandey, Jharkhand, India	
12. Dr. Arulmozhiyal R., Salem	30. Dr. Shambhu Sharan Kumar, Ranchi, India	
13. Dr. Hassan Ibrahim Ali, Sudan	31. Dr. A.K. Panigrahi, Berhampur, India	
14. Dr. A.R.Ghosh, Burdwan, India	32. Dr. Ahmed El Mahmoudi, Saudi Arabia	
15. Prof. M. Zaman, Bangladesh	33. Dr. Seyed Mohammad Tajbakhsh, Iran	
16. Dr. Marcantonio Bragdin, Venice, Italy	34. Dr. Amin L. Setyo, Indonesia	
17. Dr. Z. Fuat Topark, Turkey	35. Dr. Francis Gbogbo, Ghana	
18. Dr. Z. Li. Bonn, Germany	36. Dr. S. Shabanlou, Iran	

Back to EEC Journal Details

Home | International Journals | Books | Environmental Consulting | About Us | Contact Us | Submit Paper | © EM International 2012 |

**Become a fan** on Facebook

**Follow us** on Twitter



# ECOLOGY, ENVIRONMENT AND CONSERVATION VOL. 24 (4) : 2018

### **CONTENTS**

- 1467–1474 Sustainable fisheries resource management based on local knowledge of pole and line fishers (Case study, Murante Villages, Luwu Regency, South Sulawesi, Indonesia) —Amilludin, Yusran NurIndar, Aris Baso, Najamuddin and Andi Adri Arief
- 1475–1481 Economic development of the republic Mari El on the basis of natural resource-based multicluster

—Nina I. Larionova, Tatyana V. Yalyalieva and Dmitry L. Napolskikh

1482–1491 Function of a temporary wetland for wintering anatidea and coot: Mekhada Marsh (North East Algeria)

-Rima Bendjeddou, Zahra Benyacoub Brahmia and Slim Benyacoub

- 1492–1500 Review and Implementation of the accident analysis methods (AAM) in the Oil and GAS Upstream sector —Nikolaos Georgakopoulos
- 1501–1507 Determining crop planting pattern and sorting base on priority farmers' subjective —Parisa Shahinrokhsar, Amin Alizadeh, Hossein Ansary and Mohamad Ghorbany
- 1508–1514 Soil contamination and assessment of heavy metals neartwo landfills area due to leachate migration
  - —Tafë Veselaj, Rifat Morina, Afrim Berisha, Valdet Gashi and Fatbardh Sallaku
- 1515–1522 Ecotourism model based on social asset (Halal Tourism) as the strenghthening of economy of Lombok community, Indonesia —Wildan and Sukardi
- 1523–1529 Riple harmonization of transcontinental allometric *of Picea* spp. *and Abies* spp. forest stand biomass

-Vladimir Andreevich Usoltsev, Seyed Omid Reza Shobairi and Viktor Petrovich Chasovskikh

- 1530–1534 Preliminary study single stage micro gas turbine integrated with South Sumatera Indonesia low rank coal gasification
  - —Fajri Vidian, Hasan Basri, Helmy Alian, Elian Zhafran and Thorik Aziad
- 1535–1540 Results of preliminary studies on the production and agrucultural crops research of "JAMB-70" polycomponent mineral fertilizers
   —Zh. N. Rakhmanberdiyeva, K. T. Zhantasov, Z. K. Myrzaliyeva, B. R. Naimanbayev and D.M. Zhantasova
- 1541–1547 Spatial modeling vocational education development to support regional potential —Agus Wiyono, Abdul Hakim, Endah Setyowati and Agus Suharyanto
- 1548–1556 Evaluation of conditions for effective agricultural land-use as a basis for sustainable development of plant-growing production in the Omsk Region
   —Yuri Mikhailovich Rogatnev, Olga Nikolaevna Dolmatova, Vitaliy Viktorovich Aleschenko, Marina Nikolaevna Veselova and Yulia Stanislavovna Yusova
- 1557-1562 The monitoring of San Jose scale (Homoptera, Diaspididae: *Quadraspidiotusperniciosus* Comstock, 1881) in the southeast of Kazakhstan —Z.B. Beknazarova, B. Lozowicka, B.K. Kopzhasarov and R.A. Iskendirova
- 1563–1567 Multiplet interrelations in Oil Water compositions —Vinera Bekbayeva, Ashimhan Toktasynovich Kanaev, Galina Metaxa and Zy Losinq
- 1568–1575 Domestic and industrial waste as the basis for formation of compound compost —I. S. Belyuchenko

II	<b>CONTENTS</b> <i>Eco. Env. &amp; Cons.</i> 24 (4) : 2018		
1576–1586	The estimation of the sevastopol bays ecological state on basic chemical and microbiological criteria —Tikhonova E. A., Burdiyan N. V., Soloveva O. V., Doroshenko Yu. V.		
1587–1591	The effect of biological fertilizers on productivity of clover on saline soils of rice systems of the Aral Sea Region, Kazakhstan —Zhanar Shadibekovna Zhumadilova, Ibadulla Aigalievich Tautenov and Eric Zharylkasynovich Shorabaev		
1592–1601	Feasibility study of cantrang (Danish Trawl): fisheriesbiology perspective —Sri Suro Adhawati, Achmar Mallawa, Aris Baso and A. Adri Arief		
1602–1608	<ul> <li>Immune-phytopathological assessment of resistance of wheats to stem rust in conditions of the Southeast of Kazakhstan</li> <li>—Z. Amangeldikyzy, A.S. Kochorov, Aziz Karakaya, A.I. Morgunov, R.D. Karbozova and M.A. Gabdulov</li> </ul>		
1609–1616	Changing the properties of cultivated land is a real basis for the formation of new environmental niches — <i>I.S. Belyuchenko and O.A. Melnik</i>		
1617-1623	The influence of seeding time on growth development and productivity of sunflower in the dry steppe area —Beybit Nasiyev, Nurbîlat Zhanatalapov and Alexander Bushnev		
1624–1629	Effects of human pressure on the distribution of <i>Macaca sylvanus</i> in the sector of Ait ouabane, National Park of the Djurdjura, Algeria — <i>Mohammed Oudahmane, Aissa Moali and Farid Bekdouche</i>		
1630–1633	Carbon dioxide (CO <sub>2</sub> ) absorption of several landscape plants through photosynthetic route —F. Fathurrahman, Nizam Mohd Said <sup>3,4,</sup> Wan Juliana Wan Ahmad, and Che Radziah Che Mohd Zain		
1634–1639	Assessment of lead content in soil and plants as a consequence of continuous application of fertilizer systems —R. F. Baibekov, A. N. Esaulkov, M. S. Sigida, Y. I. Grechishkina and A. V. Voskoboinikov		
1640–1644	The predation efficacy of <i>Coccinella septempunctata</i> L. (Coccinellidae: Coleoptera) against cotton aphid <i>Aphis gossypii</i> glover (Homoptera: Aphididae) — <i>Ali K. R. Al-Shujairi and Sindab S. J. Al-Dahwy</i>		
1645–1650	The selection of parental material for winter barley breeding Inboharic direction —Zhanbolat Serkebaevich Mussabaev, Galiolla Tulendinovich Meirmanov, Anarbai Kainarovich Ortaev and Hristofor Kirchev		
1651-1656	Assessment of recovery of medicinal plants of the Kurtidistrict of the Almaty region —A.S. Seilkhan, R.À. Mirzadinov, A. Aksoy, A. Abulgaziyev and G. Kanat		
1657–1663	The study of the importance of cytogenetic and molecular genetics in the diagnosis of fish diseases — <i>Mohsen Shokohinia</i>		
1664–1668	Studying the technology and methods of increasing the yield of cultivated plants or strongly saline soils —Aliya Ainabekovna Ismailova, Ashimhan Toktasynovich Kanaev, Nariman Zhalgassuly Mahaya Aisijiang and Alexander Vladimirovich Kogut		
1669–1676	Assessment of recovered organic waste quality for application to sandy soils in the United Arab Emirates —Maitha Al Majid Almheiri, James Peter Terry and Munawwar Ali Khan		
1677–1683	Characteristic of stands of forest Fringillidae in the El Kala region (Northeastern Algeria) —Siouane Noureddine, Ziane Nadia and Slim Benyacoub		

1684–1689	Discrimination of tropical Mangrove species with hyperspectral leaf reflectance —Pandi Selvam Pandi, Ramesh Ramachandran, Purvaja Ramachandran and Srinivasalı Sechachalam		
1690–1695	Zero waste management and green steel by replacement of steel mill scale in Eco friendly construction —P. Ganeshprabhu and P. Chandrasekaran		
1696–1701	Ecological potential of highloft textiles from jute blended nonwovens for sound and thermal insulation —Bharanitharan Ramanathan, K. Thangamani and S. Sundaresan		
1702–1711	Environmental effects of exposure to cellphone radiations and its impacts on human health — <i>A. Adappa Sholapuri and Shrinivas Rao</i>		
1712–1719	Economic and environmental impacts of producer Company in Coimbatore District, Tamil Nadu —V. Jagadeesh Pandian and Madhavi Ganesan		
1720–1725	Improving energy proficiency and trust worthiness for power plant monitoring in WSN —Sathiyaseelan Rathinavel		
1726–1731	Study on utilization of waste plastic fibres as a construction entity — <i>S. Karthikeyan and G. Vennila</i>		
1732–1737	Performance of different capsicum hybrids for earliness and yield under various protected structures —Daljit Singh Gill <sup>1,3</sup> , Ramesh Kumar Sadawarti <sup>1</sup> and Madhu Sharma <sup>2</sup>		
1738–1753	Implication of woody species diversity on the aboveground biomass in subtropical sacred groves of Manipur, north east India — <i>Chongtham Sanjita, TH. Binoy Singh and TH. Rojen Singh</i>		
1754–1759	Degradation of reactive dyes in textile dyeing effluent by fenton and electro fenton processes —A. Latha, P. Partheeban and R. Ganesan		
1760–1766	Problem associated with breeding of two commercially important catfish <i>Clarias magur</i> (Hamilton, 1822) and <i>Heteropneustes fossilis</i> (Bloch, 1974): alternative approaches for solution — <i>Pradip Kumar Maurya, Shubham Gupta, Arvind Kumar Verma and Sullip Kumar Majhi</i>		
1767–1775	In-vitro efficacy of fungicides, bioagents and plant leaf extracts against Sclerotium rolfsii causing collar rot disease of french bean (Phaseolus vulgaris L.) —Ashwini Kumar, N. Kudada and Amit Saurabh		
1776–1779	<i>Mushroom</i> as food and medicine for Wellness and Wellbeing — <i>A.S. Deshmuknh</i>		
1780–1784	Effect of sewage irrigation on physio-biochemical characterization of two Mulberry varieties (Morus alba and Morus serrata) —M. Aslam Abdullah, G.S. Nirmala, Aruna Singh, Rajan Jain, Sindhu Manchikanti and I. Ciurcanu		
1785–1793	Impact of sub watershed implementation at Pandoga in swan river catchment area of shivalik foothills H.P, India on life form and biological spectrum —Bindu Sharma, Sujata Bhattacharya and Sunil Puri		

1794–1806 Investigation of physicochemical parameters to assess groundwater quality due to solid waste dumping - A case study —P. Vijayalakshmi and Marykutty Abraham

IV	CONTENTS	Eco. Env. & Cons. 24 (4) : 2018
1807–1810	Sexual dimorphism of body size variations and mating Drosophila melanogaster —Veer Bhan	; behaviour in natural populations of
1811–1818	Mathematical modeling and analysis of domestic was moving bed biofilm reactor —Bimenyimana Hubert and Misbar Bashir	ewater treatment in Phagwara using
1819–1823	Effect of city sewage wastewater irrigation on the nur and crops —Afroza Akhter, Abdul Rashid Dar, Irfana Amin and Arif	trient and heavy metal status of soil
1824–1826	Weed biodiversity and phytosociological composition of <i>—Ranjit Singh and P.N. Dongre</i>	f Bhadohi District of Uttar Pradesh
1827–1829	Consequence of changeable concentration of Cr (VI) on —Ravneet Chug and Manishita Das Mukherji	a bacterial isolate
1830-1836	Behaviour and the influence of meteorological parame modelling studies, Manali Industrial area, Chennai —J. Karthick and R. Samuel Devadoss	ters towards air pollutant dispersion
1837–1842	Isolation and identification of bioactive protein from fig —Indira N., Valivittan K. and P. Dhasarathan	sh by products
1843-1846	Modelling of hybrid energy systems for renewable control —S. Arulanantha Samy, S. Venkatesh, S.Vasanth and P. S.	energy conservation and pollution
1847–1854	Madhav national park: A potential site for vulture in B —Ruby Yadav, Adesh Kumar and Amita Kanaujia	undelkhand region
1855–1858	Isolation, screening and identification of cellulose prod —N.C. Tharavathy and M.H. Attiya Ilham	ucing bacteria from rotten rruits
1859–1865	Physico-chemical analysis of natural water sources a District, Tamilnadu, India —Indira N., Arunthathi R., Valivittan K. and P. Dhasarati	at Thengaipattinam, Kannyakumari han
1866–1874	Diversity and abundance of coral reef fish species in District, central Moluccas regency – Indonesia —Hasan Tuaputty, Marleny Leasa and John Rafafy Batlo	the coastal waters of salahutu sub-
1875–1878	Comparative evaluation of wet Lignocellulosic biomass —R. Divyabharathi, P. Subramanian, S. Pugalendhi, Jesudas	for biocrude oil production S. Avudainayagam and D. Manohar
1879–1884	Case study of biogas production from various feedstocl —Shivani and Bashir Misbah	KS
1885–1894	Soil Co <sub>2</sub> flux and temperature sensitivity (Q <sub>10</sub> ) in natu of senapati District, Manipur, India —Ng Niirou and Asha Gupta	ral and human impacted ecosystems
1895–1902	Biodiversity status and conservational requirements of — A review —Khasru Alam, Debjoy Bhattacharryay, Soumen Saha an	tropical Tasar (Antheraea mylitta D.) nd Prasanta Kumar Kar
1903–1913	Bacterial community structure (V3 Metagenomics) Kerala, India, by 16s RRNA amplicon sequencing —R. R. Reshmi and Salom Gnana Thanga, Vincent	of Ashtamudi estuarine sediment,
1914–1923	Modelling the relationship between land use and surfa —Mahdi Mahmoodi, Mahdi Honarmand, Farzin Naseri an	ce water quality nd Sedigheh Mohammadi

1924–1930	Augmenting water stress tolerance in Tomato by silicon supplementation —Chanchal Malhotra, Riti Thapar Kapoor, Deepak Ganjewala and N. B. Singh
1931–1939	Assessing public awareness level on the preservation of coral reefs (The case study in Biak Numfor, Papua, Indonesia) —Lis Melissa Yapanto and Meilinda Lestari Modjo
1940–1944	Model multivariate adaptive regression spline on lead exposure found within the hair of Petrol station's workers in Gorontalo City, Indonesia —Herlina Jusuf
1945–1953	Flood disaster preventive measures using GIS and multicriteria technique in the water sheds area of Ambasamuthiram Town —M. Seenirajan, M. Natarajan, R. Thangaraj and S. Shanmugasundaram
1954–1959	Ranging and feeding ecology of Javan langur ( <i>Trachypithecus auratus</i> ) rehabilitation in coban Talun protected forest, Batu, East Java, Indonesia — <i>Emanuel Naitio, Amin Setyo Leksono and Bagyo Yanuwiadi</i>
1960–1965	Inter-dependency of forest diversity and service towards the potency of ecotourism development in Pegunungan Arfak nature reserve —Lukas Yowel Sonbait, Hermanus Warmetan, Hotlan Manik and Reinardus Liborius Cabuy
1966–1972	Triple harmonization of transcontinental allometric of <i>Picea</i> spp. and <i>Abies</i> spp. forest stand biomass — <i>Vladimir Andreevich Usoltsev, Seyed Omid Reza Shobairi and Viktor Petrovich Chasovskikh</i>

Eco. Env. & Cons. 24 (4) : 2018; pp. (1931-1939) Copyright@ EM International ISSN 0971–765X

## Assessing public awareness level on the preservation of coral reefs (The case study in Biak Numfor, Papua, Indonesia)

Lis Melissa Yapanto<sup>1</sup> and Meilinda Lestari Modjo<sup>2</sup>

<sup>1</sup> Faculty of Fisheries and Marines Sciences, <sup>2</sup> Faculty of Letters and Cultures, Universitas Negeri Gorontalo, Indonesia

(Recieved 5 June, 2018; accepted 20 August, 2018)

### ABSTRACT

The aim of this study was to assess the level of public awareness on the important of the coral reefs preservation in Biak Numfor, Province Papua, Indonesia. The study employed descriptive qualitative research method. Data collection techniques were using questionnaires and interviews as well as documents. The result of this study showed that the level of public awareness on the coral reefs preservation as follows: (1) in the district of Oridek with a population of 4,665 people, there are 52% aware of the necessity to regulate the management of marine resources corals; (2) in district Amaindo (population of 2,209 people) the level of awareness was high with a total 18% concern that the need for regulation management of marine resources and Padaido counties with a population of 1,707 inhabitants that have high levels of awareness about the need to regulate the management of marine resource utilization by 15%, as well as in districts Biak East with a population of 6,698 inhabitants that has a level of consciousness should be setting the management of marine resources especially coral reefs by 15%. In terms of public knowledge about the things that destroy coral reefs for Aimando region has the highest percentage, namely 50% of people already know all that can damage coral reefs. While at the district level Aimando people to things that can damage coral reefs by 21%, then the district Padaido is about 16%, in East Biak district-level people's knowledge to cause damage to coral reefs by 13%. Oridek people in the region have a high level of awareness. With Coremap program impacts most notably the increased well-being of coastal communities. In order to maintain the balance and preservation of coral reefs need to pass a law governing regulation. Coremap existence needs to be continued in order to preserve the existence of coral reef ecosystems to sustain life aquatic biota.

Key words : Public Awareness, Coral Reefs, Preservation, Papua, Indonesia

### Introduction

Environmental issues have been the foremost concern today's people have to cope, and it is only growing more complex as they advance. It is believed that human beings are the ones to blame for their slightest footprints causing damages to the environment (Kumurur, 2008). However, it is not that the people themselves are unaware of the issues

\*Corresponding author's email : linda.modjo@yahoo.com

they generate. The notion is confirmed by individuals, realizing that most of the environmental issues such as coastal ecosystem and forest damage primarily root from their daily activities (Pada, *et al.*, 2011).

The issues also take place in coastal area, in which the area is an essential life-supporting vessel providing resources and commodities for the surrounding people, if utilized properly. In the coastal area, most of the resources are renewable, e.g. fishes, shrimps, mollusks, pearl oysters, crabs, seaweed, mangrove forest, and coral animals, whose existence depends on efforts of preservation by a human. Moreover, the coastal area also possesses potential prospects as a space of environmental services, such as sites and habitats for recreational activities and medium of transportation. This is in line with Haryanto (2008) who argues that the potency of marine and coastal area embodies hidden economic value for everyone, particularly communities in coastal areas.

On the contrary, the promising extent lacks support from efforts of preservation by the surrounding community, shown by their state of ignorance towards the environment, e.g. littering, the preference of burning trash as the most efficient way of cleaning, illegal logging without efforts of reforestation, and construction of housing and offices with no concern of soil infiltration (Dilisti, 2011). This is possibly due to the insufficient information of preserving the environment or lack of motivation from the people of maintaining the existence of the environment.

One cannot simply impose the burden of coral reef management solely to the government. It is expected for the community to integrate with the government in efforts of maintenance to generate an optimal result to preserve coral reef. To maintain it, the slightest contribution from both sides counts. The government is responsible for disseminating to the community of information and knowledge about coral reef – of the kinds and benefits of coral reef, its function, its preservation efforts, and possible impacts if the damage to coral reef gets worse – to be further practiced by the community in actions of utilization and conservation. Given that, the community will develop a sense of belonging of the coral reef, resulting in optimal preservation efforts.

#### Literature Review

Coral reef plays a significant contribution to the surrounding community, either viewed from the social, economic, or cultural aspect. It is the foremost primary underwater ecosystem which supports almost everything to the community: supporting the community's livelihood, as a habitat for commercial commodities, a support of tourism industry, providing sand for the beach, and as a barrier for waves and coastal erosion (Westmacott *et al.*, 2000). Moreover, Dahuri (2003) asserts that coral reef is a productive spot in which it acts as a spawning ground, nursery ground and feeding ground for the fishes. With that in mind, it is deduced that the breed of fishes surrounding the coral reef is highly productive. Also, Dawes (in Supriharyono, 2007) states that coral reef also acts as a medium for other organisms, such as oysters, lobsters, and tortoises. It is mentioned by Dahuri (2003) that a coral reef is possible to provide high organic/primary productivity due to the reef's ability to hold nutrients within the system and to act as a pool, accommodating every input from outside. As a result, the nutrients generated by the coral reef as a metabolic excess are utilized by plants without having to spread them to the water beforehand. There are eight general benefits of coral reef, i.e. (a) a barrier for the beach against the sea breeze, tidal waves, ocean current, and storm; (b) a resource of germplasm and biodiversity essential for food, bio technology, and health industries; (c) a medium for the fishes to breed (decorative fishes and target fishes living within the coral reef); (d) a shelter for underwater organisms; (e) a source of organic materials, enabling the fishes to disguise to hunt for food; (f) as construction material for roads and buildings, raw material for industries and jewelry, such as coral rock; (g) as a potential spot for capture fisheries and coral tourism; and (h) a barrier for beach against wave erosion. Furthermore, loss of food security and values of biodiversity are the possible impacts happening in consequence of damage to the coral reef.

#### **Contributing Factors of Damage to Coral Reefs**

As an ecosystem, the coral reef is highly susceptible to changes in surrounding environments including human activities, and it requires a long time to recover. Burke *et al.* (2002) mention contributing factors of damage to coral reef, i.e.: (1) poor management of construction within the coastal area; (2) marine activities, such as ship from port and direct damage from anchoring; (3) illegal logging and changes in land use, causing an increase of soil sedimentation; (4) over-fishing activities, disturbing the balance within food chain in the coral reef ecosystem; (5) the involvement of bombs and poisons in fishing activities; and (6) global climate change.

Moreover, IUCN (in Supriharyono, 2007) points out five objectives of underwater conservation site, i.e. (1) protecting and maintaining underwater and estuary system, ergo, resulting in long-term sustainable resource of living and preservation of genetic biodiversity; (2) to prevent the decrease and as a conservation habitat of rare species; (3) to protect the underwater ecosystem from human activities which may damage it; (4) to provide sustainable welfare for the community; (5) as an appropriate management of underwater environment, with broad spectrum for human activities primarily aimed at marine and estuary maintenance. It is essential for the surrounding community to develop mutual understanding, cooperation, and sense of belonging, as a preventive way to minimize the impact of damages to the coral reef.

On top of that, Westmacot et al. (2000) asserts that to prevent the widespread damage to coral reef, the government is needed to disseminate to the coastal and fishermen community of these policies, i.e.: (1) setting a no-fishing zone and limitation of allowed fishing tools to use; (2) educating the fishermen to take specific protection for algae-eating and coraleating fishes into consideration; (3) regulating the fishermen to not perform destructive fishing activities; (4) monitoring the composition and size of catches; (5) developing alternative livelihood sources for the fishermen community (if needed); (6) setting limitation for foreign fishermen by system of granting permissions; and (7) setting regulations limiting coral reef biota harvesting for aquarium and souvenirs.

Dissemination to raise the community's awareness of coral reef conservation is vital, for them to experience sustainable benefits as a result of the preservation efforts. Henceforth, contributions from the community need to be focused on the identification, planning, and implementation of conservation in the coastal area to gain numerous possible benefits (Supriharyono, 2007). Without contributions from the community, it is almost impossible for the government to execute the "Codes of Conduct for Responsible Fisheries" (FAO in Supriharyono, 2007). This is in accordance with the obligation of the government to conduct MCS (Monitoring, Control, and Surveillance) system, aimed to maintain rationality of fish and environment resources management and harmony within utilization and sustainability of fish resources (Supriharyono, 2007). Furthermore, the government has several alternatives of encouraging the community to involve in the management and maintenance of marine resources and environment. By the persuasive way, consultation and intimate approach are available to persuade the community within the area of program implementation to participate. Despite long duration, it needs in the initial process to work effectively; the persuasion is able to calm down the tension and likelihood of conflicts. Furthermore, Mitchell *et al.* (2007) point out that consultation with the community is preferred to (1) address any upcoming issues more efficiently; (2) obtain information and understanding which is beyond science; (3) formulate socially-accepted alternatives; and (4) develop a sense of belonging to optimize the implementation. The program of raising awareness is mainly aimed to the fishermen community; however, the government needs to consider executing the program to other stakeholders too, since the fishermen only take the role of actors, not policy makers.

The key aspects of sustainable development comprise local empowerment, self-support, and social justice. One effort of implementation are to progress from traditional environmental management of fish resources dominated by professionals from government and private sectors, to the approach which involves different layers of the community (Mitchell et al., 2007). In addition, Westmacott et al. (2000) argue that the efforts of developing sustainable fish resources are somehow tricky to execute, considering the numbers of people participating, the local community will have to strive to adapt to the new regulations and to cope with limited sources and options of livelihood. As a consequence, the development of cooperation within the community and availability of alternative sources of income is critical to support the sustainable livelihood. Moreover, the government is urged to conduct an empowerment in economic and social aspects of the local community within the coastal area with the intention to enhance the community's welfare, by utilization of coral reef potencies. If executed properly, the program enables the community to experience sustainable resources of commodities within coral reef ecosystem and to opt for alternative ways of fishing leaving the coral reef undamaged (Heger et al., 1999, 2000, in Westmacott et al., 2000).

### **Research Method**

The research combined quantitative and qualitative methods, in which the quantitative data were obtained by the survey of 180-240 households in the sample villages in Biak Numfor regency. Of 19 districts in Biak Numfor Regency, this study involved four districts, namely Oridek, Padaido, Biak Timur, and Aimando; all are located in coastal area and island. The districts were preferred due to a higher rate of utilization of the potential natural resources among others. The quantitative data comprised a demographic characteristic of household members and economic standing of the households. Concurrently, the qualitative data were acquired by observation, comprehensive interview, focus group discussions, and forum, aimed to gain better understanding beyond the social and economic condition of the community and its relation to the utilization of marine resources, particularly coral reef.

### **Findings and Discussion**

Biak Numfor islands regency is located in Papua province, consisting of three main islands: Biak Island (1,833.86 km<sup>2</sup>), Supiori Island (437.11 km<sup>2</sup>), Numfor Island (331.26 km<sup>2</sup>); and 41 smaller islands, e.g. Padaido Island and Mapia Island. The regency has a total area of 4,010 km<sup>2</sup>, with a land area of 2,602.23 km<sup>2</sup>. Biak Numfor is one of the regions with a tropical climate and tropical rain forest, with an average of 2,228 mm yearly. This is due to the regency geographically faces the Pacific Ocean. In addition, it is quite difficult to identify and differentiate between a wet and dry season in Biak Numfor. Based on data of 2004, the maximum temperature recorded is 30.5° Celsius on average, while the minimum temperature and average daily temperature have been registered at 23.9° Celcius and 27.2° Celcius respectively.

## Number of Household Members Involving in Coremap Activities

The survey result elucidates the awareness level of society of Biak Numfor as follows: 47 percents of household members in Oridek district involved in Coremap activities, while in Biak Timur, Aimando, and Padaido, the rate of people involving Coremap activities is 24 percents, 21 percents, and eight percents respectively. The data are presented in following Figure 1.

### Management of Marine Resources Utilization

As obtained from the survey, the awareness level of Biak Numfor society about the significance of regulations for management and utilization of coral reef is elucidated as follows: 52 percents from 4,665 people in Oridek district are aware that management and use of coral reef need to be regulated. Moreover, in Aimando, 18 percent of 2,209 people have the awareness that the community needs to be



Fig. 1. Percentage of household members' involvement in Core map program

regulated in terms of management and utilization of coral reef. Furthermore, only 15 percent in both Padaido and Biak Timur district (from 1,707 and 6,698 people respectively) whose awareness of the need for rules to regulate the management and utilization of coral reef. To put it simply, the data are shown in Figure 2 as follows:



Fig. 2. The awareness of Biak Numfor society towards regulation of coral reef management.

### **Knowledge of Coral Reefs**

People in every district in Biak Numfor Regency have different knowledge of coral reefs. Among all society with adequate knowledge within Biak Numfor Regency, 49 percent are from Oridek district, while 21 percents of the group are from Aimando. Moreover, the society in Biak Timur and Padaido needs further dissemination of coral reef information, since only 15 from each district whose sufficient knowledge about the coral reef. The data are illustrated in the following Figure 3.

### Knowledge of Benefits of Coral Reef

The research discovered that particular group of people in Biak Numforhave already known of the benefits of coral reef prior to the Core map program. The distribution of community members within Biak Numfor whose knowledge of coral reef ben-

#### YAPANTO AND LESTARI MODJO



Fig. 3. Percentage of society within Biak Numfor whose knowledge of coral reef

efits is displayed as follows: of all community members within Biak Numfor who understand the coral reef benefits, 49 percents of them are from Oridek district. Moreover, there is 21 percent of the society of Aimando district who understands the benefits of coral reef, while the rest 16 and 14 percents of the group are from Padaido and Biak Timur district respectively.



Fig. 4. Percentage of society within Biak Numfor whose knowledge of benefits of coral reef

## Knowledge of Contributing Factors Damaging the Coral Reef

The observation reveals that the society in Biak Numfor needs more dissemination of coral reef and factors causing damage to it. This is due to the knowledge is not distributed evenly to every district in Biak Numfor regency. Of all community members whose knowledge of the factors damaging coral reef, 50 percent are from Oridek district, while 21 percents of the group are from Aimando district. Moreover, the rest 16 percents and 13 percents of the group belong to Padaido and Biak Timur district respectively. The data are displayed in Figure 5 as follows.



Fig. 5. Percentage of community members in Biak Numfor who understand of factors damaging the coral ree

### Use of Fishing Gears that Damage Coral Reef

The following Figure 6 illustrates that some community members in Biak Numfor have realized of the impact of damages to coral reef and thus, opposing the use of dangerous fishing gears to the coral reef. 52 percents of the group are from Oridek district, while 16 percent are from Padaido. Additionally, there are 16 percents and 14 percents of the group which belongs to Padaido and Biak Timur district respectively. The data is shown in the following Fig 6.



Fig. 6. Percentage of community members within Biak Numfor opposing the use of dangerous fishing tools to the coral reef

# Knowledge of Ban of Explosives Use in Fishing Activity

There are some community members in Biak Numfor who understand of the destructive force of explosives in fishing activity, and the damage to the coral reef. However, the information needs to be disseminated more comprehensively, as it is unevenly distributed to each member within the community. Of all people whose knowledge of damage of explosives to the coral reef, 47 percents, and 21 percent belong to Oridek and Aimando district respectively. Moreover, 17 percents of the group are from Padaido, while 15 percent are from Biak Timur. The percentage is elucidated in following Figure 7.



**Fig. 7.** Percentage of the community members who understand of the damage of explosives in fishing activity

# Knowledge of Coral Reef Prior to the Core map Program

Previous to the core map program, there are some community members in Biak Numfor whose basic understanding of coral reef. Aimando is the district with most members whose basic knowledge of coral reef before the implementation of core map program, with 70 percents, while in Oriodek, there are 30 percents of community members whose basic understanding of coral reef. On the contrary, community members in Padaido and Biak Timur have no initial knowledge of the coral reef before the core map program. The data is displayed as follows.



Fig. 8. Percentage of community members within Biak Numfor whose basic knowledge of the coral reef prior to core map program

# Knowledge of the Ban of Fish Anaesthetic on Coral Reefs

People's knowledge regarding the ban of anesthetic on coral reefs in each district is different; in Oridek district, the percentage of people's understanding is at 41 percent preceded by Biak Timur district with 23 percent. Furthermore, the percentage of Aimando district is at 21 percent and the Padaido district has the lowest percentage among all with 15 percent. The following Figure 9 illustrates the explanation of people's understanding regarding such an issue:



Fig. 9. Understand the Ban of Fish Anesthetic on Coral Reefs

# Knowledge regarding the Conservation of Coral Reef

The percentage of the understanding of people of Biak Numfor Regency on the conservation of coral reef is varied. The percentage of the Oridek district is at 48 percent, Aimando with 21 percent, and the lowest districts are Padaido and Biak Timur with the percentage at 16 % and 15 % respectively. This is described in the following Figure 10:



Fig. 10. Understand the Ban of Fish Anaesthetic on Coral Reefs

### Knowledge of Core map Program

People's knowledge of core map program in each district is different; in Oridek district, the percentage of people's knowledge is at 48 percent, followed by Aimando district with 21 percent and Padaido district with 16 percent. Further, the lowest percentage among all is Biak Timur district with 15 percent. The following Figure 11 explains people's knowledge regarding such an issue:

### 1936

### YAPANTO AND LESTARI MODJO



Fig. 11. Knowledge of Core map Program

### Eagerness to Involve in Core map Activity

People's eagerness to involve in core map activities in Biak Numfor Regency is at a different level. Each district has its own percentage, in which Padaido district gets 17 percent of its total population who wants to involve in core map activities, and then it is followed by Biak Timur district with 15 percent and Oridek district with 46 percent. Aimando district, however, arrives at 22 percent of its total population. Figure 14 illustrates people's eagerness to involve in core map activities.



Fig. 14. People's eagerness to involve in core map activity

### **Knowledge of Coral Reef Supervision**

Coral reef supervision should be importantly conducted to avoid its damage that caused by people's negligence in managing marine resources. Most people in Biak Numfor have understood the marine resources supervision with different levels of knowledge in each district, which Oridek district reaches 41 percent of its total population, followed by Aimando district with 33 percent and Biak Timur district with 22 percent. The lowest percentage of 4 percent, on the other hand, is from Padaido district of its total population. Figure 15 illustrates the explanation.



Fig. 15. Knowledge of Supervision

### Sustainability of core map Program

Core map program gives a positive impact on people's life improvement in Biak Numfor Regency that they can live independently and preserve the natural resources. On top of it, people are eager to sustain this core map program to maintain its good impact (Naning Romdiati, 2008).

From Figure 16, it illustrates that people in Oridek district want to sustain the program with 50 percent, followed by Aimando district with 20 percent, Padaido and Biak Timur district with 15 percent.



Fig. 16. People's Eagerness to sustain the core map Program

### Supervision Activities in Each District

Developing core map program requires community's involvement in which people in Oridek district have involved at 64 percent, Padaido



Fig. 17. Supervision Involvement

district at 20 percent and Aimando district at 15 percent. Unfortunately, there is no program involvement from people in Biak Timur district. The following Figure 17 explains this issue.

### **Punishment Approval for Violation**

It is necessary to punish people who break the rule for its enforcement around core map location in which community obedience can support the program development.

The awareness level of individuals towards the rule in Biak Numfor Regency is different; 15 percent of people in Paraido district are aware of the rule, while in Biak Timur, Oridek and Aimando district, the rate of individuals who are aware of the rule is 14 percent, 51 percents, and 20 percent respectively. The data are presented in Figure 18, as follows:



Fig. 18. Punishment Approval for Violation

#### Knowledge of Coral Reef Harvesting Ban

Coral reef as a marine resource should be preserved due to the ecosystem balance in its marine. If there is damage to the coral reef, the other habitats will be affected by its damage as well (Novaczek, 1997). Several coral reefs have been damaged in these days era, and it caused by surrounding people's daily activity that they have continually harvested coral reef as a building material. For that reason, there should be a regulation regarding the ban of coral reef harvesting in any ways (Asep Sukmara, 2001).

Based on survey results, some respondents from Biak Numfor Regency agree with the rule application on the ban of coral reef harvesting. It is expected that it can help preserving coral reef ecosystem in the region. The data from the survey reveal that people in Oridek district agree with the regulation, and it gets the highest percentage of 53 percent, followed by Biak Timur district and Aimando district that rate of people who approve the ban of coral reef harvesting is 30 percent and 12 percent consecutively. The data are presented in Figure 19.



Fig. 19. Knowledge of Coral Reef Harvesting Ban

# Thinking Level of Society about Exhausting Marine Resources

As obtained from the survey, most people argue that marine resources will be slowly exhausted. A survey in each district acquires various results; 59 percent of people in Oridek district claim that marine resources will be run out, and then the percentage in Biak Timur district is 27 percent. Furthermore, the rate of people in Aimando and Padaido district who believe in exhausting marine resources is only 11 % and 3 % respectively. Figure 20 explains in detail:



Fig. 20. Thinking Level of Society about Exhausting Marine Resources

### Conclusion

The purpose of this study is to understand people's role in preserving coral reef through core map program and to discuss the impact of the program on community's welfare improvement around East Region in Indonesia. Environmental preservation is crucial for people to care about; therefore, actual action and broad knowledge are required to conserve coastal area. The results show that (1) people in Oridek district have bigger awareness and thinking level than the other areas, (2) better coral reef is

### YAPANTO AND LESTARI MODJO

successfully achieved by implementing core map program, (3) the most dominant impact of core map program is on coastal community's welfare in Biak Numfor Regency, (4) there should be a coral reef balance and preservation after core map program implementation by setting law regulation, (5) core map program sustainability is required to preserve coral reef ecosystem and its marine biota.

### References

- Asep Sukmara, 2001. Free Community-Based Monitoring Coral Reef Manta Tow Method. Coastal-CRMP project. Jakarta.
- Department of Marine and Fisheries, 2001. General Guidelines for Management of the island-Small Island Sustainable and Community-based.
- Dahuri, R. *et al.*, 1999. Coastal Resource Management in an integrated manner. Pradnya Paramita. Jakarta.
- D.N. et al., 2011. Public Perception in Marine Conservation Kaimana regency, Indonesia. [Internet]. [Cited October 14, 2014].
- Dilisti. 2011. The level of public awareness in Environmental Conservation Coastal Region. [Internet]. [Cited October 14, 2014]. Journal of Environment. Can be downloaded from: http://uwityangyoyo.wordpress.com / 2011/05/11 / level-consciousness-in-society-environment-conservation-area-coastal /
- Haning Romdiati, 2008. Socio-Economic Conditions At Location Coremap II Society Biak Numfor. COREMAP-LIPI.
- Haryanto, R. 2008. Forest Rehabilitation Mangrov: Coastal Ecosystem Conservation and Coastal Community Empowerment. KARSA [Internet]. [Cited October 13, 2014]; 14 (2). Can be downloaded from: http:// i d c i . d i k t i . g o . i d / p d f / J U R N A L / KARSA, JurnalSosialdanBudayaKeislaman/

Vol%2014,%20No%202%20(2008)/31-39-1-PB.pdf.

- Kumurur, V.A. 2008. Knowledge, Attitudes and Awareness of Environmental Science Graduate Students Against City Environmental Jakarta. *EKOTON* [Internet]. [Cited 30 September 2014]; 8 (2): 1-24. Can be downloaded from: http://repo.unsrat.ac.id/59/
- Ministry of Environment, 2003. Image Management Issues Conditions and resources in coastal areas and the sea. [Internet]. [Quoted December 9, 2014]. Can be downloaded from: http://www.menlh.go.id/potretkondisi-dan-permasalahan-pengelolaan-sumberdaya-diwilayah-pesisir-dan-laut/
- Malau, T.L.M. 2013. Coastal Zone Development Problems. [Internet]. [Cited December 9, 2014]. Can be pushed from: http://www.omtim.com/62/permasalahanpembangunan-wilayah-pesisir/
- Statistics Center Biak Body, 2008. Biak Numfor 2007. In Figures. BPS. Biak.
- Novaczek, I. 1997. Biological Research Report: Coral Reefs, Fish and Fisheries in Saba, Wundi and Dawi, Padaido Islands. Biological Monitoring Team, Hualopu Foundation.
- Notoatmodjo, S. 2005. Education and Health Behavior. Jakarta: Rineka Reserved Darwanto, H. 2009. Pemberdayaan Masyarakat Pedesaan Berbasiskan Masyarakat Terpencil. Bappenas, Jakarta.
- Siregar, T.J. 2010. Public Awareness In Slum Improvement of Environmental Sanitation in Sub Matahalasan Tanjungbalai. [Essay]. [Internet]. [Cited October 14, 2014]. Diponegoro University. Can be downloaded from: http://eprints.undip.ac.id/23695/1/ TETY\_JULIANY\_SIREGAR.pdf
- Waskito, J. and Mugi Harsono, 2012. Description rate Joglosemar Awareness and Care Society Against Environmental Sustainability. Journal of Management Dynamics [Internet]. [Cited October 3, 2014]; 3 (1): 29-39. Can be downloaded from: http:// journal.unnes.ac.id/nju/index.php/jdm.