

*Front cover: Calf of lowland anoa (*Bubalus depressicornis*)*
(PHOTO: CHESTER ZOO)

Published bimonthly

PRINTED IN INDONESIA

ISSN: 1412-033X




9 771412 033597

E-ISSN: 2085-4722



9 772085 472591



ISSN: 1412-033X
E-ISSN: 2085-4722

BIODIVERSITAS

Journal of Biological Diversity

Volume 19 - Number 6 - November 2018

BIODIVERSITAS

Journal of Biological Diversity
Volume 19 – Number 6 – November 2018

ISSN/E-ISSN:

1412-033X (printed edition), 2085-4722 (electronic)

EDITORIAL BOARD (COMMUNICATING EDITORS):

Abdel Fattah N.A. Rabou (Palestine), **Agnieszka B. Najda** (Poland), **Alan J. Lymbery** (Australia), **Alireza Ghanadi** (Iran), **Ankur Patwardhan** (India), **Bambang H. Saharjo** (Indonesia), **Daiane H. Nunes** (Brazil), **Darlina Md. Naim** (Malaysia), **Ghulam Hassan Dar** (India), **Faiza Abbasi** (India), **Hassan Pourbabaeci** (Iran), **I Made Sudiana** (Indonesia), **Ivan Zambrana-Flores** (United Kingdom), **Joko R. Witono** (Indonesia), **Katsuhiko Kondo** (Japan), **Krishna Raj** (India), **Livia Wanntorp** (Sweden), **M. Jayakara Bhandary** (India), **Mahdi Reyahi-Khoram** (Iran), **Mahendra K. Rai** (India), **Mahesh K. Adhikari** (Nepal), **Maria Panitsa** (Greece), **Muhammad Akram** (Pakistan), **Mochamad A. Soendjoto** (Indonesia), **Mohib Shah** (Pakistan), **Mohamed M.M. Najim** (Srilanka), **Morteza Eighani** (Iran), **Pawan K. Bharti** (India), **Paul K. Mbugua** (Kenya), **Rasool B. Tareen** (Pakistan), **Seweta Srivastava** (India), **Seyed Aliakbar Hedayati** (Iran), **Shahabuddin** (Indonesia), **Shahir Shamsir** (Malaysia), **Shri Kant Tripathi** (India), **Stavros Lalas** (Greece), **Subhash Santra** (India), **Sugiyarto** (Indonesia), **T.N. Prakash Kammardi** (India)

EDITOR-IN-CHIEF:

S u t a r n o

EDITORIAL MEMBERS:

English Editors: **Graham Eagleton** (grahameagleton@gmail.com), **Suranto** (surantouns@gmail.com); Technical Editor: **Solichatun** (solichatun_s@yahoo.com), **Artini Pangastuti** (pangastuti_tutut@yahoo.co.id); Distribution & Marketing: **Rita Rakhmawati** (oktia@yahoo.com); Webmaster: **Ari Pitoyo** (aripitoyo@yahoo.com)

MANAGING EDITORS:

Ahmad Dwi Setyawan (unsjournals@gmail.com)

PUBLISHER:

The Society for Indonesian Biodiversity

CO-PUBLISHER:

Department of Biology, Faculty of Mathematics and Natural Sciences, Sebelas Maret University, Surakarta

ADDRESS:

Jl. Ir. Sutami 36A Surakarta 57126. Tel. +62-271-7994097, Tel. & Fax.: +62-271-663375, Email: unsjournals@yahoo.com

ONLINE:

biodiversitas.mipa.uns.ac.id

.....

EXPERTISE AND CORRESPONDING EMAIL OF THE COMMUNICATING EDITORS:

GENETIC DIVERSITY: **Agnieszka B. Najda** (agnieszka.najda@up.lublin.pl), **Alan J. Lymbery** (a.lymbery@murdoch.edu.au), **Darlina Md. Naim** (darlinamdn@usm.my), **Mahendra K. Rai** (pmkrai@hotmail.com).

SPECIES DIVERSITY: **Joko R. Witono** (jrwitono@yahoo.com), **Katsuhiko Kondo** (k3kondo@nodai.ac.jp), **Livia Wanntorp** (livia.wanntorp@nrm.se), **Mahesh K. Adhikari** (mkg_adh@wlink.com.np), **Maria Panitsa** (mpanitsa@upatras.gr), **Mohib Shah** (mohibshah@awkum.edu.pk), **Paul K. Mbugua** (paulkmbugua@gmail.com), **Rasool B. Tareen** (rbtareen@yahoo.com).

ECOSYSTEM DIVERSITY: **Abdel Fattah N.A. Rabou** (arabou@iugaza.edu), **Alireza Ghanadi** (aghannadi@yahoo.com), **Ankur Patwardhan** (ankurpatwardhan@gmail.com), **Bambang H. Saharjo** (bhsaharjo@gmail.com), **Daiane H. Nunes** (nunesdaiane@gmail.com), **Faiza Abbasi** (faeza.abbasi@gmail.com), **Ghulam Hassan Dar** (profdar99@gmail.com), **Hassan Pourbabaeci** (hassan_pourbabaeci@yahoo.com), **I Made Sudiana** (sudiana@iugaza.edu), **Ivan Zambrana-Flores** (izambrana@gmail.com), **Krishna Raj** (krishnarajsec@yahoo.co.uk), **Mahdi Reyahi-Khoram** (phdmrk@gmail.com), **Mochamad A. Soendjoto** (masoendjoto@gmail.com), **Mohamed M.M. Najim** (mnajim@kln.ac.lk), **Morteza Eighani** (morteza_eighani@yahoo.com), **Pawan K. Bharti** (gurupawanbharti@rediffmail.com), **Seweta Srivastava** (seweta.21896@lpu.co.in), **Seyed Aliakbar Hedayati** (Hedayati@gau.ac.ir), **Shahabuddin** (shahabsaleh@gmail.com), **Shahir Shamsir** (shahirshamsir@gmail.com), **Shri Kant Tripathi** (sk_tripathi@rediffmail.com), **Stavros Lalas** (slalas@teilar.gr), **Subhash Santra** (sesantra@yahoo.com), **Sugiyarto** (sugiyarto_ys@yahoo.com), **T.N. Prakash Kammardi** (prakashtnk@yahoo.com).

ETHNOBIOLOGY: **M. Jayakara Bhandary** (mbjaikar@gmail.com), **Muhammad Akram** (makram_0451@hotmail.com).



Society for Indonesia
Biodiversity



Sebelas Maret University
Surakarta

GUIDANCE FOR AUTHORS

Aims and Scope *Biodiversitas*, *Journal of Biological Diversity* or abbreviated as *Biodiversitas* encourages submission of manuscripts dealing with all biodiversity aspects of plants, animals and microbes at the level of the gene, species, and ecosystem as well as ethnobiology.

Article types The journal seeks original full-length research papers, reviews, and short communication. Manuscript of original research should be written in no more than 8,000 words (including tables and picture), or proportional with articles in this publication number. Review articles will be accommodated, while, short communication should be written at least 2,000 words, except for pre-study.

Submission The journal only accepts online submission, through open journal system (<https://smujo.id/biodiv/about/submissions>) or email to the editors at unsjournals@gmail.com. Submitted manuscripts should be the original works of the author(s). The manuscript must be accompanied by a cover letter containing the article title, the first name and last name of all the authors, a paragraph describing the claimed novelty of the findings versus current knowledge. Submission of a manuscript implies that the submitted work has not been published before (except as part of a thesis or report, or abstract); and is not being considered for publication elsewhere. When a manuscript written by a group, all authors should read and approve the final version of the submitted manuscript and its revision; and agree the submission of manuscripts for this journal. All authors should have made substantial contributions to the concept and design of the research, acquisition of the data and its analysis; drafting of the manuscript and correcting of the revision. All authors must be responsible for the quality, accuracy, and ethics of the work.

Ethics Author(s) must obedient to the law and/or ethics in treating the object of research and pay attention to the legality of material sources and intellectual property rights.

Copyright If and when the manuscript is accepted for publication, the author(s) still hold the copyright and retain publishing rights without restrictions. Authors or others are allowed to multiply article as long as not for commercial purposes. For the new invention, authors are suggested to manage its patent before published.

Open access The journal is committed to free-open access that does not charge readers or their institutions for access. Readers are entitled to read, download, copy, distribute, print, search, or link to the full texts of articles, as long as not for commercial purposes. The license type is CC-BY-NC-SA.

Acceptance The only articles written in English (U.S. English) are accepted for publication. Manuscripts will be reviewed by editors and invited reviewers (double blind review) according to their disciplines. Authors will generally be notified of acceptance, rejection, or need for revision within 1 to 2 months of receipt. The manuscript is rejected if the content does not in line with the journal scope, does not meet the standard quality, inappropriate format, complicated grammar, dishonesty (i.e. plagiarism, duplicate publications, fabrication of data, citations manipulation, etc.), or ignoring correspondence in three months. The primary criteria for publication are scientific quality and biodiversity significance. **Uncorrected proofs** will be sent to the corresponding author by email as *.doc* or *.docx* files for checking and correcting of typographical errors. To avoid delay in publication, corrected proofs should be returned in 7 days. The accepted papers will be published online in a chronological order at any time, but printed in January, April, July and October.

A charge Starting on January 1, 2017, publishing costs waiver is granted to foreign (non-Indonesian) authors who first publish the manuscript in this journal, especially for graduate students from developing countries. However, other authors are charged USD 250 (IDR 3,500,000).

Reprints The sample journal reprint is only available by special request. Additional copies may be purchased when ordering by sending back the uncorrected proofs by email.

Manuscript preparation Manuscript is typed on A4 (210x297 mm²) paper size, in a single column, single space, 10-point (10 pt) Times New Roman font. The margin text is 3 cm from the top, 2 cm from the bottom, and 1.8 cm from the left and right. Smaller lettering size can be applied in presenting table and figure (9 pt). Word processing program or additional software can be used, however, it must be PC compatible and Microsoft Word based (*.doc* or *.rtf*; **not .docx**). **Scientific names** of species (incl. subspecies, variety, etc.) should be written in italic, except for italic sentence. Scientific name (genera, species, author), and cultivar or strain should be mentioned completely for the first time mentioning it in the body text, especially for taxonomic manuscripts. Name of genera can be shortened after first mentioning, except generating confusion. Name of the author can be eliminated after first mentioning. For example, *Rhizopus oryzae* L. UICC 524, hereinafter can be written as *R. oryzae* UICC 524. Using trivial name should be avoided, otherwise generating confusion. **Biochemical and chemical nomenclature** should follow the order of the IUPAC - IUB. For DNA sequence, it is better used Courier New font. Symbols of standard chemical and abbreviation of chemistry name can be applied for common and clear used, for example, completely written butilic hydroxyl toluene (BHT) to be BHT hereinafter. **Metric measurement** use IS denomination, usage other system should follow the value of equivalent with the denomination of IS first mentioning. Abbreviations set of, like g, mg, mL, etc. do not follow by dot. Minus index (m⁻², L⁻¹, h⁻¹) suggested to be used, except in things like "per-plant" or "per-plot". **Equation of mathematics** does not always can be written down in one column with text, in that case can be written separately. **Number**

one to ten are expressed with words, except if it relates to measurement, while values above them written in number, except in early sentence. The fraction should be expressed in decimal. In the text, it should be used "%" rather than "percent". Avoid expressing ideas with complicated sentence and verbiage, and used efficient and effective sentence.

Title of the article should be written in compact, clear, and informative sentence, preferably not more than 20 words. Name of author(s) should be completely written. **Name and institution** address should also be completely written with street name and number (location), postal code, telephone number, facsimile number, and email address. Manuscript written by a group, author for correspondence along with address is required. First page of the manuscript is used for writing above information.

Abstract should not be more than 200 words. **Keywords** is about five words, covering scientific and local name (if any), research theme, and special methods which used; and sorted from A to Z. All important **abbreviations** must be defined at their first mention. **Running title** is about five words. **Introduction** is about 400-600 words, covering the background and aims of the research. **Materials and Methods** should emphasize on the procedures and data analysis. **Results and Discussion** should be written as a series of connecting sentences, however, for manuscript with long discussion should be divided into subtitles. Thorough discussion represents the causal effect mainly explains for why and how the results of the research were taken place, and do not only re-express the mentioned results in the form of sentences. **Concluding** sentence should be given at the end of the discussion. **Acknowledgments** are expressed in a brief; all sources of institutional, private and corporate financial support for the work must be fully acknowledged, and any potential conflicts of interest are noted.

Figures and Tables of maximum of three pages should be clearly presented. Title of a picture is written down below the picture, while title of a table is written above the table. Colored figures can only be accepted if the information in the manuscript can lose without those images; chart is preferred to use black and white images. Author could consign any picture or photo for the front cover, although it does not print in the manuscript. All images property of others should be mentioned source. **There is no appendix**, all data or data analysis are incorporated into Results and Discussions. For broad data, it can be displayed on the website as a supplement.

References Author-year citations are required. In the text give the authors name followed by the year of publication and arrange from oldest to newest and from A to Z. In citing an article written by two authors, both of them should be mentioned, however, for three and more authors only the first author is mentioned followed by et al., for example: Saharjo and Nurhayati (2006) or (Boonkerd 2003a, b, c; Sugiyarto 2004; El-Bana and Nijs 2005; Balagadde et al. 2008; Webb et al. 2008). Extent citation as shown with word "*cit*" should be avoided. Reference to unpublished data and personal communication should not appear in the list but should be cited in the text only (e.g., Rifai MA 2007, pers. com. (personal communication); Setyawan AD 2007, unpublished data). In the reference list, the references should be listed in an alphabetical order (better, if only 20 for research papers). Names of journals should be abbreviated. Always use the standard abbreviation of a journal's name according to the **ISSN List of Title Word Abbreviations** (www.issn.org/2-22661-LTWA-online.php). The following examples are for guidance.

Journal:

Saharjo BH, Nurhayati AD. 2006. Domination and composition structure change at hemic peat natural regeneration following burning; a case study in Pelalawan, Riau Province. *Biodiversitas* 7: 154-158.

Book:

Rai MK, Carpinella C. 2006. Naturally Occurring Bioactive Compounds. Elsevier, Amsterdam.

Chapter in book:

Webb CO, Cannon CH, Davies SJ. 2008. Ecological organization, biogeography, and the phylogenetic structure of rainforest tree communities. In: Carson W, Schnitzer S (eds) *Tropical Forest Community Ecology*. Wiley-Blackwell, New York.

Abstract:

Assaeed AM. 2007. Seed production and dispersal of *Rhazya stricta*. 50th annual symposium of the International Association for Vegetation Science, Swansea, UK, 23-27 July 2007.

Proceeding:

Alikodra HS. 2000. Biodiversity for development of local autonomous government. In: Setyawan AD, Sutarno (eds.) *Toward Mount Lawu National Park; Proceeding of National Seminary and Workshop on Biodiversity Conservation to Protect and Save Germplasm in Java Island*. Universitas Sebelas Maret, Surakarta, 17-20 July 2000. [Indonesian]

Thesis, Dissertation:

Sugiyarto. 2004. Soil Macro-invertebrates Diversity and Inter-Cropping Plants Productivity in Agroforestry System based on Sengon. [Dissertation]. Universitas Brawijaya, Malang. [Indonesian]

Information from internet:

Balagadde FK, Song H, Ozaki J, Collins CH, Barnet M, Arnold FH, Quake SR, You L. 2008. A synthetic *Escherichia coli* predator-prey ecosystem. *Mol Syst Biol* 4: 187. www.molecularsystemsbiology.com

THIS PAGE INTENTIONALLY LEFT BLANK

Short Communication:

Inventory of traditional medicinal plants and their uses from Atinggola, North Gorontalo District, Gorontalo Province, Indonesia

NOVRI YOULA KANDOWANGKO^{1,✉}, MUKHLISULFATIH LATIEF^{2,✉}, RAMPI YUSUF^{2,✉}

¹Department of Biology, Faculty of Mathematics and Natural Sciences, Universitas Negeri Gorontalo. Jl. Jenderal Sudirman No. 6, Kota Gorontalo 96128, Indonesia. Tel./fax.: +62-435-821125, ✉email: novrikandowangko@ung.ac.id.

²Department of Informatics engineering, Faculty of Engineering, Universitas Negeri Gorontalo, Jl. Jenderal Sudirman No. 6, Kota Gorontalo 96128, Indonesia. Tel./fax.: +62-435-821125, ✉email: mukhlis@ung.ac.id, ✉✉ rampiender1@gmail.com

Manuscript received: 3 October 2018. Revision accepted: 14 November 2018.

Abstract. *Kandowangko NY, Latief M, Yusuf R. 2018. Inventory of traditional medicinal plants and their uses from Atinggola, North Gorontalo District, Gorontalo Province, Indonesia. Biodiversitas 19: 2294-2301.* Medicinal plants have been used by the people of Gorontalo as a hereditary tradition. But this knowledge has not spread to the wider community because the traditional wisdom about medicinal plants has not been documented, stored and managed properly by employing digital tools. The purpose of this study is to prepare an inventory of the traditional medicinal plants and the details of their uses in Atinggola, North Gorontalo district, Indonesia. Data has been collected by ethnobotanical survey method and analyzed using the descriptive qualitative method. The study has shown that 38 species of medicinal plants, belonging to 20 families, are used to cure many diseases by the traditional healers of Atinggola. Among them, 6 species are used to treat fever, 5 species to treat skin diseases, 2 species each to treat cancer, gastrointestinal diseases, liver diseases, and as body tonic to restore power; 1 species each to treat toothache, malaria, tonsillitis, allergies, eye irritation, wound infections and tuberculosis (TBC). Plant parts used in the treatment practices are leaf, fruit, flower, rhizome, root, stem, seed, shoots, midribs parts, etc. However, the most dominant part used is the leaf of the plants. Various methods such as boiling, squeezing, scraping, chewing, smashing, brewing, etc. are used to prepare the medicines. 29 species (76.31%) of medicinal plants are collected from cultivated sources such as backyards and gardens while 9 species (23.68%) are still sourced from forests.

Keywords: Ethno medicinal diversity, Gorontalo, medicinal plant, traditional medicines

INTRODUCTION

Atinggola is one of the sub-district located in the district of North Gorontalo, Gorontalo Province, Indonesia. It is inhabited by several civil society groups who have come from Ternate, Sangir and Gorontalo. Atinggola communities still maintain their tradition regarding the use of medicinal plants. This is evidenced by the fact that there are still many traditional medicinal experts (healers or shamans) who utilize plants as the main raw materials in the treatments provided. Their knowledge of the use of plants as medicine is based on the experiences they have gained in trying to meet the treatment needs using a variety of local plants. The number of patients visiting these traditional healers of Atinggola is between 10-30 people/month per healer.

Also, many species of medicinal plants are found in the Atinggola region and the people use the various parts of these plants or whole plants to maintain the health of their family members. Their livelihood as farmers is also in line with their interest in using traditional medicinal plants for curing diseases and maintenance of family health and also the preservation of medicinal plants by cultivating them in backyards and gardens. Currently, there is a shift in their opinion regarding use of traditional medicines. They now know about modern medicines and some of them have

already abandoned using traditional medicines and prefer to use modern medicines which provides quick results. However, some of them, especially the native residents and farmers, still continue using traditional medicines and preserve this traditional healing heritage. It is necessary to strengthen and preserve the local wisdom of Atinggola community pertaining to medicinal plants.. Therefore, this ethnobotanical study of medicinal plants used by traditional healers in Atinggola Sub-district, Gorontalo, Indonesia, was conducted in order to know the local knowledge of medicinal plants, parts of the plants used as medicines and the processing of medicinal plants.

This is also to strengthen the research that has been done for other Atinggola regions, which was carried out in 2012, namely the exploration of local knowledge of ethnomedicine and community-based medicinal plants in Indonesia which reported that there were 64 plants and 48 herbs used on Atinggola. ethnic group (Kandowangko et al. 2012)

MATERIALS AND METHODS

The study was conducted in four villages, namely *Pinontoyonga, Ilohelumo, Tombulilato* and *Sigaso* of Atinggola, North Gorontalo district, Province Gorontalo,

Indonesia (Figure 1), using the survey method. Data and information collected about traditional medicinal uses of plants was done by interviews and direct observations in the field. Interviews were conducted with the traditional healers (shamans) and locals who know about or use the plants around them to treat diseases (Rahayu et al. 2002). For each plant species used as medicine, the following information was collected and recorded: local name, place of growth, parts used, method of use, and uses. The tools used in this study were: recorder, digital camera, notebooks, pens, scissors, plastic bags and questionnaires. A combination of qualitative and quantitative methods were used to collect ethnobotanical information, through in-depth interviews with respondents using open ended questionnaires. Respondents were selected using purposive sampling, based on certain criteria. Along with collection of information on medicinal plants from the community, the medicinally useful plants were collected from backyards, home gardens and forests located around the hamlet. Every plant was identified using local name and scientific name. Unidentified plants were photographed and also herbarium materials collected for further identification by botanist in the Laboratory of Botany, Department of Biology, Faculty of Mathematic and Natural Science, Gorontalo State University, Indonesia. The plants were identified using Steenis (2006). The information thus

collected were analyzed descriptively and quantitatively using tables.

RESULTS AND DISCUSSION

Results of this study indicate that 38 species of medicinal plants, belonging to 27 Genera and 20 families, are used by traditional healers in the Atinggola community (Table 1). The most widely used medicinal plants are from Euphorbiaceae, Oxalidaceae and Zingerberaceae. From each of these families, four species were found to be used as medicinal which accounts for 10.53% of the total number of species recorded as medicinal in this study (Table 2). 20 species of Medicinal plants used are trees, 8 are herbs, 3 are shrubs, 4 grasses and 5 are lianas (Figure 2).

From interviews with traditional healers of Atinggola, it was known that medicinal herbs are used not only for the treatment of relatively common and mild diseases such as ulcers, itchy skin, eye irritations, wounds and infections, but also in the treatment of severe diseases such as dengue fever, malaria, kidney stones and even cancer (table 3). Treatment for such diseases was generally demanded by the local community because of the lack of health care facilities in the accessible surroundings. There is only one simple health center located in the study area.




Figure 1. Location of study villages of Atinggola, District North Gorontalo, Province Gorontalo, Indonesia

Table 1. Medicinal plants used by traditional healers of Atinggola Community: Information is listed in this order-Family name, scientific name, life form, vernacular name, parts used, additional materials added, processing/method of application and health benefits/diseases treated

Family/ scientific name	Growth form	Vernacular name	Parts of plant	Additional material	Processing/Method of application	Health benefits or diseases claimed to be treated
Euphorbiaceae						
<i>Jatropha curcas</i> L.	Tree	<i>Balacae, binthalo</i> (Gorontalo)	Leaf	Coconut oil	Leaves smeared with coconut oil, heated over the fire, paste of the heated leaves applied on the forehead	Fever
			Leaf	Dried banana leaves, black coffee	Mixed with dried leaves of <i>Musa x paradisiaca</i> L. and boiled and the water decoction used for bathing and also applied on the body of of puerperal mothers. After bathing, drinking black coffee is advised to stop bleeding and increase their strength.	Energy recovery after child delivery
<i>Macaranga tanarius</i> (L.) Müll.Arg.	Tree	<i>Kayu mata putih</i> (Gorontalo, Indonesia)	Leaf		Leaves kneaded and massaged on the itchy skin	Skin Itches
			Leaf	<i>Hedyotis corymbosa</i> (L.) Lam., <i>Jatropha curcas</i> L., <i>Hibiscus tiliaceus</i> var. <i>abutiloides</i> (Willd.) Hochr.	3 pieces of each leaf mixed, boiled and the boiled water consumed.	Fever
<i>Acalypha indica</i> L.	Herb	<i>Luata</i> (Gorontalo), <i>Kucing-kucingan</i> (Indonesia)	Leaf		The leaves are crushed and placed in aching teeth cavities	Toothache
<i>Melanolepis multiglandulosa</i> (Reinw.ex Blume) Rchb.f.& Zoll.	Shrub	<i>Walongo</i> (Gorontalo); <i>Kayu kapur</i> (Indonesia)	Leaf	rhizomes of <i>Kaempferia galanga</i> L., Garlic cloves	Leaves mixed with 1 clove of garlic and rhizomes <i>Kaempferia galanga</i> L., and the water extract is dripped into the nose.	Nose breeding
Arecaceae						
<i>Cocos nucifera</i> L.	Tree	<i>Kelapa</i> (Gorontalo, Indonesia)	tender coconut meat	Leaves of <i>Curcuma longa</i> L. (leaves (Turmeric), leaves of <i>Pandanus amaryllifolius</i> Roxb. leaves, fruits of <i>Citrus limon</i> (L.) Osbeck	Tender coconut meat shredded and mixed with lemon leaves, turmeric leaf and pandan leaves. The herbal mixture is consumed three times a day	Increases breast milk
Oxalidaceae						
<i>Averrhoa carambola</i> L.	Tree	<i>Balimbi</i> (Gorontalo); <i>Belimbing manis</i> (Indonesia)	Leaf	-	Juice of the leaves taken orally, paste is applied on the itchy skin	Skin itches
			Leaf	Leaves of <i>Averrhoa bilimbi</i> , <i>dumbaya</i> (<i>Dombeya acuminatissima</i> Hochr.), turmeric, <i>bungale</i> , onion, garlic,	Mixed with leaves of <i>Averrhoa bilimbi</i> L. and one part each of dumbaya, turmeric, bungale, red onion and a clove of garlic. All the ingredients are mixed well in 150 ml of water.	Measles

<i>Averrhoa bilimbi</i> L.	Tree	<i>Lembetue</i> (Gorontalo); <i>Belimbing wuluh</i> (Indonesia)	Leaf		Juice of the leaves taken orally, paste is applied on the itching skin	Skin itches
			Flower	Fruit of (<i>Dumbaya</i>), brown sugar, leaves of <i>Coleus scutellarioides</i> (L.) Benth.	Mixed with fruits of <i>dumbaya</i> and boiled. To the water of boiled herbs, added brown sugar for taste and 7 leaves of <i>Mayana</i> . This drink is taken 3 times a day, until healed	Cough
Zingiberaceae						
<i>Zingiber purpureum</i> Roscoe.	Herb	<i>Bungale</i> (Gorontalo)	Rhizome		Rhizome pounded and massaged on the itching skin	Skin itches
			Leaf	Leaves of <i>Dumbaya</i> , leaves of <i>Molontipo</i> , rhizome of <i>Curcuma aeruginosa</i> Roxb. clove of onion, leaves of <i>Hulotuwa</i>	7 sliced leaves mixed with 7 sliced leaves of <i>dumbaya</i> and <i>Molontipo</i> . To this, turmeric, clove of onion and hulotuwa leaves are added and boiled well with 3 cups of water until the volume is reduced to 1 cup. Boiled water is consumed three times a day	Dengue fever
<i>Kaempferia galanga</i> L.	Herb	<i>Humopoto</i> (Gorontalo); <i>Kencur</i> (Indonesia);	Leaf		Juice of leaves consumed orally, the paste is applied on the forehead	Fever
			Leaf		Leaves boiled with water and taken directly	Cancer
Rutaceae						
<i>Euodia</i> sp.	Tree	<i>Pinogoguma</i> (Gorontalo)	Leaf		Water extract of the leaves taken directly	Fever; dengue fever
Dioscoreaceae						
<i>Dioscorea alata</i> L.	Liana	<i>Balahu</i> (Gorontalo); <i>Ubi kelapa</i> (Indonesia)	Stem		Dried stem is burnt from one end and the smoke is inhaled from the other end	Polip
Rubiaceae						
<i>Gardenia augusta</i> Merr.	Tree	<i>Pica piring putih</i> (Gorontalo); <i>Kaca piring</i> (Indonesia)	Flower		7 flowers are boiled and boiled water is taken orally	Tonic to restore body power
Arecaceae						
<i>Arenga pinnata</i> (Wurmb) Merr	Tree	<i>Waolo</i> (Gorontalo); <i>Aren</i> (Indonesia)	Midrib		Midrib which is still green peeled and the white part inside is grabbed and mashed. The paste is smeared on the wound, until the wound/ulcer dries.	Ulcers, acne scars, chickenpox.
<i>Areca catechu</i> L.	Tree	<i>Pinang</i> (Gorontalo, Indonesia)	Fruits	Leaf of walnut, fruit of <i>Citrus limon</i> (L.) Osbeck	7 pieces of ripened areca fruit is mixed with walnut leaf and lemon juice. Mixed and drunk repeatedly until healed.	Liver problems
Verbenaceae						
<i>Lantana camara</i> L.	Shrub	<i>Katumbari</i> (Gorontalo); <i>Tembelekan</i> (Indonesia)	Leaf		Extracts from the leaves taken directly	High blood pressure
			Leaf		Leaves boiled and taken orally	Tuberculosis
			Flower		flowers boiled and the water consumed directly.	Gnorrhea
Solanaceae						
<i>Physalis peruviana</i> L.	Herb	<i>Bulutuhe tomete</i> (Gorontalo); <i>Ceplukan</i> (Indonesia)	Root		The roots are boiled and boiled water is consumed.	Liver problems

Gnetaceae						
<i>Gnetum gnemon</i> L.	Tree	<i>Ganemo</i> (Gorontalo) <i>Melinjo</i> (Indonesia)	Leaf		Leaves cooked and eaten like vegetables	Indigestion
Cyperaceae						
<i>Miscanthus sinensis</i> Andersson	Grass	<i>Diata</i> (Gorontalo); <i>Rumput Pisau</i> (Indonesia)	Leaf Flower and seed Fruits		The leaves are crushed and smeared on the head Dried flowers and seeds mashed, brewed with hot water and drunk. 7 pieces of the fruits chewed and the resulting paste is smeared on the tumor or abscess without eye, until it changes color from reddish to pale or ruptures.	Headache Cancer Tumors or ulcers which are eyeless or not ruptured.
Menispermaceae						
<i>Arcangelisia flava</i> (L.)Merr	Liana	<i>Ayulalahe</i> (Gorontalo); <i>Kayu kuning</i> (Indonesia)	Root Stem	Rhizomes of ginger	the roots are boiled and the boiled water is drunk The stem and ginger rhizome made into a decoction in boiling water which is drunk	Body fitness, tonic Breathlessness
Caricaceae						
<i>Carica papaya</i> L.	Tree	<i>Pepaya</i>	Leaf		Yellow leaves boiled and boiled water is given to drink	Malaria
Malvaceae						
<i>Theobroma cacao</i> L.	Tree	<i>Coklat</i>	Leaf Friut		Brown leaves boiled and boiled water is given to drink Chocolate made from fruit is scraped and smeared on the wound surface	Diabetes melitus Wounds
Cucurbitaceae						
<i>Cucurbita maxima</i> Duchesne	Herb	<i>Sambiki</i> (Gorontalo) <i>Labu kuning</i>	Sap		The sap from the stem is smeared on the forehead and scalp.	Headache
Musaceae						
<i>Musa x paradisiaca</i> L.	Tree	<i>Pisang raja</i>	Fruit		Fruits consumed before meals	Ulcer
Poaceae						
<i>Bambusa affinis</i> Munro	Tree	<i>Buluh</i> (Gorontalo)	Shoots		Shredded and added salt to taste, and boiled with 3 cups of water until the volume reduces to 1 cup. Consumed orally	Diabetes melitus
Polygonaceae						
<i>Polygonum barbatum</i> L.	Herb	<i>Tolowe</i> (bahasa Atinggola); <i>Poombito</i> (Gorontalo)	Shoots		Boiled and the boiled water orally taken.	Fever
Moraceae						
<i>Ficus septica</i> Burm L.	Tree	<i>Bualo</i> (Gorontalo), <i>Awar-awar</i> (Indonesia)	Shoots		Shoots boiled and the boiled water drunk.	Poisones, allergies

Table 2. Proportion of genera and species belonging to various families used as medical plants in Atinggola, Gorontalo, Indonesia

Family	Number of genera	Proportion of total genera (%)	Number of species	Proportion of total species (%)
Euphorbiaceae	2	7.41	2	5.26
Arecaceae	3	11.11	3	7.89
Euphorbiaceae	3	11.11	4	10.53
Oxalidaceae	2	7.41	4	10.53
Zingiberaceae	2	7.41	4	10.53
Rutaceae	1	3.70	1	2.63
Dioscoreaceae	1	3.70	1	2.63
Rubiaceae	1	3.70	1	2.63
Verbenaceae	1	3.70	3	7.89
Solanaceae	1	3.70	1	2.63
Gnetaceae	1	3.70	1	2.63
Cyperaceae	1	3.70	3	7.89
Menispermaceae	1	3.70	2	5.26
Caricaceae	1	3.70	1	2.63
Malvaceae	1	3.70	2	5.26
Cucurbitaceae	1	3.70	1	2.63
Musaceae	1	3.70	1	2.63
Poaceae	1	3.70	1	2.63
Polygonaceae	1	3.70	1	2.63
Moraceae	1	3.70	1	2.63
Total	27	100	38	100

Out of the total 38 species of medicinal plants used by herbalists or traditional healers in Atinggola, number of species used in the treatment of different diseases are: 6 species to treat fever, 5 species to treat skin diseases

Table 3. Types of diseases cured with medicinal plants

Types of diseases	Name of diseases / health benefits
Mild diseases	Fever, Energy recovery post-partum, To increase breast milk, Itching skin, Toothache, Measles, Cough, Polyp's, Tonic to restore power, Ulcers, Acne scars, Chickenpox, Poisoning, Allergy, Nose bleeding, Wounds, Headache and Indigestion
Serious diseases	Cancer, High blood pressure, Tuberculosis (TBC), Gonorrhoea, Liver disorders, Diabetes mellitus, Malaria and Dengue fever

(ulcers), 2 species each to treat cancer, gastrointestinal diseases, liver diseases, and as body tonic to restore power; 1 species each to treat toothache, malaria, tonsillitis, allergies, eye irritation, wound infections, and tuberculosis (TBC). The six species used to treat fever are: *Jatropha curcas*, *Macaranga tanarius*, *Zingiber purpureum*, *Kaempferia galanga*, *Euodia redlevi*, and *Polygonum barbatum*.

In addition, there are traditional beliefs associated with the collection of plant parts for medicinal purposes. For example, while collecting plant parts from the forest plants, one cannot wear red colored shirt. Also, the herbaceous plant species should be harvested before sunrise or 06.00 pm. Water used in the processing of ingredients must be the water that has been used for cooking. The bark of the tree must be collected in the dry season, when the trunk was chipped.

Table 4. Reported medicinal uses for ethno medicinal plants of Atinggola in published literature

Family	Plant	Diseases/uses	Plant parts used	Reference
Arecaceae	<i>Cocos nucifera</i> L.	Measles	Milk from tender coconut	Lense (2012)
		Nerve system	Root	Nahdi et al. 2016
		itchy skin	Endosperm	Nahdi et al. 2016
Euphorbiaceae	<i>Macaranga tanarius</i> Muell. Arg	Chest pain, malaria	Leaves	Lense (2012)
Zingiberaceae	<i>Zingiber purpureum</i> Roxb	Body's immune system	Rhizome	Nahdi et al (2016)
Zingiberaceae	<i>Kaempferia galanga</i> L	Cough, ashma, gastrointestinal disorders, stomach ache, rheumatism, aphrodisiac, fever	Rhizome	Silalahi et al. (2015)
Arecaceae	<i>Areca catechu</i> L.	Bone Fractures, Busung, Tinuktuk tawar	Fruit	Silalahi et al. (2015)
Caricaceae	<i>Carica papaya</i> L.	Malaria	Leaves	Lense (2012)
Musaceae	<i>Musa paradisiaca</i> , L.	Easy birth	Stem	Lense (2012)
Poaceae	<i>Bambusa</i> sp.	Wounds	Outer bark	Lense (2012)
Polygonaceae	<i>Polygonum barbatum</i> L.	Scabies	Roots	Lense (2012)
		Abscesses	Leaves	Lense (2012)
		Dysentery	Leaves	Lense (2012)
Moraceae	<i>Ficus septica</i> Burm. L.	Abscesses	Bark, shoot	Lense (2012)
		Eye infection	Leaves	Lense (2012)




Figure 2. Proportion of medicinal plants of Atinggola based on: growth form (*left*), and part of the plants used (*right*)

A review of published literature has indicated that the medicinal plants used by the people of Atinggola have been also used by communities in other areas, either to treat the same or different diseases/purposes (table 4). For example, people of Atinggola use tender coconut (*Cocos nucifera*) meat to increase breast milk production, while it is used for treating measles in Manokwari, West Papua (Lense 2012), and Turgo community of Yogyakarta use roots of this plant to treat problems of nerve system and endosperm to treat itchy skin (Nahdi et al 2016). In both Atinggola and Manokwari of West Papua, *Carica papaya* is employed as a cure for malaria (Lense, 2012). The rhizome of *Zingiber purpureum* is used as a remedy for Itchy skin and its leaves are used for the treatment of dengue fever, in the present study. This is almost similar to the report of Nahdi et al. (2016).

Another significant finding is that people of Atinggola have a practice of planting medicinal plants in their backyards or home gardens. Data obtained during the present study regarding the source of medicinal plants indicated that 76.31% or 29 species are obtained from cultivated sources, among which 44.74% medicinal plants are collected from home gardens and 31.58% are from backyards. Only 9 species or 23.68% medicinal plants are obtained from natural forests. This proves that the people in Atinggola are aware of the necessity and importance of preserving biodiversity. Therefore, they have tried to cultivate medicinal plants that they use in their traditional medicinal systems. This stresses again on the need to document and preserve public knowledge on the use of medicinal plants as a traditional healing heritage to maintain family health and also to protect local biodiversity. Further, the community knowledge needs to be scientifically authenticated and improved through research on isolating active substances from medicinal plants, which should be carried out by scientific and academic institutions like universities. So, continuous research is needed to develop traditional knowledge both qualitatively and quantitatively which is also important to protect the local wisdom of the community as the collective intellectual property of the Indonesian people.

ACKNOWLEDGEMENTS

The authors wish to thank the Directorate General of Research and Development, Indonesian Ministry of Research, Technology and Higher Education for funding this research through DIPA Number SP DIPA-042.06.1.401516/2018, dated 5 December 2017 and according to the Higher Applied University research contract for 2018 fiscal year with contract number: 249 / UN47.D / PL / 2018. Authors gratitude and appreciations are also due to all the traditional healers of the Atinggola community who have provided information about the medicinal plants.

REFERENCES

- Dalimartha S. 2000. Indonesian Plant Atlas. Trubus Agriwidya, Jakarta.
- Gechev TS, Hille J, Woerdenbag HJ, Benina M, Mehterov N, Toneva V, Fernie AR, Roeber BM. 2014. Natural products from resurrection plants: Potential for medical applications. Research review paper. Biotechnol Adv 32: 1091-1101.
- Kandowanko NY, Junus R, Hasan H, Lamangantjo CJ, Adam R. 2012. Research Report Specifically Exploring Ethnomedical Knowledge and Community-Based Medicinal Plants in Indonesia (Atinggola Ethnicity). Collaborative Research from Gorontalo State University and Health Research and Development Agency, Jakarta.
- Kinho J, Arini DID, Halawane J, Nurani L, Halidah, Kafiar Y, Karundeng MC. 2011. Plants of Traditional Medicines in North Sulawesi, Volume II. Balai Penelitian Kehutanan, Manado.
- Lense O. 2012. The wild plants used as traditional medicines by indigenous people of Manokwari, West Papua. Biodiversitas 13 (2): 98-106.
- Mahmood A, Mahmood A, Malik RN, Shinwari ZK. 2013. Indigenous knowledge of medicinal plants from Gujranwala district, Pakistan. J Ethnopharmacol 148 (2): 714-723.
- Nahdi MS, Nugraheni IKA, Martiwi ARI, Arsyah DC. 2016. The ethnobotany of medicinal plants in supporting the family health in Turgo, Yogyakarta, Indonesia. Biodiversitas 17 (2): 900-906.
- Rai MK, Carpinella C. 2006. Naturally Occurring Bioactive Compounds. Elsevier, Amsterdam.
- Silalahi M, Supriatna J, Walujo EB, Nisyawati. 2015. Local knowledge of medicinal plants in sub-ethnic Batak Simalungun of North Sumatra, Indonesia. Biodiversitas 16 (1): 44-54.
- Setyowati FM. 2010. Ethnopharmacology and the use of plants among Dayak Tunjung Tribe in East Kalimantan. Media Litbang Kesehatan 3: 104-112.
- Steenis CGGJ van. 2006. Mountain Flora of Java. 2nd ed. E.J. Brill, Leiden.

- Simbala HEI 2007. Floristic and the Use of Medicinal Plant by Community in Bogani Nani Wartabone National Park. [Dissertation]. Institut Pertanian Bogor, Bogor. [Indonesian]
- Tjitrosoepomo G. 2010. Plant Morphology. GMU Press, Yogyakarta, Indonesia. [Indonesian]
- Rahayu M, Rugayah, Praptiwi, Hamzah. 2002. Diversity in the use of medicinal plants by the Sasak tribe in Gunung Rinjani National Park, Lombok, NTB. In: Naiola BP, Chairul DSH, Hoesen, Hartutiningsih, Utami NW, Panggabean G, Praptiwi, Purwanto, Kahono S, Juhaeti T, Jamal Y, Suryasari Y. 2001. Proceedings of Symposium II. Medicinal and Aromatic Plants, Biology Research Center-LIPI, KEHATI, APINMAP, UNESCO, and JICA, Bogor, August 8-10, 2001. [Indonesian]
- Varalakshmi CH, Ali AM, Pardhasaradhi BVV. 2008. Immunomodulatory effect of curcumin: in vivo. *Intl J Immunol* 8: 688-700.
- Windadri FI, Rahayu M, Uji T, Rustiani H. 2006. The use of plants as medicinal ingredients by the local community of the Muna tribe in Wakarumba Sub-district, Muna District, Sulawesi. *Biodiversitas* 7 (4): 333-339. [Indonesian]
- Zuhud EAM. 2009. The potential of tropical forest as the buffer for natural medicine material for the nation's health. *Jurnal Bahan Alam Indonesia* 6 (6): 227-232.