# Ability estimation in computerized adaptive test using Mamdani Fuzzy Inference System

Submission date: 29-Jun-2023 10:01AM (UTC-0700) Submission ID: 2124402242 File name: 2020\_IOP\_Conference.pdf (1.18M) Word count: 2877 Character count: 13652

#### PAPER · OPEN ACCESS

# Ability estimation in computerized adaptive test using Mamdani Fuzzy Inference System

To cite this article: W Ridwan et al 2020 IOP Conf. Ser.: Mater. Sci. Eng. 850 012004

View the article online for updates and enhancements.

This content was downloaded from IP address 182.1.187.16 on 22/01/2021 at 13:50

IOP Publishing

IOP Conf. Series: Materials Science and Engineering 850 (2020) 012004 doi:10.1088/1757-899X/850/1/012004

#### Ability estimation in computerized adaptive test using Mamdani Fuzzy Inference System

#### W Ridwan\*, I Wiranto and R D R Dako

Department of Electrical Engineering, State University of Gorontalo, Jl. Jendral Sudirman no.6, Kota Gorontalo, Indonesia 96128.

\*wridwan@ung.ac.id

Abstract. Assessment is an activity to find out the learning outcomes of a course. Conventionally, assessment is done using a pencil and paper test. Along with the development of information and communication technology, evaluation can be done computerized, known as Computer Based Test (CBT). The Computerized Adaptive Test (CAT) is one form of CBT where the items given are chosen based on the students' abilities. This research aims to design a system that can estimate the ability of students based on the parameters of the questions and answers given. The estimation method uses the Mamdani Fuzzy Inference System (MFIS). The input MFIS is a level of difficulty and discrimination of the questions, the probability of students being able to answer correctly, and the student's answer, while the output is an ability estimated. Based on this fuzzy system output, the next item questions will be determined according to the ability of the students. 24 IF-THEN rules are used for fuzzy systems. CAT simulations are carried out for Linear Algebra Course with six topics, namely vector, matrices concepts, matrices operation, determinant, inverse, and matrices applications. The type of question given is multiple choice. Giving items will be stopped if the value of the estimated ability of the students has not changed. From the simulations carried out, for each topic, the ability of the student can be acquired with the number of questions as many as six questions. So that the CAT system can minimize the time of the exam, reduce the subjectivity of the assessment and can arrange for each student to get the questions according to his abilities.

#### 1. Introduction

Assessment activity of learning outcomes in the cognitive/knowledge domain is usually done with an objective and descriptions test techniques with various types and carried out conventionally using paper or also called a pencil and paper test. Along with the development of information and communication technology, the assessment of student learning outcomes can be done computerized (known as Computer Based Test/CBT). The use of CBT in examinations can reduce the subjectivity of lecturers in conducting assessments, is not affected by the condition of the lecturers (tired, unfocused), and certainly can reduce the use of paper (following environmentally friendly principles). At CBT, it is possible to randomize questions between one student and another student. In the sense that every student is allowed to get a different sequence of questions. This can prevent students from collaborating in completing the exam. However, the form of an exam like this can cause inaccuracy in giving questions and inefficient time between one student and another.

Computerized Adaptive Testing (CAT) is a test method for test participants that is managed based on the level of participants' abilities [1]. Based on that, the score of the assessment of each examinee

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.
Published under licence by IOP Publishing Ltd
I

IOP Conf. Series: Materials Science and Engineering 850 (2020) 012004 doi:10.1088/1757-899X/850/1/012004

will not be much different, both those with more and moderate abilities. This is because the system used in The CAT can recognize the level of participants' abilities so that the questions given are a matter that can be done by the participants. The design of the CAT as an instrument for evaluating learning outcomes has advantages including (a) assisting lecturers in evaluating learning outcomes (reducing subjective elements, not affected by lecturers' condition/tired or out of focus); (b) in accordance with environmentally friendly principles because it reduces the use of paper in conventional examinations; (c) can be integrated with online learning (e-learning) so that it allows students to conduct selfassessment.

The primary key to the CAT program is the computer's ability to provide the right questions adaptively, according to the estimation of test-takers' abilities. In general, the CAT system consists of five main components, namely [2-4]:

- calibrated item bank,
- the starting point,
- item selection rule,
- scoring, and
- stopping rule.

Given 1 and 2, repeat 3 and 4 until 5 is satisfied.

At the stage of item selection, an algorithm is needed that can estimate the ability of the examinees so that the items to be issued are adjusted to the abilities of the participants. The classic method of knowing the level of participants' ability is to the Maximum Likelihood estimator (MLE) [5,6]. The Bayesian approach used in [7,8] to estimate participants' ability.

In this research, the estimation of participants' abilities will be carried out using fuzzy logic. Fuzzy logic estimates the ability of examinees based on the difficulty level of the question, the parameters of the question and the response/answers of the examinees. The estimation results are used to determine the next question that will be issued.

#### 2. Method

In general, Fuzzy Logic Control (FLC) has four main parts, as shown in Figure 1. The four elements have the following functions [9,10]:

- Fuzzifier functions to transform input signals that are crisp to the fuzzy set using the fuzzifier operator.
- The Knowledge Base contains a database and basic rules that define fuzzy sets of input and output areas and arrange them in the control rules.
- Decision Making is at the core of FLC, which can be human in making decisions. Fuzzy set actions are inferred using fuzzy implications and fuzzy inference mechanisms.
- Defuzzification functions to transform conclusions about fuzzy set actions into an actual variable that is crisp by using defuzzifier operators.




Figure 1. Fuzzy logic control.

IOP Publishing

IOP Conf. Series: Materials Science and Engineering 850 (2020) 012004 doi:10.1088/1757-899X/850/1/012004

In this research, the block diagram of the fuzzy logic system to estimate the ability of examinees, as shown in Figure 2. There are four inputs to the fuzzy system, namely:

- Item difficulty level (*b<sub>i</sub>*), with three levels, namely easy, medium, and difficult.
- Question discrimination (*a<sub>i</sub>*), with two levels, namely satisfactory and good.
- Probability of the examinees answer the question correctly (*p<sub>i</sub>*), calculated using Equation 1 [6].

$$\rho_i(\theta) = c_i + (1 - c_i) \frac{e^{1.7a_i(\theta - b_i)}}{1 + e^{1.7a_i(\theta - b_i)}} \quad i = 1, 2, 3, ..., n$$
(1)

where,

 $p_i(\theta)$ : the probability that the student has the ability  $\theta$  to answer the item *i* correctly  $\theta$ : student's ability to estimate

b<sub>i</sub>: item difficulty level

*a<sub>i</sub>*: item discrimination

ci: guessing factor

*n*: the number of items

e: 2.718

The parameter c is worth 0.25 because there are only four possible answers to each question (multiple choice questions). This input is divided into two categories, namely minimum and maximum.

• Participant's response or answer (*r<sub>i</sub>*), if the correct answer is worth 1, whereas if the wrong answer is 0.

Input 1 and input 2 are the question parameters.




Figure 2. Block diagram of the fuzzy estimate system.

Fuzzy system output is the estimated value of the participant's ability ( $\theta$ ). This output is divided into five levels, namely Very Low (VL), Low (L), Average (Av), Great (G), and Excellent (Ex). These five output levels adjust to the values in the student scoring system, which is from the highest value A to the lowest value E. While the values B, C, and D are in the two values.

The membership functions of the four inputs and one output can be seen in Figure 3 to Figure 7.




Figure 3. The membership function of the input variable "item discrimination".

IOP Publishing

IOP Conf. Series: Materials Science and Engineering 850 (2020) 012004 doi:10.1088/1757-899X/850/1/012004




Figure 4. The membership function of the input variable "item difficulty level".




Figure 5. The membership function of the input variable "Probability".




Figure 6. The membership function of the input variable "participants' response".




Figure 7. The membership function of output variable "participants' abilities level".

4

IOP Publishing

IOP Conf. Series: Materials Science and Engineering 850 (2020) 012004 doi:10.1088/1757-899X/850/1/012004

Based on the above input-output fuzzy system, fuzzy system rules are then compiled to estimate the ability of the examinees. There are 4 inputs namely item discrimination (divided into 2 levels), item difficulty level (divided into 3 levels), probability (divided into 2 levels) and participant's response (divided into 2 levels), so that the combination of these four inputs produces 24 rules (= 2 times 3 times 2 times 3). The 24 fuzzy IF-THEN rules summarized in Table 1. The value 1 in Table 1 shows input or output at that level. The explanation of Table 1 given below.

- IF discrimination is Satisfactory AND difficulty is Easy AND probability is Minimum AND response is Wrong THEN ability is Very Low (rule 1).
- IF discrimination is Satisfactory AND difficulty is Easy AND probability is Minimum AND response is Right THEN ability is Low (rule 2).
- IF discrimination is Satisfactory AND difficulty is Medium AND probability is Minimum AND response is Right THEN ability is Average (rule 6).
- IF discrimination is Good AND difficulty is Medium AND probability is Minimum AND response is Right THEN ability is Good (rule 18).
- IF discrimination is Good AND difficulty is Hard AND probability is Maximum AND response is Right THEN ability is Excellent (rule 24).

The logic that underlies rule number 1 is that if an exam participant is given an easy question, and he/she answers incorrectly, the level of ability is very low. Other fuzzy rules are built based on relevant logic.

Fuzzy system designed using Mamdani fuzzy model with the defuzzification process using center of gravity defuzzyfier.

Rule					Inp	ut				_		Output	t	
No.		iminati 1 (a)	Di	fficulty	(b)	Probab	ility (p)	Respo	onse (r)		A	bility (	θ)	
	G	S	Н	М	Е	Max	Min	R	W	VL	L	Av	G	Ex
1		1			1		1		1	1				
2		1			1		1	1			1			
3		1			1	1			1	1				
4		1			1	1		1				1		
5		1		1			1		1		1			
6		1		1			1	1				1		
7		1		1		1			1		1			
8		1		1		1		1					1	
9		1	1				1		1			1		
10		1	1				1	1					1	
11		1	1			1			1			1		
12		1	1			1		1						1
13	1				1		1		1		1			
14	1				1		1	1				1		
15	1				1	1			1	1				
16	1				1	1		1				1		
17	1			1			1		1			1		
18	1			1			1	1					1	
19	1			1		1			1		1			
20	1			1		1		1						1
21	1		1				1		1			1		
22	1		1				1	1						1
23	1		1			1			1			1		
24	1		1			1		1						1

Table 1. Fuzzy system rules.

IOP Publishing

IOP Conf. Series: Materials Science and Engineering 850 (2020) 012004 doi:10.1088/1757-899X/850/1/012004

#### 3. Result and discussion

The design of the fuzzy system to estimate the ability of examinees, then simulated using system simulation software. For simulation purposes, we use the item bank for Linear Algebra Course. There are 177 multiple choice questions for six topics, namely vector, matrices concepts, matrices operation, determinant, inverse, and matrices applications.

We can see the results of this simulation to what extent the fuzzy system that is built can produce the expected output. As the first question, a question with a moderate level (Medium) is chosen, and the probability of correct answer = 0.5. Table 2 to Table 4 shows the different scenarios of simulation for the Vector topic.

The first scenario is if the answer continues right (see Table 2). In this case, the difficulty level of the question will increase (medium to hard level) along with the increase in the estimation of participants' abilities ( $\theta$ ). The test for this subject will stop at the fourth question because, at that time, the estimated ability value ( $\theta$ ) has not changed anymore.

Stage	Level	No. of Question	а	b	р	r	с	θ	Δθ
1	М	16	0,8	-0,4055	0,5	1	0,25	1,874	
2	Н	28	0,1	1,7346	0,6294	1	0,25	2,207	0,333
3	Н	29	0,1	2,9444	0,6015	1	0,25	2,4589	0,2519
4	Н	30	0,1	2,9444	0,6095	1	0,25	2,4589	0

Table 2. Simulation results of vector topics if the response continues right.

The second scenario is if the participant's answer is wrong. In Table 3 can be seen that the level of difficulty of the question will go down (from medium to easy) along with the decrease in the estimation of the ability of the examinee ( $\theta$ ). The test will stop at the third question because the value of ( $\theta$ ) no longer changes.

Stage	Level	No.of Question	a	b	р	r	с	θ	Δθ
1	М	16	0,8	-0,4055	0,5	0	0,25	-1,0786	
2	E	12	0,5	-1,0986	0,6282	0	0,25	-1,8853	-0,8067
3	E	8	0,3	-1,7346	0,6105	0	0,25	-1,8853	0

The third scenario is if the participants' answers are right and wrong alternately (see Table 4). This results in the estimation of the ability ( $\theta$ ) to change continuously, or  $\Delta\theta$  will not reach zero. Likewise, the level of difficulty of the problem will be fluctuating (medium-hard-medium). In this third case, the procedure for stopping the exam is if the number of questions has reached six items.

For other topics (namely matrices concepts, matrices operation, determinant, inverse, and matrices applications), we obtain the simulation result that tends to be the same as the results on the vector topic.

Table 4. Simulation results of vector topics if response right and wrong alternately.

Stage	Level	No. of Question	а	b	р	r	с	θ	Δθ
1	М	16	0,8	-0,4055	0,5	1	0,25	2,0819	
2	Н	28	0,1	1,7346	0,6360	0	0,25	0,2873	-1,7946
3	Μ	21	0,8	0,4055	0,5949	1	0,25	2,4589	2,1716
4	Н	29	0,1	2,9444	0,6095	0	0,25	0,6657	-1,7932
5	Μ	26	0,3	0,619	0,6294	1	0,25	1,5	0,8343
6	Н	30	0,1	2,9444	0,5791	0	0,25	0,6657	-0,8343

IOP Publishing

IOP Conf. Series: Materials Science and Engineering 850 (2020) 012004 doi:10.1088/1757-899X/850/1/012004

#### 4. Conclusion

It has been successfully designed a Computerized Adaptive Test (CAT) with an estimation of participants' abilities using the Mamdani Fuzzy Inference System. The simulation process was carried out for Linear Algebra Courses with six topics, namely vector, matrices concepts, matrices operation, determinant, inverse, and matrices applications. The simulation results show that for each topic, at most 6 questions are delivered, and the system has been able to know the participants' abilities.

#### Acknowledgments

Authors are grateful to the Research Institute and Community Development of the State University of Gorontalo and Directorate of Research and Community Development – Ministry of Research, Technology and Higher Education Republic of Indonesia for providing financial support to complete this research.

#### References

- Balas-Timar D V and Balas V E 2009 Ability estimation in CAT with Fuzzy logic Proc. Int. Symp. Comput. Intell. Intell. Informatics pp 55–62
- [2] Cisar S M, Radosav D, Pinter R and Cisar P 2012 Computer adaptive tests: a comparative study IEEE 10th Jubil. Int. Symp. Intell. Syst. Informatics pp 499–504
- [3] Eggen T J H M 2012 Computerized Adaptive Testing Item Selection in Computerized Adaptive Learning Systems *Psychom. Pract* pp 14-25
- [4] Van Der Linden W J and Pashley P J 2010 Elements of Adaptive Testing
- [5] Hambleton R K, Swaminathan H and Rogers H J 1991 Fundamentals of Item Response Theory (California: SAGE Publications)
- [6] Baker F B 2001 The Basic of Item Response Theory (ERIC)
- [7] Van der Linden W J 1998 Bayesian item selection criteria for adaptive testing *Psychometrika* Vol 63 (2) pp 201-216
- [8] Veldkamp B P 2010 Bayesian item selestion in constrained adaptive testing using shadow tests *Psicologica* Vol 31 pp 149-169
- [9] Passino K M and Yurkovich S 1997 Fuzzy Control (Boston: Addison Wesley Logman)
- [10] Jang J S R, Sun C T and Mizutani E 1997 Neuro-Fuzzy Fuzzy and Soft Computing: A Computational Approach to Learning and Machine Intelligence (New Jersey: Prentice Hall International)

### Ability estimation in computerized adaptive test using Mamdani Fuzzy Inference System

2%	3%	2%	2%
<b>5</b> IMILARITY INDEX	INTERNET SOURCES	<b>Z_%</b> PUBLICATIONS	<b>Z_%</b> STUDENT PAPERS
		· · · · ·	
1 Submitt Brunsw	ed to Rutgers U ick	niversity, New	2

Exclude quotes	On	Exclude matches	< 2%
Exclude bibliography	On		

## Ability estimation in computerized adaptive test using Mamdani Fuzzy Inference System

GRADEMARK REPORT	
FINAL GRADE	GENERAL COMMENTS
/0	Instructor
/ 0	
PAGE 1	
PAGE 2	
PAGE 3	
PAGE 4	
PAGE 5	
PAGE 6	
PAGE 7	
PAGE 8	