# INTERNATIONAL JOURNAL OF INNOVATIVE SCIENCE AND RESEARCH TECHNOLOGY

IJISRT A DIGITAL LIBRARY

ISSN N0 :- 2456-2165



**THOMSON REUTERS** 

HAS BEEN PUBLISHED IN Volume 4 | Issue 1 | January - 2019

> ARTICLE DIGITAL NO. IJISRT19JA88



This document certifies that the manuscript listed above was submitted by above said respected author To verify the submitted manuscript please visit our official website: www.ijisrt.com Or Email us: editor@ijisrt.com

### **EDITORIAL BOARD**

Manish Gupta (IJISRTREW100) | Assistant professor | ECE Dept.| VIT jaipur | Rajasthan | India HemantPurohit (IJISRTREW77) | Professor & HOD ECE dept.| JIET | Jodhpur | Rajasthan | India Jai Prakash Mishra (IJISRTREW13) | Assistant Professor| ECE Dept.| VIT Jaipur | Rajasthan |India Harsh Gupta (IJISRTREW02) | Micro Electronics Dept. | Manipal University | Jaipur | Rajasthan | India **DiwakarGautam** (IJISRTREW05) | Assistant professor | ECE Dept. | Sharda University TarunBadiwal (IJISRTREW09) | Assistant Professor | Electrical Dept. | Jaggannath University | Jaipur | Rajasthan | India Virendra Swami (IJISRTREW105) | Assistant Professor | ECE Dept. | MaharshiArvind college| Jaipur | Rajasthan | India Nishant Chauhan (IJISRTREW79) | Assistant Professor | Electrical Dept. | MahershiArvind College| Jaipur | Rajasthan | India Prince Ja.cob (IJISRTREW91) | Assistant Professor | Electrical Dept. | MahershiArvind College| Jaipur | Rajasthan | India Dr.S.SairaBanu (IJISRTREW10) | Associate Professor | ECE Dept. | Karpagam University | Coimbatore | Tamil Nadu | India **BalajiVelusamy** (IJISRTREW500) | Associate Professor | Info Institute of Engineering | Coimbatore | Tamil Nadu | India Lalit Mohan Nainwal (IJISRTREW501) |School of Pharmaceutical Sciences and Research| JamiaHamdard| Delhi | India **BaisNiravKishorkumar** (IJISRTREW502) |Assistant Professor|Ganpat University-Institute of Technology| Ahmedabad| Gujarat | India **Raj Kumar Gupta** (IJISRTREW503) |Assistant Professor|Amity University| Jaipur| Rajasthan | India **Dr. Neeta Saxena** (IJISRTREW504) |Assistant Professor|Amity University| Gwalior| Madhya Pradesh | India Dr.Nageswara Rao Moparthi(IJISRTREW505) Associate Professor Velgapudi Ramakrishna Siddhartha Engineering College Vijayawada | Andhra Pradesh | India **R. Narendran**(IJISRTREW506) |Faculty of Marine Sciences| Annamalai University| Parangipettai | Tamil Nadu | India Mahadeva.M (IJISRTREW507) Assistant Professor Shri Pillappa College of Engineering Bangalore Karnataka India

# Indexing

# **SJIF Impact Factor : 5.15**





# **CERTIFICATE OF INDEXING (SJIF 2017)**

This certificate is awarded to

# International Journal of Innovative Science and Research Technology (ISSN: 2456-2165)

The Journal has been positively evaluated in the SJIF Journals Master List evaluation process SJIF 2017 = 5.15 SJIF (A division of InnoSpace)

TIONAL

SJIF actor Pro

SJIFactor Project

# Volume 4, Issue 1 – January 2019

Accuracy of Combination of Modified Mallampati Test, Thyromental Distance, Sternomental Distance and Neck Mobility over Modified Mallampati Test Alone for Preoperative Prediction of Difficult Endotracheal Intubation in Patients Posted for Surgeries under GA

Author Name: Dr. Champa. B.V., Dr. Gurudatta. K.N., Dr. Yashoda | Volume 4, Issue 1, January- 2019

<u>Impact of Toxic Sediment on Behavior of Tilapia Mossambica and Channa</u> <u>Punctatus</u>

Author Name: Dr. Kalpana Verma Narayankar | Volume 4, Issue 1, January- 2019

Impact of Toxic Sediment on Hematological Aspects of Channa Punctatus Author Name: Dr. Kalpana Verma Narayankar | Volume 4, Issue 1, January- 2019

Impact of Toxic Sediment on Gills of Tilapia Mossambica Author Name: Dr. Kalpana Verma Narayankar | Volume 4, Issue 1, January- 2019

An Overview on Indian ITS & Foreign ITS to Develop ITS in Nagpur City Author Name: Ketan Kalambe, Pooja Lonare Volume 4, Issue 1, January- 2019

Execution, Evaluation and Comparison of Dynamic Routing Protocols Author Name: Pradeep karanje, Channveer Patil Volume 4, Issue 1, January- 2019

Oil Industry in the Gulf Market

Author Name: Nikita Jaswani Volume 4, Issue 1, January- 2019

Application of Mathematical Modeling for the Prediction of NOx Concentration due to Vehicular Emission and Model Performance in Gwalior City, (M.P.) Author Name: Jay Singh Rajput, A. K. Saxena, U. P. Singh| Volume 4, Issue 1, January-2019

Impact of Toxic Sediment on Stomach and Intestine of Tilapia Mossambica Author Name: Dr. Kalpana Verma Naraynkar | Volume 4, Issue 1, January- 2019

Regulatory Environment in Development of National Innovation System: Case Study of Indonesia

Author Name: Iriana Srikandiati | Volume 4, Issue 1, January- 2019

Impact of Toxic Sediment on Liver and Kidney of Tilapia Mossambica Author Name: Dr. Kalpana Verma Naraynkar | Volume 4, Issue 1, January- 2019

Impact of Toxic Sediment on Gills of Channa Punctatus Author Name: Dr. Kalpana Verma Naraynkar | Volume 4, Issue 1, January- 2019

Citizen Services Assisted the Empowerment Concept is based on the Correctional Facility in Indonsia Author Name: Surianto, Abdul Khalik | Volume 4, Issue 1, January- 2019 Investigation into Early Loss of Lubricant Viscosity in Agitator Gear Box at CIL Plant at Goldfields Ghana Limited

Author Name: Precious Eme, Ofori-Ntow Eric | Volume 4, Issue 1, January- 2019

General Principles of Good Governance (ALGEMENE BEGINSELEN VAN BEHOORLIJK BESTUUR) In State Civil Apparatus Law ( A study of the general principles of good governance in law number 5 of 2014 on State Civil Apparatus. ) Author Name: Mukmin Muhammad | Volume 4, Issue 1, January- 2019

Environmental Destruction Management and Natural Resource Conflict Resolution due to Illegal Mining (A case study in illegal mining at limited production forest of Bone Bolango Regency)

Author Name: Sukirman Rahim | Volume 4, Issue 1, January- 2019

**Reducing the Rejection & Improving Productivity of Pistons Author Name:** Karthik M, S B Halesh, Hanumanthrayagouda M B | Volume 4, Issue 1,

January- 2019

VoLTE vs 4G:The Performance Comparison and CausesAuthor Name:Sahil Kapoor | Volume 4, Issue 1, January- 2019

Analysis of Establishment Model of Social Entrepreneurial Organization through Business Model Canvas Approach at Pondok Pesantren Darul Ulum in West Sumatra Province, Indonesia

Author Name: Fiona, DR. Donard Games, SE, M. Bus (Adv) | Volume 4, Issue 1, January- 2019

Adoption of the European Foundation for Quality Management Model on Project Management Operation as Perceived by Management and Employee

Author Name: Mohamed Yaqob Almajed, Dr. Jeena Ann John | Volume 4, Issue 1, January- 2019

**Evolution of Modern Communication System in Travancore; Historical Analysis Author Name:** ANCY ANGEL. A. M. | Volume 4, Issue 1, January- 2019

Optimization and Shelf Life Evaluation of Plantain Pseudostem by Osmotic Dehydration

Author Name: Ranjani V, Arogya Georgina Peter | Volume 4, Issue 1, January- 2019

A Study to Assess the Knowledge of the Utility of Toilets and Hazards of Open Air Defecation Practice among Rural Adults of Muchakandi Village Author Name: Dr. Sangamesh Nidagundi. | Volume 4, Issue 1, January- 2019

# Environmental Destruction Management and Natural Resource Conflict Resolution due to Illegal Mining

(A case study in illegal mining at limited production forest of Bone Bolango Regency)

Sukirman Rahim Primary School Teacher Education Faculty of Education Gorontalo State University, Gorontalo City, Indonesia

Abstract:- This study is aimed at describing the existence of illegal gold mining within the area of limited production forest of Bone Bolango regency which caused some environmental damage and pollution in the body of water in the area of Bone watershed as well as causing conflict on the environment biophysics, and mapping the role of actors or institution within that conflict. The conflict between the local community and the Gorontalo Minerals Ltd on the utilization of limited production forest space. The need for environmental management and appropriate conflict management which acceptable for all, government, local community, and company. Management which identifies the cause and solution to minimize or reduce conflict. This study is a descriptive qualitative study with study case approach through field observation, parameter quality test, literature review, interview, and group discussion. This study reveals that there is environmental damage such as mercury leakage into the body of the Bone river with the level of mercury >0.001 and with pH 7.25. Hence, it polluted the Bone river. The highest sediment is found within Tulabolo watershed by 196,430.26 tons/year, and the lowest sediment is found on Nagata watershed by 42,113.6 tons/year. The conflict between miners and company due to various actors involved in the management of the limited production forest such as the village government, investor, miners, member of parliaments, local government officers, and law enforcement officers. This conflict has led to social and economic jealousy within the community, which only benefits several actors. Thus, physical conflict in spatial occupation is inevitable.

Keywords: - Environment, Conflict, Forest, Community.

### I. INTRODUCTION

The supporting components of environmental quality are forest, land, and water resources. These components are the basic capital for development that needs to be properly managed and utilized for the welfare of the community by taking into consideration its long-term service and preservation of the resources. Forest, as one of the main components is an ecosystem unit which consists of natural resources dominated by trees and is an integral part of other environmental components. The contribution of management and utilization of forest as mentioned in the national development framework has caused various negative excess and conflicts (Law (henceforth will be called UU) No. 32 of 2009 on PPLH, Chapter I, General Term, Article 1 (1 &2).

Level of forest destruction due to community activities such as farming, rattan cultivation, and illegal mining can be commonly found across Indonesian forests. The community claims the forest area as their source of livelihood. This claim by local community often caused conflict with companies who have the concession permit for cultivation the forest resources.

According to Rahim (2013), the average mercury released into the environment due to mining activities are 20 units x 8 trommel x 0,5 kg Hg x 6 times processing = 480 kg mercury/day. This is the current condition. On the other hand, the region's capacity for damage control is very limited. The level of mercury released into the body of the Bone river which delta is Tomini bay in Gorontalo city has caused severe pollution. This condition is often utilized by certain actors to frighten the community for the benefit of the company to be able to exploit the forest area which they have the mining concession. In addition, law enforcement cannot be effectively done as the capacity of the forest management unit is lacking compared to the gigantic problems that this unit are facing.

Initial observation reveals that conflict in this limited production forest can be classified into two, latent conflict and manifest conflict. First, latent conflict is basically on the policy level. The undistinguishable authority between the ministry of ESDM (energy and mineral resources) and KLHK (ministry of environment and forestry) has impacted on companies who have concession rights in cultivating the mining area within the Bogani Nani Wartabone National Park. Second, the manifest conflict is rooted in the inability of the local government to prevent the emigration of illegal gold miners into the forest area, both local people and emigrants. This study will first describe the influence of mining on the biophysical condition of the forest area. Second, map and describe the role of actors and institution in these conflicts.

### II. RESEARCH METHOD

Research method is considered as a set of processes which consists of problem approach and method selection to produce necessary data. This study will describe facts and information obtained from the field, both directly and indirectly.

The samples are drawn using purposive sampling technique. The sample criteria are villages inside and outside the forest area. The interviewees are selected purposefully from an almost homogenous population. The selected samples are the head of families who have a correlation with the utilization of forest resources. The number of the head of families is 6,175. However, to collect necessary in-depth information, snowballing technique is used. The data analysis is carried out in three parts, 1) content analysis; this analysis is carried out to strengthen and harness the issues within the study using relevant research result, journal, documents, regulations, ministerial decree, government regulations, and the focus group discussion result; 2) interpretation of ArcView GIS version 3.3 analysis. This analysis is necessary to see the biophysical changes of the limited production forest through map overlay using this ArcView software. This biophysical condition then followed by measurement of environmental parameters; 3) synthesis, various results from a partial analysis is descriptively synthesized and becomes the basic to formulate various alternatives of environmental destruction management and conflict resolutions from the involved actor mapping.

### **III. FINDINGS AND DISCUSSION**

### A. Biophysical Condition and Forest Environment

The result of spot image overlay of the Indonesian Map with the forest area of Gorontalo province which showcased several residential areas and illegal mining by the local community which belongs to the concession area of the mining companies. Areas utilized by the community for illegal mining activities are hard to identify by merely using the map. Therefore, to identify the illegal gold mining location, the coordinates obtained from the field using the Global Positioning System (GPS) is used. The mining sites within the forest area include some Tulabolo and Bondawuna villages in Suwawa Selatan Subdistrict, and Tulabolo Timur, Tulabolo Barat, and Bangio villages in Suwawa Timur Subdistrict.

Based on the Indonesian Map with the scale of 1:50,000 issued in 1991, Satelite Image of ETM Landsat in 2005, Alos Image in 20006, and the ground truth in 2010 on land utilization of Bone watershed in 2010 reveals that the land utilization is dominated by forest by 81.32% which consists of primary forest 50.19% and secondary forest by 31.13% of the total area of the watershed. The primary land area is 5,230.029 ha (57.75%) and secondary forest area is 2,846,951 ha (31.44%) meanwhile dried land farming area is 220,998 ha (2.44%) and wetland area is 125,817 ha (1.39%), bushland area is 236,643 ha (2.61%) and is feasible for farming area expansion to support the increase of regional revenue from agricultural sector as one of the main revenues for this region. The plantation area is 300,251 ha (2.44%), and residence area is 72,036 ha (0.80%), and body of water is 23,593 ha (0.26%) from the total area of the watershed. The impact from this land utilization has caused high sediment in the body of water of Tulabolo river.

The analysis of sediment reveals that the highest sediment happened in Tulabolo subwatershed by 196,430.26 tons/year and the lowest is in Nagata subwatershed by 42,113.6 ton/year. This high sediment is due to the rapid erosion in the Tulabolo subwatershed, thus caused many materials to be lifted. This is worsened by high rainfall, which increased the river debit and quickened the sediment transport to the delta of the river.

Balihristi research (2009) showed that the residue of gold mining using mercury (Hg) had polluted the Bone river as seen in Table 1 below.

N	Demonstern	TT. 1	Test		M		1	MathedamariCastian
No	Parameter	Unit	Result	Class	Maximum allowed level			Method specification
				Class	Class II	Class III	Class IV	
A.	PHYSICAL			1	11			
A. 1	Conductivity	uS/Cm <sup>3</sup>	72	(-)	(-)	(-)	(-)	Pemuaian
2	Total Dissolved Solid	mg/l	198	1000	1000	1000	2000	Gravimetric
3	Total Suspended Solid	mg/l	130	50	400	400	400	Gravimetric
B.	CHEMICAL	IIIg/1	15	50	400	400	400	Gravimeure
<u>В</u> . 1	DO / Dissolved Oxygen	ma/l	5.61	6	4	3	0	Winkler
1		mg/l	5.01	0	4	3	0	w litklei
2	BOD / Biological Oxygen Demand	mg/l	0.63	2	3	6	12	Winkler
		mg/1	0.03	2	3	0	12	w litklei
3	COD / Chemical Oxygen Demand	ma/l	0.58	10	25	50	100	Titrimetric
3	Demana	mg/l	0.38	0.00	23	50	100	Tunneutc
4	Mercury (Hg)	mg/l	< 0.001	1	0.002	0.002	0.005	Atomization
5	Ammonia as N	Ŭ	0.05	0.5				Colorimetric
6	Nitrate as N	mg/l	0.03	10	(-) 10	(-)	(-) 20	Colorimetric
0	Nurale as IN	mg/l	0.55	10	10	10	20	
7	Nitrite as N	m a /1	< 0.01	0.06	0.06	0.06	()	APHA (Section 4500-NO2- B),2005
		mg/l	7.25			6-9	(-) 6-9	
8	pH	-		6-9	6-9		• •	SNI 06 -6989,11 2004
9	Phosphor (P)	mg/l	< 0.15	(-)	(-)	(-)	(-)	Colorimetric 4500
10		1	10.00	100				APHA (Section 4500-
10	Sulfate (SO4)	mg/l	12.80	400	(-)	(-)	(-)	SO42-E),2005
1.1		1	0.01	0.02	0.02	0.02		APHA (Section 4500-
11	Lead (Pb)	mg/l	< 0.01	0.03	0.03	0.03	1	SO4 <sup>2</sup> -E),2005
12	Phenolic	mg/l	<0.1	1	1	1	(-)	Colorimetric
13	Oil & Grease	mg/l	<0.1	1000	1000	1000	(-)	Gravimetric
14	Detergent (LAS)	mg/l	< 0.1	200	200	200	(-)	Colorimetric

Table 1:- Result of Quality Test of Bone River Water Source; Balihristi, 2009 and Processed Data, 2012

Reduction of vegetation is seen through a massive number of trees being cut down and the some of the trees are taken and used by the community as fire log, and some as log to be sold. The fauna in this forest area who feel threaten with this logging is often spotted in the residential area up to the lower part of the hill.

According to Alikodra (2010) in general wildlife creature's management has interest in regulating a number

of individuals, increase or decrease of the birth rate, increase or decrease of the mortality rate, or to regulate its habitat to change the population density and species spread. The fauna in this forest is often captured to be sold or slaughtered by the community such as Anoa (an endemic animal that looks like a mix of wild boar and deer). Various destructive community activities spotted within the forest area are presented in Figure 1 below.



Fig 1:- Various Community Destructive Activities (Source: Documentation from 2008 and 2012.) A. illegal logging, B. Anoa being captured by the community, C. destructive activities for mining purposes, D. Protected endangered bird

### ISSN No:-2456-2165


Biophysically, all mining activities are destructive to the balance of the forest ecosystem. The pollution in the body of the river, loss of vegetation due to land clearing activities, the threat toward the habitat of the endemic and endangered species, loss of carbon storage area, and destroyed research site, and the undervalued ecotourism service. The common sight within this forest is now small tents covered by tarps and the sound of the motor to run the trommel, which disregard the forest functions. Government efforts often faced "resistant" as the offered solutions are unable to replace the community income.


## B. Actors and Institutional Involvement within the Conflict.

The findings and analysis from several previous studies as well as new findings in the field revealed that there has been "negligence" toward the conflicts. These conflicts appear to have not accidentally emerged; rather, they look like some scenario set by some actors to achieve individual purposes. Revealing a conflict needs to be carefully done, especially conflict related to ethnicity, religion, or election conflicts. Nevertheless, conflict in Bone Bolango regency is slightly different as it is a conflict of forest area disputes for mining purposes. The conflict has fluctuated in the last decade. The conflict was accumulated in 2010 when there was an overlapping of the National Park area being proposed within the spatial planning (henceforth will be called as spatial planning or RTRW) document to be downgraded into a Limited Production Forest (henceforth will be called as HPT). However, the "conspiration" between government and company was leaked into the community, hence, triggered a conflict.

Wulan et al. (2004) wrote that conflicts that often happened in protected forest areas are due to overlapping of concession area or protected area with the area occupied by the community and due to the limited access of community to gain the benefit from the forest, either to obtain its resources or as the residential area. This accumulation of community's dissatisfaction is often topped by the efforts of local government to try preventing the community from gaining access to the forest with the assistance of armed forces. This had happened in 1992 when an effort to force the illegal gold miners out from the forest was led by a police officer. This eviction effort was due to the company report to the police that there was a mining activity within the company's mining concession area. Efforts to evict the illegal gold miners/local miners from the forest is often taken when there is a conflict in mining area as well as when there is a report from the community on the destruction of forest and the pollution of the environment.

The actors in this study are mostly played the role of individual interest and group interests. The involvement of these actors within the conflict can both strengthen, weaken, and cover up the conflict. The actors referred in this study are a local community within the forest area, community leader, miners, investors, religious leader, village officers, political figures, police or army officers, member of parliaments, member of NGO, and antagonist figures.





From this figure, the researcher carries out actors mapping based on the result of meetings and analysis on the involvement of actors and institution in the field. I was not focused on the conflict between the community and the company, rather on the chain of conflicts that have been discussed on as the variables that caused the conflict and from the findings on the crucial role of central government which has made conflict escalation. Since the second generation up to the seventh generation of concession area contract (henceforth will be referred as KK), it has had a strong implication on the community livelihoods, especially those who live in the surrounding forest area. The existence of the company has created various perception and feedback from the community. This was worsened by the involvement of actors who want to gain individual and group benefits, the involvement of political figures who had also added the dynamic of the conflict.

On the other hand, environmental management is a program implemented by a company or business owner to ensure that their business does not cause any potential damage to the environment and carry out their business operation is environmentally friendly (Fahmi, 2011). The role of Non-Government Organizations found in this study is categorized as an institutional role; however, there are NGO actors who utilize this conflict for their individual purposes. Ideally, the role of NGO is only on assisting the community in formulating and designing the solution toward the conflict, and the offered solution, in this case, is the community mining area (henceforth will be called as wilayah pertambangan rakyat or WPR). This WPR conflict gains positive response from the community who expect that there would be some legalization or acknowledgment on the mining activities that they are currently operating within the forest area. However, this local community mining area is yet clearly understood by the NGO, including the Community Development for the people that would be relocated. The community development concept is hindered by the regulation from the government. Community development involves social capital development, strengthening the social interaction within the community, unite them to communicate properly toward a true dialogue, to reach an understanding and social actions (Ife and Frank, 2008).

From the conflict analysis (from interview and literature review) and focus group discussion with community representatives, government officials, NGOs, and company representatives. The following core of conflicts are identified:

- There are many activities within the Bogani Nani Wartabone National park which means there are various interests on the utilization of resources within the conflict area of HPT.
- The ongoing conflict, lack of solutions, and resolutions have escalated the conflict, and made it more unclear for the utilization of conflict area became unclear on the rights to utilize the area and the resources within the area. This situation made the impression that the status of the utilization of HPT area is open access without any significant control from the government.

- The new opening of road access to Pinogu (an enclave sub-district within the national park) has increased the dynamic of conflict in the community and had an impact on the environment. This situation needs well-planned management.
- Horizontal conflict in the area between the local community and illegal mining, and vertical conflict in the bureaucracy (local-central) government.
- Conflict in regulations also happened due to the distribution of authority among the policymakers that often overlap and have unwanted consequences.
- Regulation related to utilization area who belongs to the concession area of the company and the community area is not written. Hence, the community feels that they are free to utilize the area.

### **IV. CONCLUSION**

Data from sediment study revealed that the highest sediment by 196,430.26 tons/year is found in Tulabolo subwatershed and the lowest sediment was found in Nagata subwatershed by 42,113.6 tons/year. A large amount of sediment found in Tulabolo subwatershed is suspected due to the illegal gold mining by the community. The destruction and disturbance toward endemic flora and fauna in this region are due to the forest clearing for gold mining. The existence of illegal gold mining, aside from its positive impact of increasing the income for certain individual and groups, its negative impact such as environmental destruction has outweighed this positive income. The mercury that polluted the body of the Bone river has exceeded its maximum allowed level of <0.01 mg/l and reduce the water pH to 7.25. This condition has influenced the physics of the Bone river as the water source for Gorontalo drinking water company (PDAM Gorontalo).

The complexity of the conflict in this area is also worsening by the interference of certain actors and institutions. Political pressure through local government policy has caused the management of this limited production forest unclear. The involvement of certain actors within this conflict has often caused a negative effect. The actors referred here is the local community figures, investors, village officers, political figure, armed officers, member of parliament, and member of NGO.

### REFERENCES

- [1]. Alikodra, Hadi S, (2010). Teknik Pengelolaan Satwa Liar, dalam rangka mempertahankan keanekaragaman Hayati Indonesia/wildlife conservation management in preserving Indonesian Biodiversity. IPB Press. Bogor
- [2]. Badan Lingkungan Hidup, Riset dan Teknologi, (2009). Laporan Penelitian Status Wilayah Gorontalo/Report on the Status of Gorontalo Region. ITB Research
- [3]. DDA (Daerah Dalam Angka), (2011). *Provinsi Gorontalo/Gorontalo Province in numbers*. BPS Provinsi Gorontalo/Gorontalo Statistic Bureau

ISSN No:-2456-2165

- [4]. Darusman, D, (2002). Pembenahan Hutan Indonesia, Laboratorium Politik Ekonomi dan Sosial Kehutanan/Revitalization of Indonesian Forest, Politic Economy and Social Laboratory. Fakultas Kehutanan/Faculty of Forestry, IPB.
- [5]. Fahmi, Irham, (2011). *Manajemen. Teori, Kasus dan Solusi/Management: theory, case, and solution.* Alfabeta, Bandung.
- [6]. Hadi, P Sudharto, (2012). Manajemen Lingkungan/environmental management. Thafa Media. Yogyakarta
- [7]. Indriyanto, (2008). *Pengantar Budi Daya Hutan/introduction to forest cultivation*. PT. Bumi Aksara. Jakarta
- [8]. Prayogo, Dody, (2008). Konflik antara Korporasi dengan komunitas Pengalaman beberapa industri Tambang dan Minyak di Indonesia/conflict between a corporation with the community: lesson learned from several mining and oil industry in Indonesia. Fisip/Social and Political Science Faculty, UI Press.
- [9]. Rahim, Sukirman (2013). Konflik Dan Model Penyelesaian Pemanfaatan Sumberdaya Di Kawasan Hutan Produksi Terbatas (Studi Kasus: Konflik pemanfaatan hutan produksi terbatas antara masyarakat dengan PT. Gorontalo Mineral di Kabupaten Bone Bolango)/Conflict and Conflict Resolution model on the utilization of resources within limited production forest (case study: limited forest production utilization conflict between the community and Gorontalo Minerals Ltd, in Bone Bolango Regency. Dissertation, Universitas Indonesia
- [10]. Salim, E, (2004). Membangun Indonesia 2005-2020/Developing Inodnesia 2005-2020, Journal Ekonomi Lingkungan, 13<sup>th</sup> edition, 2004.
- [11]. Simon, Hasanu. (2008). Pengelolaan Hutan Bersama Rakyat. Teori dan Aplikasi pada hutan Jati di Jawa/co-management of forest with community. Theory and application on Teak wood forest in Java. Pustaka Pelajar. Yogyakarta
- [12]. Sukardi, L. (2009). Desain Model Pemberdayaan Masyarakat Lokal dalam Pengelolaan Hutan Berkelanjutan: Kasus Masyarakat Sekitar Kawasan Hutan Taman Nasional Gunung Rinjani Pulau Lombok/Design of Local Community Empowerment Model in Sustainable Forest Management: Case Study of the Community in the Area of Gunung Rinjani National Park of Lombok Island. Dissertation. IPB Bogor
- [13]. Suhendang, E, (2004). Kemelut Dalam Pengurusan Hutan. Sejarah Panjang Kesenjangan antara Konsepsi Pemikiran dan Kenyataan/conflicts in forest management. Long history of gap between concept and reality. Bogor. Forestry Faculty of IPB
- [14]. Tim Peneliti UNG dan ITB, (2007), Data Hasil Kajian Biofisik Pemanfaatan Kawasan Taman Nasional Bogani Nani Wartabone/Data of Biophysics study on the utilization of Bogani Nani Wartabone National Park. Laporan Hasil Kajian Universitas Negeri Gorontalo/Research Report of Universitas Negeri Gorontalo team.

- [15]. Wulan, Y.C., Y.Yasmi, C.Purba, & E.Wollenberg, (2004). Analisa Konflik Sektor Kehutanan di Indonesia 1997-2003/Analysis of Indonesia Forestry Conflicts for the Period of 1997-2003. CIFOR (Centre for International Forestry Research). Bogor.
- [16]. Undang-Undang No. 41 tahun 1999 tentang Kehutanan/Law No. 41 of 1999 on Forestry
- [17]. Undang-Undang No. 32 tahun 2009 tentang Perlindungan dan Pengelolaan Lingkungan Hidup/Law No. 32 of 2009 on Environmental Protection and Management
- [18]. Undang-Undang No. 4 tahun 2009 tentang Pertambangan Mineral dan Batubara/Law No. 4 of 2009 on Coal and Minerals Mining.