

ISBN 978-602-60736-5-5

**10th ADRI**  
International  
Multidisciplinary Conference  
3-5 Maret 2017 and Call for Paper

# PROCEEDING

**10th ADRI 2017  
International  
Multidisciplinary  
Conference and  
Call for Paper**



**Batam, 3-4 Maret 2017**



**Hosted By:  
Perkumpulan & Ahli Dosen Republik Indonesia**

**Proceeding 10th ADRI 2017  
International Multidisciplinary  
Conference and Call for Paper,  
Batam, March 3-4, 2017**

**Published by:**  
Perkumpulan Ahli & Dosen Republik Indonesia (ADRI)

ISBN: 978 – 602 – 60736 – 5 – 5

**Proceeding 10th ADRI 2017  
International Multidisciplinary  
Conference and Call for Paper,  
Batam, March 3-4, 2017**

**Published by:**

Perkumpulan Ahli & Dosen Republik Indonesia (ADRI)

**Publisher Address:**

Kantor Dewan Pengurus Pusat (DPP) ADRI  
Jalan SMA Negeri 14, Cawang RT.01/RW.09  
Jakarta Timur 13630  
<http://p-adri.or.id>  
Email: [kalbar@p-adri.or.id](mailto:kalbar@p-adri.or.id)

# **Proceeding 10th ADRI 2017 International Multidisciplinary Conference and Call for Paper, Batam, March 3-4, 2017**

x, 241 pages, 28 cm

Copyright Reserved

*Copyright @ 2017*

ISBN: 978 – 602 – 60736 – 5 – 5

**Publisher Manager of Perkumpulan Ahli & Dosen Republik Indonesia (ADRI):**

Drs. Andi Mursidi, M.Si. (STKIP Singkawang, Ketua DPD ADRI Kalimantan Barat).

**Board of Editor:**

Dr. H. Achmad Fathoni Rodli, M.Pd. (Ketua DPP ADRI)

Dr. H. Anton Muhibuddin, SP, MP. (Rektor Universitas Wahab Hasbullah, Jombang)

Dr. Putu Dyatmikawati, S.H., M.Hum. (Universitas Dwijendra, Denpasar, Bali)

Dr. Meithiana Indrasari, ST., MM. (Universitas Dr. Soetomo, Surabaya, Jawa Timur)

Dr. Didi Sundiman, MT., MM. (UNDA, Sampit, Kalimantan Tengah)

Deffi Ayu Puspito Sari, Ph.D. (Universitas Bakri, Jakarta)

Rudy Kusuma, Ph.D. (UNU Sumatera Barat)

**Reviewer:**

Prof. Dr. Supari Muslim, M.Pd. (UNESA, Jawa Timur)

Prof. Peter Newcombe, Ph.D. (University of Queensland Australia).

Prof. Seung Wook Kim. (Korea University, Korea Selatan).

Prof. Dr. Wahid Bin Razzaly (Universiti Tun Hussein Onn Malaysia, Malaysia).

Prof. Datuk H.Dr. Mohd. Dalimin, M.Sc. (UTM, Malaysia).

Prof. Assoc. Dr. I-Hsien Ting. (National University of Kaohsiung, Taiwan).

Prof. Assoc. Hunsa Punapayak. (Chulalongkorn University, Thailand).

Prof. Drs. Toho Cholik Mutohir, MA., Ph.D. (IKIP Mataram, Nusa Tenggara Barat)

Prof. Dr. H. Husain Dsyam, M.TP. (Universitas Negeri Makassar)

Prof. Dr. I Made Putrawan. (UNJ, Jakarta)

Prof. Dr. drg. Hj. I.A. Brahmasari, Dipl.DHE, MPA, (UNTAG Surabaya, Jawa Timur)

Prof. Dr. R. Partino (Universitas Cendrawasih, Irian Jaya).

Prof. Dr. Endry Boeriswati, M.Pd. (UNJ, Jakarta).

Prof. Dr. Ir. Suhardjono, M.Pd, Dipl.HE. (UNIBRAW, Jawa Timur)

Prof. Dr. Atmazaki, M.Pd. (Universitas Negeri Batam, Sumatra Barat)  
Prof. Dr. Nasrudin Suyuti, M.Si. (UNU Sulawesi Tenggara)  
Prof. Dr. Agus Soegianto, M.Sc. (UNAIR, Surabaya, Jawa Timur)  
Prof. Dr. Ir. Suprijanto (ITS, Surabaya, Jawa Timur)  
Prof. Dr. Masriam Bukit, M.Pd. (UPI Bandung, Jawa Barat)  
Prof. Dr. Bambang Suprianto, MT. (UNESA, Jawa Timur)  
Prof. Dr. Amat Mukhadis, M.Pd. (Universitas Negeri Batam, Jawa Timur)  
Prof. Dr. Madlazim, M.Si. (UNESA, Jawa Timur)  
Prof. Dr. Bambang Yulianto, M.Pd. (UNESA, Jawa Timur)  
Prof. Dr. Sarmini, M.Hum. (UNESA, Jawa Timur)  
Prof. Dr. Ismet Basuki, M.Pd. (UNESA, Jawa Timur)  
Prof. Dr. Abdul Muin Sibuea, M.Pd. (UNIMED, Sumatra Utara)  
Prof. Dr. Herminarto Sofyan, M.Pd. (UNY, Yogyakarta)  
Prof. Dr. Harapin Hafid, M.Si. (Universitas Halu Oleo, Kendari, Sulawesi Tenggara)  
Prof. Dr. H. Sofyan Sauri, M.Pd. (UPI, Bandung, Jawa Barat)  
Prof. Dr. Aunurrahman, M.Pd. (Universitas Tanjungpura, Pontianak, Kalbar)  
Prof. Dr. Drs. Junaidi H. Matsum, M.Pd. (Universitas Tanjungpura, Pontianak, Kalbar)  
Prof. Dr. Edy Tandililing, M.Pd. (Universitas Tanjungpura, Pontianak, Kalbar)  
Prof. Dr. Drs. Eddy Yunus, ST, MM. (Universitas Dr. Soetomo, Surabaya, Jawa Timur)  
Prof. Dr. H. Achmad Slamet, M.Si. (UNNES Semarang, Jawa Tengah)  
Prof. Dr. H. Maman Surachman, M.Sc. (UNNES Semarang, Jawa Tengah)  
Prof. Dr. Sugiyo, M.Si. (UNNES Semarang, Jawa Tengah)  
Prof. Dr. Ir. Ramatullah Rizieq, M.Si. (UPB Pontianak, Kalbar)  
Prof. Dr. Ujjianto, M.Pd. (UNTAG Surabaya, Jawa Timur)  
Dr. Andi Suhandi, M.Si. (UPI, Bandung, Jawa Barat)  
Dr. Ibrahim Ingga, M.Ak. (UNTAG Surabaya, Jawa Timur)  
Dr. M. Hasinuddin, S.Kep.Ns., M.Kep. (STIKES Ngudia Husada Madura, Jawa Timur)  
Dr. M. Rif'at, M.Pd. (Universitas Tanjungpura, Pontianak, Kalbar)  
Dr. Ahmad Yani T, M.Pd. (Universitas Tanjungpura, Pontianak, Kalbar)  
Dr. Ardi Marwan, S.pd., TESOL. (POLNEP, Pontianak, Kalbar)  
Dr. Adnan Mahdi (IAI Sultan Syafuludin, Sambas, Kalbar)  
Dr. H. Wajidi Sayadi (IAIN, Pontianak, Kalbar)  
Dr. Drs. Andreas Muhrotien, M.Si (ST Pastoral St. Agustinus Keuskupan Agung Pontianak)  
Dr. Wida Kuswida Bhakti, S.Kep.,M.Kes. (STIKES Muhammadiyah Pontianak, Kalbar)  
Dr. Siti Nurjanah, M.Pd. (Universitas Negeri Jakarta)  
Dr. Yusnidar Yusuf, M.Pd. (UHAMKA, Jakarta)  
Dr. Eri Sarimanah, M.Pd. (Universitas Pakuan, Bogor)  
Dr. Sajiyo, ST., M.Kes. (UNTAG Surabaya, Jawa Timur)

**Executive Editor:**

M. Ikhsan Setiawan (Universitas Narotama, Surabaya)  
Sulfikar Sallu (Universitas Maritim Raja Ali Haji, Riau)  
Muh. Ilham Baktiar (Universitas Negeri Makassar)  
Muh. Barid Nizarudin Wajdi (STAI Miftahul Ula Nglawak Kertosono, Nganjuk)  
Ainna Amalia FN. (STAI Miftahul Ula Nglawak Kertosono, Nganjuk)

Dian Eka Indriani (STKIP PGRI Bangkalan)  
Abdul Muhid (IAIN Sunan Ampel, Surabaya)  
Soeharto (STKIP Singkawang)  
Eka Murdani (STKIP Singkawang)  
Rosmayadi (STKIP Singkawang)  
Haris Rusdianto (STKIP Singkawang)  
Abd. Basith (STKIP Singkawang)

**Layout:**

Agus Kurniawan (STKIP Singkawang)

**Published by:**

Perkumpulan Ahli & Dosen Republik Indonesia (P-ADRI)

**Publisher Address:**

Kantor Dewan Pengurus Pusat (DPP) ADRI  
Jalan SMA Negeri 14, Cawang RT.01/RW.09  
Jakarta Timur 13630  
<http://p-adri.or.id>  
Email: [kalbar@p-adri.or.id](mailto:kalbar@p-adri.or.id)

## PREFACE

Praise being said to Allah Almighty God for all the grace and guidance that has been given to us all, so the Proceedings of the 10th ADRI 2017 International Multidisciplinary Conference and Call for Papers Batam, March 3 - 4, 2017 can be realized. Proceedings contains a number of articles and research papers from lecturers, teachers, students, researchers and / or observer of the development of science and technology.

Proceedings are published in book form only contains abstract, distributed to participants in the form of compact disks (full paper) and published online at:  
[www.p-adri.or.id/prosiding/prosiding10batam](http://www.p-adri.or.id/prosiding/prosiding10batam).

Hopefully, these proceedings may give benefit to us all, for the development of science, technology, arts, culture, and sports. In addition, is also expected to be a reference for the nation and state-building efforts so that science and technology become a strong pillar in the face of the ASEAN Economic Community.

Lastly, there is no ivory that is not cracked. We are sorry if there are things that are less pleasing.

Thanks you very much.

Batam, March 3, 2017.

Publisher Manager of Perkumpulan Ahli & Dosen Republik Indonesia (ADRI),

Drs. Andi Mursidi, M.Si.

## Table Of Contents

Title	Page
Image Of Women In Figures Yasmin Ayu Works In The Novel Float Utami <i>Rerin Maulinda</i>	1
Mathematical Difficulties Learners in Solving Creative Thinking in The Geometry Ability <i>Depi Setialesmana</i>	5
Impact Analysis Of Cooperative Learning Model Application Type Two Stay Two Stray (Tsts) Toward Learning Outcomes Of Mathematics <i>Muhammad Nurhusain</i>	9
Do They Feeling Positive on Their Occupation? A Study of Psychological Well Being to Improve Lecturer Performance <i>Rezki Ashriyana Sulistiobudi and Megawati Batubara</i>	14
The Training of Giving Argument Towards Technical Peer Tutors <i>Ridhani, Ahmad</i>	18
Minimum Service Standards for Basic Education in Border Region <i>Samion and Yudi Darma</i>	21
The Development of Social Studies Learning and Assessment Materials Based on Local Potential for Secondary School <i>Dwi Atmono, Muhammad Rahmattullah, Sri Setiti</i>	28
Necessity of Education of Culture Values in a Global Perspective <i>Titin Setiartin and JojoNuryanto</i>	32
Teaching Competence of Teacher As An Intervening Variable in Intelligence Spiritual, Intellectual, And Psychomotor of The Religious Human Resources In SMPN 42 Batam <i>Chablullah Wibisono and Hidayat Hasbullah</i>	35
Student's Learning Obstacle Of Perimeter And Area Concept Of Parallelogram In Learning Mathematics At Junior High School <i>Nani Ratnaningsih</i>	42
The Effectiveness of Reading, Responding, & Writing Model in Teaching Writing Hortatory Exposition Text in Bahasa Indonesia <i>Asep Nurjamin</i>	48
The Influence Of Cooperative Learning Model Type Student Teams Achievement Division (Stad) Toward Learning Motivation And Student Learning Outcomes (Experimental studies in Entrepreneurship Learning Concepts At Class X SMK BINASWASTA Kuningan Regency) <i>Pupu Saeful Rahmat</i>	51
Increasing Teacher Ability Through Learning Process On Lesson Study Implementation Based Elementary School Teacher Group In Pontianak <i>Ahmad Yani T and Rahayu Apriliaswati</i>	56
What Makes A Successful Entrepreneur?A Comparative Study Between Students Who Succeed And Failed InEntrepreneurship Educational Program At University <i>Anissa Lestari Kadiyono and RezkiAshriyanaSulistiobudi</i>	61
The Impact Of Application Of Value Clarification Technique (Vct) Towards Ecoliteracy And Critical Thinking Skill Student Of Social Science In Primary School	67



<i>Dadang Iskandar, Deasy Rahmawati, and Acep Roni Hamdani</i> Student's Learning Obstacle of Perimeter and Area Concept of Parallelogram in Learning Mathematics at Junior High School <i>Nani Ratnaningsih</i>	74
Implementation Cryptography Data Encryption Standard (DES) And Triple Data Encryption Standard (3DES) Method In Communication System Based Near Field Communication (NFC) <i>Ratnadewi, Roy Pramono Adhie, Yonatan Hutama, Johnny Christian, and Denny Setiawan Wijaya</i>	80
Verification Image Of The Veins On The Back Palm With Modified Local Line Binary Pattern (Mllbp) And Histogram <i>Agus Prijono, Aan Darmawan Hangkawidjaja, and Ratnadewi</i>	85
Eco-centrism Paradigm In Design and Planning Of A Friendly City <i>Bhakti Alamsyah</i>	90
The Design of Expert System Application Using Backward Chaining Method to Diagnose Disorders in Diesel Power Plants (PLTD) in PT Semen Padang <i>Idwar and Hayatul Muttaqin</i>	94
Effect of Discipline and Facilities Working on Employee Productivity in. Bpr Gema Pesisir <i>Yusnaena and Rien Tonanda</i>	101
<i>Civil Law Review Of Completion Of Nonperforming Loans Revolving Loan Program National Urban Community Self Surabaya</i> <i>M. Roesli, Achmad Daeng GS, Odiak Rusdiadi, and M. Hidayat</i>	104
Work Engagement As A Predictor Of Lecturer's Performance <i>Megawati Batubara and Anissa Lestari Kadiyono</i>	109
The Local Government Policy In Border Area On The Education Rights Fulfilment For Person With Disabilities In North Kalimantan Province <i>Yahya Ahmad Zein, Arif Rohman, and Dewi Nurvianti</i>	113
Principle Pacta Sunt Servanda Relating To The Contract Due To International Business Law <i>Cindawati</i>	119
Juridical Analysis Of Leuser Ecosystem Area In Nanggroe Aceh Darussalam <i>Triono Eddy</i>	126
Does Total Quality Management As An Intervening Variable Have A Positive Effect On The Human Resources Quality <i>Samrin</i>	131
Association Career Women Parenting With Social Personal Development to Child of 2-5 Years <i>Feti Wulandari Ratna</i>	138
Organizational Commitment, Leadership and Work Productivity As Predictors Of Job Satisfaction and Its Effect on Quality of Revenue Department in Batam <i>Chablullah Wibisono and Januar Arif Kurniawan</i>	143
Democracy In Indonesia Constitutional Life <i>B Panji Gunawan</i>	152
Creative Economy Development Strategy For Economic Growth To Pontianak <i>Syarif Agussaid Alkadrie and Rully Subekti</i>	159

The Factors Affecting Stock Prices On Go Public Industry Company Listing Of Indonesia Stock Exchange (Food and Beverages, Pharmaceuticals and Consumer Goods)	167
<i>Benny Setia</i>	
An Analysis Of The Impact Of Service Quality, Price And Location On Customer Satisfaction (A Study of Herry Motor Sampit Workshop)	173
<i>Eddy Supramono</i>	
The Impact of Motivation and Compensation on Performance of Employee in pt. Mustika sembuluh kabupaten kotawaringin timur	178
<i>H.M. Thamrin Noor</i>	
Indonesia Economic Policy Package Volume 5: Could Impact to the Economy?	182
<i>Singagerda, FauraniSanti and Imanudin, Barry D'Amazo</i>	
Police And Public Image Satisfaction On Quality Of Service In Corner Driver's Licenseunit	189
<i>Asmara Indahingwati</i>	
Get Created To Work Quality Of Life, Commitment And Performance Of Arrears Collection Of Taxpayers In Samsat Mojokerto	194
<i>Asmara Indahingwati</i>	
Consumer Protection Arrangements Purchase Products Through E-Commerce	200
<i>Evi Purnamawati and Ardiana Hidayah</i>	
Reflection Income Smoothing Toward Market Response	204
<i>Noviansyah Rizal, Ratna Wijayanti Daniar Paramita</i>	
Financial Distress and Corporate Strategy for Manufacturing Sector in Indonesian Stock Exchange: An Empirical Analysis	208
<i>Aminullah Assagaf</i>	
The Impact Of The Work Discipline And Remuneration (Compensation) on The Performance Of Employees at H. Asan airport Operating Unit Office	218
<i>Ansita Christiana and Yuli Fitriani</i>	
The Correlation Health Education About HIV-Aids to Pregnant Toward HIV Check Interest (analytic studies in maternity out-patient clinic in pare government hospital kediri regency in 2016 year)	223
<i>Luluk Susiloningtyas</i>	
Organoleptic Characteristic of Frozen Beef on Different Thawing Methods	231
<i>Harapin Hafid, Astriana Napirah, Lisa Meliana, Nuraini and Inderawati</i>	
Effect Of Different Types Of Containers To Growth Rate And Survival Rate Of Manggabai (Glossogobius Giuris)	234
<i>Juliana and Yuniarti Koniyo</i>	
Study Of Minimum Wage, Level Of Education, Employment Opportunity, And Unemployment Educated : Empirical Study In Padang	238
<i>Erni Febrina Harahap</i>	

# Effect Of Different Types Of Containers To Growth Rate And Survival Rate Of Manggabai (*Glossogobius Giuris*)

Juliana<sup>1)</sup>, Yuniarti Koniyo<sup>2)</sup>

<sup>1)</sup> UNG, Gorontalo, Indonesia  
E-mail: [juliana@ung.ac.id](mailto:juliana@ung.ac.id)

<sup>2)</sup> UNG, Gorontalo, Indonesia  
E-mail: [lindakoniyo@ung.ac.id](mailto:lindakoniyo@ung.ac.id)

---

**Abstract.** The aims of research to review determine growth and survival of fish Living Manggabai (*Glossogobius giuris*) are maintained at different types of containers. The method used is a method of experimental research with complete random design (RAL). The treatment of consists from differences of containers and each treatment consists of three replicates. The Treatment consists of two types of container treatment is an aquarium and a concrete pool. The research variables consisted of the growth and survival of test animals. Test animals used were Manggabai fish measuring  $\pm 10$  cm to 60 head. Maintenance is carried out for five weeks to determine the growth of test animals. Data were analysed using descriptive analysis of the data length and weight growth during maintenance test animals. The results showed that the weight gain and the highest length obtained at treatment by using an aquarium container, whereas the lowest in concrete tank containers. Length and weight maintenance long aquarium containers 0.47 cm and weight of between 0.37 gram. The length and weight of the concrete maintenance of tank containers, which is 0.27 cm length and weight of 12.16 gr.

Keywords: Aquarium, concrete pool, Manggabai, Growth Rate, Survival Rate

---

## I. INTRODUCTION

Fish Manggabai (*Glossogobius giuris*) is one type of fish consumed by many people in Gorontalo. The price of fish Manggabai (*G. giuris*) in Gorontalo is quite high when compared to other types of freshwater fish. This is due to low number of catches in the Limboto Lake as prime fish habitat Manggabai (*G. giuris*). The fishing communities in the area of Lake Limboto today reported a decline in the productivity of fisheries in the waters of Limboto Lake. The survey showed a continuing lack of fish populations and species of fish endemic to the lake Limboto.

Based on data from the Department of Marine Capture Fisheries, stated that the number of fish caught Manggabai in Gorontalo 3 years preceding the year in 2011 reached 84.70 tons / year, in 2013 reached 19 tons / year, and in 2015, at only 13, 6 tons / year. The number and size of fish Manggabai are getting lower due to changes in water quality in the Limboto Lake. In addition, the area of the lake silting and shrinking habitat dependent Limboto Lake cause so feared Manggabai fish populations will become extinct. This happens because the quality of the waters of the lake as a natural habitat Limboto Lake damaged.

Habitat is one factor that is quite important for the sustainability of aquaculture commodities. One attempt to do to overcome the natural habitat destruction is to perform controlled cultivation or make natural commodity into a commodity cultivation. This can also be done to avoid the extinction of endemic organisms that exist in a natural habitat such as Limboto Lake.

Fish Manggabai as endemic commodities contained in the waters of the Limboto Lake will become extinct if no prevention as early as possible. One of the activities that can be done is fish farming Manggabai using controlled container maintenance. Maintenance container used to represent the characteristics of the natural habitat that can support the needs of living organisms cultivation. Fish Manggabai is still obtained naturally in the lake Limboto, so that the necessary research that can be used to support the fish farming Manggabai. This leads to the need for research on the type of container that is suitable for pisciculture Manggabai controlled manner.

## II. METHODS

The tools used in the research are container maintenance, analytical balance, water quality checker, blowers, aeration hose, faucet aeration, aeration stone. Materials used during the research that fish seed Manggabai, silk worm, pellet F-189, and freshwater. The container used in the study is the aquarium container and concrete ponds each with three containers.

The study was an experiment with completely randomized design (CRD) consisting of two treatments and three replications of each treatment. The treatment in question is the maintenance by using a different container, the aquarium and concrete tanks. Maintenance container used has a size of 70 x 40 x 40 cm consists of three aquariums and three concrete tanks.

Seeds were used in this study is Manggabai fish seeds derived from a number of arrests in the lake Limboto tail length of  $600 \pm 10$  cm and a weight of  $\pm 40$  grams per fish. Stocking density of fish as much as 1 fish / L. Feeding is given as much as 5% of the weight of the biomass by feeding frequency 2 times a day ie morning and afternoon.

Maintenance of fish seed Manggabai conducted for 5 weeks. Measurement of the length and weighing of fish seed Manggabai done by sampling technique is to take a fish sample 20% of the total number of seeds in each container and is done once a week. Water quality measurements carried out every week and the observed parameters such as temperature, pH, and DO.

### Research variables

#### Absolute growth

The growth rate of fish seed Manggabai measured in this study is the absolute length growth and absolute weight of fish seed Manggabai.

##### a. Absolute Length Growth

Calculation of absolute length growth of fish seed Manggabai according Effendie [1] in Tarigan (2014) are as follows:

$$L = L_t - L_0$$

Information:

$L_t$  = length of fish at time t (cm)

$L_0$  = length of fish baseline (cm)

##### b. Weight Absolute Growth

Calculation of absolute weight gain of fish seed Manggabai according Effendie [1] in Tarigan (2014) are as follows:

$$W = W_t - W_0$$

Information:

$W$  = weight gain of fish seed (gr)

$W_t$  = weight of fish seed time to the end-t (g)

$W_0$  = Initial weight of fish seed (gr)

#### Survival Rate

Survival, or the survival rate (SR) is the percentage of organisms that live at the end of a certain time. Calculation formula according Goddaard survival rate (1996) in Tarin [2] are as follows:

$$SR = \frac{N_t}{N_0} \times 100\%$$

Information:

SR = Survival Rate (%)

$N_t$  = Number of fish at all t (tail)

$N_0$  = number of fish baseline (tail)

#### Data analysis

Data obtained include absolute growth, daily growth, specific growth rate and survival of fish seed Manggabai analyzed using descriptive analysis and shown in the graph. The analyzed data is data length and weight of absolute growth and survival of fish seed Manggabai maintained for five weeks.

## III. RESULT AND DISCUSSION

Growth is increase the length, weight, and volume within a specified time. Growth can be used as an indicator to see the physiological condition of individuals or populations. Absolute growth consists of two, such as growth in length and weight growth.

#### Absolute Length Growth

Absolute length growth on the seed Manggabai fish reared in aquariums and ponds concrete for five weeks shows that the highest growth in length obtained in maintenance, using an aquarium container. While the fish seed Manggabai that use container maintenance of concrete pools generate long lower growth. Value growth in the absolute length of the aquarium fish seed Manggabai and concrete pool can be seen in Figure 1.




Fig. 1 Growth Absolute Length Fish Seed Manggabai

#### Weight Absolute Growth

The results of the measurement of absolute weight gain showed that seed Manggabai fish reared at the aquarium container is higher than the seeds are kept in a concrete pool. These results suggest that heavy growth is influenced by different types of container maintenance. Value absolute gain in the second container can be seen in Figure 2.




Fig. 2 Added weight Absolute Fish Seed Manggabai

The container used in the maintenance of the organism is the replacement for the environment or the natural habitat of an organism. Maintenance container type used affects the growth and survival of an organism. Different types of containers will also affect the quality of the environment in a living organism.

Container maintenance will also affect the space, thereby reducing the fish to obtain the feed. Feed shortage will slow the growth rate of the fish and also a space for outside factors that affect the rate of growth, with ample movement space fish can move optimally. This opinion is in accordance with the opinion of Grace (2010), said that the artificial container will restrict fishing to obtain food because it depends on the feed given, so it will affect the growth rate of the fish.

Feed is one of the factors that play a role in the growth of fish Manggabai. The more varied and high nutrient content of feed would be good for the growth of fish. According Noegroho (2000) in Syamsunarno (2008), protein plays an important role in the preparation of tissues and organs of animals, including fish. In the feed given to fish, protein should be available in sufficient quantities. Low level of protein feed which will lead to growth to be slow.

### Survival Rate

Fish survival is a percentage of the number of fish that live on the number of fish that are kept in a container. Survival demonstrated by mortality (death). After doing research, data showed an average survival rate of fish seed Manggabai presented in Figure 3.




Fig. 3 Survival Rate of Fish Seed Manggabai

In this figure, it appears that the percentage of seed survival rate of fish Manggabai are maintained on the container which provides distinct survival value. Survival may be influenced by the content of available habitat and feed on habitat or container maintenance. One effort to overcome the low survival rate that is by maintaining the seeds in appropriate containers and also pay attention to proper feeding both in size, quantity and nutritional value of the food that will be given during the maintenance process (Wijayanti, 2010).

Based on the pictures can be concluded that the highest survival rate obtained in maintenance, using an aquarium that is equal to 97.3%, while the concrete tank container

survival by 94.5%. Kind of container will influential on the growth and survival. This is because the container can affect the availability of feed naturally. In a controlled container maintenance or artificial feeding can not be obtained naturally, but must come from feed given during the maintenance process takes place.

Mudjiman (2000) in Suhenda et al (2003) which states that feed that have good nutrition plays an important role in maintaining the viability and accelerate the growth of the fish. In addition, the feeding does not spoil the quality of water and do not leave food remains such as the provision of pellets, the pellets granting media faster dirty water conservancy. This is in accordance with the opinion of Ward (1985) in Hutasoit (2014) which states that the survival rate of fish seed of life is largely determined by the quality of the water. During maintenance death occurred a few fish on all treatments, it is more common in the first week to the second week of maintenance, allegedly because the fish have not been able to adapt to the new container maintenance.

### Water quality

Water quality is a very important factor in fish farming because it is required as a medium of life. Results of water quality measurements during maintenance Manggabai fish seed can be seen in Table I.

TABLE I  
WATER QUALITY MAINTENANCE ON CONTAINERS

Treatment	Parameter		
	Temperature (°C)	pH	DO
Aquarium	26,83 – 26,93	7,17 – 7,22	6,00 – 6,45
Concrete Container	26,85 – 27,19	7,18 – 7,41	5,55 – 6,04

Several environmental factors in the water that affect the lives of fish, among others, temperature, acidity (pH), dissolved oxygen (DO) and others. The water temperature during the study ranged from 26-27 °C. It shows that the media in accordance with the opinion Djokosetiyanto maintenance, et al (2005), which states that the water temperature is good for culture Manggabai range between 26-30 °C. The relationship between the temperature of the fish growth by Huet (1971) in Syamsunarno (2008) that is the growth of small or nonexistent below a certain temperature (20 °C). Further growth increases with increasing temperature until it reaches the maximum point (30 °C), and decreased again or even become negative (lethal) at temperatures above the maximum point (33 °C). In general, the magnitude of the pH of water to be used as a medium for the maintenance of fish seed Manggabai must correspond to their natural habitat in the wild, which is between 6.5 to 8.5 (BSN, 2009). Non-compliance with the terms of living water pH Manggabai fish seed will result in the development and growth is not optimal. Based on the results of measurements of pH of water during the study ranged from 7 to 7.5, a pH range of water during the study strongly supports the growth of fish fry fish Manggabai.

Besides these two factors the temperature and pH of the water above, oxygen is an important element in the life of the organism. Oxygen in the water is called dissolved

oxygen (DO). From the measurement results of dissolved oxygen values in media studies ranged from 5.5 to 6.5 mg / l. Rise and fall of the soluble oxygen value associated with the value of the water temperature. The range of dissolved oxygen in the above, the present study is still worthy of media in supporting the growth of fish seed Manggabai. According Djokosetiyanto (2005) that the dissolved oxygen content both for maintenance (maintenance) fish Manggabai above 3 ppm.

#### IV. CONCLUSION

Based on the results of research on the growth and survival of fish fry Manggabai (*G. giuris*) are maintained on a different container, it can be concluded that:

1. Growth and Survival of fish seed Manggabai maintained at different container types show different results.
2. Growth of the length and the highest weight obtained on aquarium maintenance, using a container that is equal to 00:47 and 12:37 gr cm. While the length and weight of the lowest growth in container maintenance obtained using concrete tanks are 0:37 and 0:16 gr cm.
3. Survival of the highest obtained at the aquarium container that is equal to 97.3%, while the lowest was obtained on a concrete tank container that is equal to 94.5%

#### REFERENCES

- [1] Effendie, M. I. 2002. Fisheries Biology. Yayasan Pustaka Nusantara. Yogyakarta.
- [2] Tarin, R. P. 2014. Growth and survival of fish fry Botia (*chromobotia macracanthus*) by feeding silk worms (*Tubifex sp.*) Were cultured with some kind of manure. Essay. Water Resource Management. Faculty of Agriculture. University of North Sumatra.
- [3] Cahyani, P. 2007. Some Aspects of Reproductive Biology The fish Pali Flower *Dasyatis kuhlii* Muller & Henle, 1841 Waterway Bonetambu Makassar. Skripsi. Faculty of Marine Sciences and Fisheries. Hasanuddin. Makassar University. (Unpublished).
- [4] Infrastructure Directorate of fisheries. 2015. Fish Resources Indonesia. DG fisheries. Department of Marine and Fisheries.
- [5] Hasmaradi, D. 2002. Analysis of Food Tilapia (*Oreochromis niloticus*) and Fish Beloso (*Glossogobius giuris*) Located Outside the Nets Plug in Situ Malang Nengah Ciseeng District of Bogor. Essay. Faculty of Fisheries and Marine Science. Department of Water Resource Management. Bogor Agricultural Institute.
- [6] Islam, M.N. 2004. Eco-biology of Freshwater Gobi, *Glossogobius gluris* (Hamilton) of The River Padma In Relation to Its Fishery: A Review. Journal of Biological Science 4 (6): 780-793.
- [7] Lubis, 2001. Study Habits Food Fish Pufferfish (*Tetraodon sp*) in the waters of Ujung Pangkah, East Java. Essay. Faculty of Fisheries and Marine Science. Department of Water Resource Management. Bogor Agricultural Institute. 60 p.
- [8] Novanistati, 2001. Biological Aspects of Growth, Eating Habits and reproduction Several Types of Fish in the Waters Around Forest Preserve kapok, North Jakarta. Essay. Faculty Perikanan and Marine Sciences. Department of Water Resource Management. Bogor Agricultural Institute.
- [9] Rao, P.S. and L.M. Rao. 2001. Sex Ratio, Fecundity Matunty and Spawning Details of *Glossogobius gluris* (Hamilton) from Gosthani Estuary Near Visakhapatnam. Icfai Journal of Life Sciences, Vol.1, No.1, pp.16-29, May 2007. Philipp.J.Fish.8 (1): 71-89.
- [10] Sitepu. 2007. The Fekundity, gonads and Sex reversal of Coral trout *Peleopardus* from Marine Water of Spermonde Arcipelago.
- [11] Tamsil, A. 2000. Study of Some Reproductive Characteristics Pre Spawning Artificial Fish Bongo (*G. aureus*) in Tempe and Lake Sidenreng Danai South Sulawesi. Dissertation Graduate Program IPB Bogor. 177 p.
- [12] Trisnawati, Y., Suminto, Sudaryono, A. 2014. Effects of Combination of Artificial Feeding And Earthworm (*Lumbricus rubellus*) The Feed Utilization Efficiency, Growth and survival rate Dumbo catfish (*Clarias gariepinus*). Journal of Aquaculture Management and Technology. Faculty of Fisheries and Marine Science. Diponegoro University. Semarang
- [13] Unus, F. 2009. Study of Reproductive Biology Malalugis Fish Blue (*DecagterusI macarellus* Cutier 1833} In the Aquatic Banggai Islands. Dissertation. Hasanuddin University Graduate Program. Makassar. 105 things.
- [14] Shanin, H. 1984. Taxonomy and fish identification. Volume I and Volume II. Binacipta. Bandung. 508 p.