

ISSN: 2415-623X (Print)
ISSN: 2415-6221 (Online)

Haya: The Saudi Journal of Life Sciences

(An Open Access Peer Reviewed International Journal)



SCHOLARS
MIDDLE EAST PUBLISHER

Haya: The Saudi Journal of Life Sciences (SJLS)



Abbreviated key title
Editor in Chief
ISSN
DOI
Frequency
Language
Country of Origin
Publisher
Current Issue

IMPACT FACTOR

: Haya: Saudi J. Life Sci.
: Dr. Habibur Rahman
: 2415-6221 (Online) & 2415-623X (Print)
: 10.36348.sjls
: Monthly
: English
: United Arab Emirates
: Scholars Middle East Publisher, UAE
| **Volume-5 | Issue-1 | January, 2020** |

: **0.40**

About the Journal

Haya: The Saudi Journal of Life Sciences; ISSN 2415-6221 (Online), ISSN 2415-623X (Print) is a Monthly, peer reviewed, open access, Journal published by published by "Scholars Middle East Publishers", Dubai, UAE. This Journal publishes Original Research Articles, Review, Short Communications, and Case Studies within the whole field of Life Sciences and their related and applied fields.

[Aim](#)

[Scopes](#)


[Indexing](#)



[PAY ONLINE](#)



[SUBMIT PAPER](#)



[Related Journals](#)

[Saudi Journal of Pathology and Microbiology](#)

[Saudi Journal of Biomedical Research](#)

[South Asian Research Journal of Biology and Applied Biosciences](#)

[South Asian Research Journal of Agriculture and Fisheries](#)

[South Asian Research Journal of Agriculture and Fisheries](#)

[Scholars Journal of Agriculture and Veterinary Sciences](#)

[JOIN MEMBERSHIPS](#)

[FELLOW MEMBERSHIP](#)

[LIFE MEMBERSHIP](#)

[REGULAR MEMBERSHIP](#)

[JOIN MEMBERSHIP](#)

[JOIN EDITORS AND REVIEWER](#)

[JOIN AS CHIEF EDITOR](#)

[JOIN AS ASSOCIATE EDITOR](#)

[JOIN AS REVIEWER](#)

[DOWNLOAD CERTIFICATES](#)

[DOWNLOAD EDITORIAL CERTIFICATE](#)

[DOWNLOAD REVIEWER CERTIFICATE](#)

[DOWNLOAD PUBLICATION CERTIFICATE](#)

Google
scholar



Semantic **Scholar**

I  **I**
WORLD

J^{OI}JOURNALS




CiteFactor

Academic Scientific Journals

Journal
Seek

SHERPA
RoMEO





SSRN





DRJI

SafetyLit[®]

R^G
ResearchGate

Editorial Board of Haya: The Saudi Journal of Life Sciences

Chief Editor

Dr. Habibur Rahman

Associate Professor, Department of Physiology and Pharmacology, Anurag Pharmacy College, Kodad, Telangana, India

Associate Editorial Board

Prof. Maha FM Soliman

Head of Zoology Department, Faculty of Science, Suez Canal University, Ismailia, Ismailia Governorate, Egypt

Dr. D.A. Patil

Former Principal, S.S.V.P.S's L.K. Dr.P.R. Ghogrey Science College, Dhule-424 005, Maharashtra, India

Dr V. B. Bangal

Prof and Head, Dept of Obstetrics and Gynaecology, Rural Medical College, Loni, Ahmednagar, India

Prof. Dr. Suzana Jordanovska

Full Professot on University "Ss. Cyril and Methodius" in Skopje, Institute of Agriculture-Skopje, Republic of Macedonia

Dr. Garlapati Vijay Kumar

Dept. of Biotechnology and Bioinformatics, Jaypee University of Information Technology Waknaghat post, Solan Dt HP-173234, India

Prof. Dr. Yunus Dogan

Department of Biology Education, Buca Faculty of Education, Dokuz Eylul University, 35150 Buca, Izmir/Turkey

Dr. Rajiv Kumar Chawla

Consultant in Department of Microbiology in Delhi Heart Institute & Multispecialty Hospital, Bathinda, Punjab, India

Fatemeh Khajeh

Dept. Of Pathology, Fasa University Of Medical Sciences, Avesina Square, Fasa, Fars, Iran

Prof. Dilip Kumar Pal

Department Of Urology, Institute Of Post Graduate Medical Education & Research, 244, Aje Bose Road, Kolkata-700020, India

Dr. RoosyAulakh

Associate Prof, Dept. Of Pediatrics, Govt. Medical College & Hospital, Sector 32, Chandigarh, India.

H A Sayeswara

Assistant Professor, Department of Zoology, Sahyadri Science College (Autonomous), Shivamogga-577203, Karnataka, India

Prof. Saber Abd-Allah

Professor of Theriogenology, Faculty of Veterinary Medicine, Beni-Suef University, Egypt

Dr. A. H. M. Mahbubur Rahman

Associate Professor, Department of Botany, University of Rajshahi, Rajshahi-6205, Bangladesh

Dr Anoja Attanayake

Department of Biochemistry, Faculty of Medicine, University of Ruhuna, Sri Lanka

Dr. N.S. Neki

Prof. of Medicine, Govt. Medical College, Amritsar, India

K. Prasannath

Senior Lecturer, Department of Agricultural Biology, Faculty of Agriculture, Eastern University, Sri Lanka, Chenkalady, Sri Lanka

Dr. Girin Hazarika

Dept. of Animal Biotechnology, College of Veterinary Science, Assam Agricultural University, Khanapara, Guwahati, Assam, India

HéctorBracho Espinoza

Food Science and Technology, Specialist in Milk Products and Dairy Byproducts, Researcher, UNEFM, Coro-Falcón, Venezuela

Dr. Sivaraman Dhanasekaran

Scientist C, Scientist C, Centre for Laboratory Animal Technology and Research, Sathyabama Institute of Science and Technology, Chennai 600 119, Tamil Nadu, India

Dr. Fahd Mohammed Abd Al Galil

Assistant Professor, Department of Zoology, Faculty of Applied science, Tamar University, Yemen

Dr. Ranjan Padhy

Asst. Professor Biosciences, P.G. Dept. of Biosciences, CPS, Berhampur, Under Berhampur University, Odisha, India

Dr. Yuwalee Unpaprom

Lecturer, Program in Biotechnology, Faculty of Science, Majeo University, Chiang Mai-50290, Thailand

Dr. Manash Barthakur

Associate Professor, Department of Zoology, Pub Kamrup College, Baihata Chariali-781381, Kamrup, Assam, India

Dr. Onofre S. Corpuz

Cotabato Foundation College of Science and Technology, Ph.D in Forestry, Director for Research and development, Doroluman Arakan 9417 Cotabato Philippines

Dr. Srinivas Sathapathy

Assistant Professor, Dept. of Veterinary Anatomy & Histology, College of Veterinary Science & Animal Husbandry, Orissa University of Agriculture & Technology, Bhubaneswar, Odisha, India

Dr. Rajesh Kumar Sahu

Dept. Veterinary Public Health & Epidemiology, College of Veterinary Science, Rajendranagar, Hyderabad-500030, Telangana, India

Dr. Tarun Kanti Gosh

Regional Institute of Pharmaceutical Science and Technology, Tripura University (Central), Tripura, India

Dr. Shah Alam Khan

Professor of Pharmaceutical Medicinal Chemistry, Dept of Pharmacy, Oman Medical College, Muscat, Oman

Dr Sheeraz Saleem Bhat

Scientist (Forestry), ICAR-Indian Grassland and Fodder Research Institute, Jhansi – 284 003, Uttar Pradesh, India

Assist Prof. Dr. Ammar Abdul Razzak Mahmood

Dept. of Pharmaceutical Chemistry-College of Pharmacy-University of Baghdad/Baghdad-IRAQ

Dr. (Mrs) Letorn A.F. Akinola

Department of Animal Science, Faculty of Agric., Choba Campus, University of Port Harcourt, P.M.B. 5323, Port Harcourt, Rivers State, Nigeria

Dr. Hafiz Ishfaq Ahmad

Key Laboratory of Agricultural Animal Genetics, Breeding and Reproduction of the Ministry of Education, College of Animal Science and Technology, Huazhong Agricultural University, Wuhan 430070, China

Dr. Dilip Kr. Goswami

Associate Professor, Dept. Of Agada Tantra and Vidhi Ayurveda, Govt. Ayurvedic College, Jalukbari, Guwahati, Kamrup, Assam, India

SJLS 3(5)

Volume-3: Issue-5 (May, 2018)

Habitat Selection by Spiny-Tailed Lizard (*Uromastyx aegyptia*) in Hengam Island, Iran

Shirin Aghanajafizadeh, Asghar Mobaraki

Haya: The Saudi Journal of Life Sciences, 2018; 3(5):414-419 (Download PDF)

DOI:10.21276/haya.2018.3.5.1

Biodiversity Conservation of Plant Taxa Used For Oral and Dental Health Management among the Ethnic Ijaws of Bayelsa State Nigeria

Ihinmikaiye SO, Kayode J, Arowosegbe S, Oyedeji AA

Haya: The Saudi Journal of Life Sciences, 2018; 3(5):420-428 (Download PDF)

DOI:10.21276/haya.2018.3.5.2

Availability, Preference and Constraints to Use of Information Sources among Crop Farmers in Abak Agricultural Zone of Akwa Ibom State

Jemimah Timothy Ekanem, Emem Bassey Inyang

Haya: The Saudi Journal of Life Sciences, 2018; 3(5):429-436 (Download PDF)

DOI:10.21276/haya.2018.3.5.3

Antihyperglycemic and Antilipidemic Activity of *Solanum torvum* Roots

Jitendra Debata, H.K Sundeep Kumar

Haya: The Saudi Journal of Life Sciences, 2018; 3(5):437-442 (Download PDF)

DOI:10.21276/haya.2018.3.5.4

Valuation the Fishery Economic Value Limboto Lake Gorontalo

Hasim, Herwin Mopangga

Haya: The Saudi Journal of Life Sciences, 2018; 3(5):443-446 (Download PDF)

DOI:10.21276/haya.2018.3.5.5

The Difference of Concentration Calcium on Human Breast Milk between Good Nutrition Status and Chronic Energy Loss Postpartum Mothers

St. Surya Indah Nurdin, Andi Wardihan Sinrang, Nasrudin AM

Haya: The Saudi Journal of Life Sciences, 2018; 3(5):447-453 (Download PDF)

DOI:10.21276/haya.2018.3.5.6

Valuation the Fishery Economic Value Limboto Lake Gorontalo

Hasim^{1*}, Herwin Mopangga²¹Lecturer of Fishery and Science Marine Faculty, State University of Gorontalo, Indonesia²Lecturer of Economic and Business Faculty, State University of Gorontalo, Indonesia

Original Research Article

*Corresponding author
Hasim

Article History

Received: 10.05.2018

Accepted: 23.05.2018

Published: 30.05.2018

DOI:

10.21276/haya.2018.3.5.5



Abstract: This study aims to calculate the fishery economic value of Limboto Lake including aquaculture, catch, and bibilo fishery. The research was conducted in Limboto Lake area and using survey method that based on questionnaire in collecting data. Respondents were 100 people who determined randomly. The productivity method is an estimate of the ecosystem economic value for a product or service that contributes to the commercial goods production in the market. The results showed that the fishery economic value of Limboto Lake is 51.474.000. 000 IDR / year. More than 50% of the value is contributed by aquaculture fishery.

Keywords: Economic Valuation, Utility, fishery, Limboto lake.

INTRODUCTION

Economic valuation in this research is used to provide quantitative value in the form of percentage of natural resource yield in Limboto Lake. Various studies on economic valuations related to water and fishery have been conducted by Wilson & Carpenter [1], Kragt, *et al.* [2], Admiraal, *et al.* [3], and it showed different models and approaches. This study simply describes the economic valuations to help local governments recognize the potential of their natural resources. The economic stability of Limboto lake has important role in Gorontalo because the coastal communities in the area have a high economic dependence. Based on the literature study there are 329 RTP with KJA system and 1454 RTP fishermen, while the bibilo fisherman reach 785 RTP. Thus, the entire RTP in Limboto lake is 2569. If each RTP there are two head of household, then there are 5138 households. If the assumption of a household there are 4 members, then the population that has an economic dependence on the lake is 20,552 inhabitants.

The waters of Lake Limboto experience high eutrophication. It is shown by aquatic plants, almost 50 percent of the lake's surface area [4]. According to Boyd [5] that the population of water plants that reach 10-20 percent of the water surface area will complicate the management of fishery. Based on these conditions Limboto lake by KLH entered in 10 lakes classified as critical.

Since 1988, fishery experiments have been conducted with floating net in Limboto lake. This aquaculture activity is progressing every year. This is indicated by the number of Karamba Floating Nets (KJA) that incubate the increase. In 1993 the number of KJA 500 units and developed to 1962 units in 2007. While the number of fish farmers is 329 RTP. Generally the type of fish that is maintained is *Oreochromis niloticus*, *Oreochromis musambica* and *carpio* *Cyrprinus carpio* [6].

Several studies have reported that intensive cultivation and nutrient enrichment have a potential impact on changes in water quality [7, 5]. Furthermore,

Haven *et al.* [8] and Johansson [6] stated that aquaculture in the lake has high organic waste and play a role in eutrophication.

Governor of Gorontalo expressed his thoughts to make Limboto Lake as the area of aquaculture Industry. The consideration is the commodity market of aquaculture is very prospects outside. The view of rent seeking to capitalize the lake through aquaculture is important to be prioritized. Because in the critical condition of Limboto lake, increasing the burden of cultivating aquaculture produces an ecological threat. Therefore, research needs to be conducted to assess the fishery economic value of Limboto Lake as a basis in formulating the lake management policy that supports sustainable fishery.

RESEARCH METHODS

This research is done by survey method that is using questioner as instrument of data collection. Data collection techniques were conducted in interviews. The analysis used is Productivity Method. The productivity method is an estimate of the ecosystem economic value

for product or service that contributes to the commercial goods production on the market [9]. The stages in calculating productivity method are calculating loss in productivity, defensive expenditure and replacement cost or restoration cost of an environmental service. Productivity method is used to determine the quality of the environment directly, whether it affects the production cost of the marketed natural resources. The benefit of the productivity method has limited data requirements and relevant data is available. Meanwhile, this method relatively easy to be implemented. The simple formula used in the productivity method is as follows:

$$\text{Value of Productivity SDA} = (\Sigma \text{ Production} / \text{ha} \times \text{P}) - (\text{Input Cost})$$

Information

Value of SDA Productivity: The value of productivity from natural resources.

Σ Production: Total production of commodities (hectare)

P: Commodity Prices (IDR / Kg)

Input Cost: The cost of non-natural resources.

RESULTS AND DISCUSSION

The value of natural resources productivity in fishery sector at Limboto lake obtained with sum up productivity value from different type freshwater fishery. Those are included fishery catch, fishery bibilo and aquaculture. It need to know that fishery bibilo is the one of traditional fishery catch in Limboto lake. Its fishery use grass as a place in gathering another fish. Limboto Lake obtained from production value per day/harvest season reduced with input costs per day/harvest season. The input cost for each type freshwater fishery obtained the average cost incurred by the fisherman/farmers in one arrest/harvest season. However, the input cost composed from cost seeds/seeding fish, cost feed, cost harvest, cost tool catch (boats, nets and fishing rods, cost care tool catch, cost for results, cost transportation (fuel) and tax. It could be seen in table 1.

Table-1: The Value of Natural Resource Productivity in Freshwater Fishery Sector Per day/Harvest Season in Limboto lake area

Freshwater Fishery	Production Value	Input Cost (IDR)	Value of Productivity (IDR)
Catch	30.000,00 / Day	15.000,00 / Day	15.000,00 / Day
Bibilo *	100.000,00 / Day	15.000,00 / Day	85.000,00 / Day
Aquaculture	9,000,000.00 / Season	4.000.000,00 / Season	5.000.000,00 / Season

Source: Primary Data, 2014.

* Bibilo is a type of traditional fishing by using grass as a medium.

Based on the calculation above, the largest type of fishery is bibilo 85.000 IDR and the smallest is catch 15.000 IDR. The aquaculture fishery is done per harvest season. One harvest season in aquaculture is four months. The value of natural resources productivity of freshwater fishery sector per harvest season for the type of aquaculture is 5.000.000 IDR.

The value of natural resources productivity in freshwater fishery sector per year is obtained from

multiplication of productivity value per day / harvest season, the number of catches per year and the number of livelihoods as fishermen. The total value of natural resources productivity of freshwater fishery sector per year is derived from the sum of the value of natural resource productivity per year of all kinds of freshwater fishery. The total value of natural resource productivity of freshwater fishery sector in Limboto Lake area can be seen in Table 2.

Table-2: Total Value of Natural Resource Productivity in Freshwater Fishery Sector at Limboto lake area

Freshwater Fishery	Value Productivity (IDR)	amount Catch / Year	amount Population Livelihood	Value of Productivity (IDR / Year)
Catch	15.000,00 / Day	300	1.096	4,932,000,000.00
Bibilo *	85.000,00 / Day	300	688	17,544,000,000.00
Aquaculture	5.000.000,00 / Season	3	2,064	30.960.000.000,00
Total				53.436.000.000,00

Source: Primary Data, 2014.

* Bibilo is type fishery catch traditional with use grass as a medium.

Based on the calculation above, the largest is aquaculture 30.960.000.000 IDR. and the smallest is catch 4.932.000.000 IDR. However, other types is bibilo 17.544.000.000 IDR. Based on the result of the

sum of the value of natural resource productivity per year for all freshwater fishery, the total value is 53.436.000.000 IDR. The small value happened due to the decreasing number of fish catch because over

fishing and there is a shallow Limboto lake because of sedimentation.

The value of natural resource productivity per year of all types of freshwater fisheries, has not been reduced by the value of water for this type of aquaculture. The value of water for this type of aquaculture is not included in the calculation of the value of natural resource productivity of the freshwater

fishery sector because the water usage is the direct use of water categorized as the calculation of water value for freshwater fishery production [10]. Therefore, the value of water for aquaculture species is included in the calculation of the total value of water in the Limboto Lake area. The total value of natural resource productivity of freshwater fishery sector in Limboto Lake area after minus water value for cultivated fishery species can be seen in Table 3.

Table-3: The Value of Natural Resource Productivity in Freshwater Fishery Sector in Limboto lake area after deducting the water value for aquaculture

Freshwater Fishery	Value of Productivity (IDR / Year)
Catch	4,932,000,000.00
Bibilo *	17,544,000,000.00
Aquaculture	28,998.000.000,00
Total	51.474.000.000,00

Source: Primary Data, 2014.

* Bibilo is a type of traditional fishing by using grass as a medium.

The calculation of the water value from aquaculture uses the water residual value calculation. The calculation of water residual value is the simplest way of assessing water that is the value of production of aquaculture species reduced by input cost and divided by the amount of water used per production period. The amount of water per production period for the type of aquaculture in Limboto lake area is 60 m³ / plot. Based on calculations performed, the value of natural resources productivity of freshwater fishery sector per year for aquaculture fishery after minus the water value obtained 28.998.000.000 IDR. Total value of natural resource productivity of freshwater fishery sector per year in Limboto Lake area after minus water value for aquaculture that is 51.474.000.000 IDR.

When we viewed from all types of freshwater fisheries most commonly cultivated in the Limboto lake area, then the type of aquaculture and bibilo which has a value of natural resource productivity is large enough. If we viewed from the economic side is very profitable, but on the other hand there are negative things caused by this type of fishery. That is the use of *karamba* floating net for aquaculture and bibilo which made some locations in Limboto Lake into private or group plots of property. This can lead to horizontal conflicts among fellow fishermen, causing narrowing and silting in Limboto Lake, as well as degradation of water resources quality in Limboto Lake.

CONCLUSION

Based on the description above, it is concluded that the economic value of Limboto lake for the dominant fishery sector is contributed by the aquaculture is about 56 percent, the low economic value of fishery catch gives information that the potential SDI of Limboto lake decreased.

ACKNOWLEDGEMENT

The author would like to thank to Ministry of National Education (DIKTI) who has given funding support through grant competition 2014/2015.

REFERENCES

1. Wilson, M. A., & Carpenter, S. R. (1999). Economic valuation of freshwater ecosystem services in the United States: 1971–1997. *Ecological applications*, 9(3), 772-783.
2. Kragt, M. E., Newham, L. T., Bennett, J., & Jakeman, A. J. (2011). An integrated approach to linking economic valuation and catchment modelling. *Environmental Modelling & Software*, 26(1), 92-102.
3. Admiraal, J. F., Wossink, A., de Groot, W. T., & de Snoo, G. R. (2013). More than total economic value: How to combine economic valuation of biodiversity with ecological resilience. *Ecological Economics*, 89, 115-122.
4. Sarnita (1993). Laporan hasil penelitian usaha perikanan di Danau Limboto, Sulawesi Utara, Dalam: Kumpulan Hasil-Hasil Penelitian Perikanan Perairan Umum (Danau dan Waduk) Tahun 1992/1993, Sub Balai Penelitian Perikanan Air Tawar Jatiluhur, Badan Litbang Pertanian. 2: 2-23.
5. Boyd, C. E. (1998). *Water Quality in Warmeter Fish Ponds*. Auburn University Agricultural Experiment Station, Alabama.
6. Tjahjo, D. W. H. (2007). *Monograf Sumberdaya Perikanan Danau Limboto*. PSPT-BRKP, DKP.
7. Johansson, T., Håkanson, L., Borum, K., & Persson, J. (1998). Direct flows of phosphorus and suspended matter from a fish farm to wild fish in Lake Southern Bullaren, Sweden. *Aquacultural Engineering*, 17(2), 111-137.
8. Havens, K. E., Fukushima, T., Xie, P., Iwakuma, T., James, R. T., Takamura, N., ... & Yamamoto, T.

- (2001). Nutrient dynamics and the eutrophication of shallow lakes Kasumigaura (Japan), Donghu (PR China), and Okeechobee (USA). *Environmental Pollution*, 111(2), 263-272.
9. Simanjuntak, M. H. S. (2010). *Perkiraan Nilai Ekonomi Sumberdaya Alam Productivity Method*. [Materi Kuliah Productivity Method]. Program Pascasarjana, Institut Pertanian Bogor. Bogor.
 10. Fassio, A., Giupponi, C., Hiederer, R., & Simota, C. (2005). A decision support tool for simulating the effects of alternative policies affecting water resources: an application at the European scale. *Journal of Hydrology*, 304(1-4), 462-476.