



AACL Bioflux

Country [Romania](#) -  [SJR Ranking of Romania](#)

Subject Area and Category [Agricultural and Biological Sciences](#)
[Aquatic Science](#)
[Ecology, Evolution, Behavior and Systematics](#)
[Environmental Science](#)
[Management, Monitoring, Policy and Law](#)
[Water Science and Technology](#)

14

H Index

Publisher [Bioflux Publishing House](#)

Publication type Journals


ISSN 18449166, 18448143

Coverage 2006, 2009-2020

Scope Information not localized

 [Join the conversation about this journal](#)

Quartiles









SJR



Citations per document





AAAL Bioflux

Q3 Aquatic Science
best quartile

SJR 2019
0.28

powered by scimagojr.com


← Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scima
```

A **andrew** 2 months ago

I would like to know the paper publish in AAAL Bioflux, 2020, Volume 13, Issue 2. I would like to



AACL Bioflux

[Instructions to authors](#)

[Submission letter](#)

[Model of paper](#)

[Reviewer information pack](#)

[Editorial Board Expanded](#)

[Coverage / databases](#)

[Volume 13\(6\)/2020](#)

[Volume 13\(5\)/2020](#)

[Volume 13\(4\)/2020](#)

[Volume 13\(3\)/2020 \(June, 30\)](#)

[Volume 13\(2\)/2020 \(April, 30\)](#)

[Volume 13\(1\)/2020 \(February, 28\)](#)

[Volume 12\(6\)/2019 \(December, 30\)](#)

[Volume 12\(5\)/2019 \(October, 30\)](#)

[Volume 12\(4\)/2019 \(August, 30\)](#)

[Volume 12\(3\)/2019 \(June, 30\)](#)

[Volume 12\(2\)/2019 \(April, 30\)](#)

[Volume 12\(1\)/2019 \(February, 28\)](#)

[Volume 11\(6\)/2018 \(December, 30\)](#)

[Volume 11\(5\)/2018 \(October, 30\)](#)

[Volume 11\(4\)/2018 \(August, 30\)](#)

[Volume 11\(3\)/2018 \(June, 30\)](#)

[Volume 11\(2\)/2018 \(April, 30\)](#)

[Volume 11\(1\)/2018 \(February, 28\)](#)

[Volume 10\(6\)/2017 \(December, 30\)](#)

[Volume 10\(5\)/2017 \(October, 30\)](#)

[Volume 10\(4\)/2017 \(August, 30\)](#)

[Volume 10\(3\)/2017 \(June, 30\)](#)

Aquaculture, Aquarium, Conservation & Legislation - International Journal of the Bioflux Society

ISSN 1844-9166 (online)

ISSN 1844-8143 (print)

Published by Bioflux - bimonthly -

in cooperation with The Natural Sciences Museum Complex (Constanta, Romania)

Peer-reviewed (each article was independently evaluated before publication by two specialists)

The journal includes original papers, short communications, and reviews on Aquaculture (Biology, Technology, Economics, Marketing), Fish Genetics and Improvement, Aquarium Sciences, Fisheries, Ichthyology, Aquatic Ecology, Conservation of Aquatic Resources and Legislation (in connection with aquatic issues) from wide world.

The manuscripts should be submitted to zoobiomag2004@yahoo.com

Editor-in-Chief:

Petrescu-Mag I. Valentin: USAMV Cluj, Cluj-Napoca, University of Oradea (Romania)

Gavriloaie Ionel-Claudiu (reserve): SC Bioflux SRL, Cluj-Napoca (Romania).

Editors:

Abdel-Rahim Mohamed M.: National Institute of Oceanography and Fisheries, Alexandria (Egypt)

Adascalitei Oana: Maritime University of Constanta, Constanta (Romania)

Amira Aicha Beya: Badji Mokhtar Annaba University, Annaba (Algeria)

Arockiaraj A. Jesu: SRM University, Chennai (India)

Appelbaum Samuel: Ben-Gurion University of the Negev (Israel)

Baharuddin Nursalwa: Universiti Malaysia Terengganu, Terengganu (Malaysia)

Boaru Anca: USAMV Cluj, Cluj-Napoca (Romania)

Botha Miklos: Bioflux SRL, Cluj-Napoca (Romania)

Volume 10(2)/2017 (April, 30) Breden Felix: Simon Fraser University (Canada)

Volume 10(1)/2017 (February, 28) Burny Philippe: Universite de Liege, Gembloux (Belgium)

Volume 9(6)/2016 (December, 30) Caipang Cristopher M.A.: Temasek Polytechnic (Singapore)

Volume 9(5)/2016 (October, 30) Chapman Frank: University of Florida, Gainesville (USA)

Volume 9(4)/2016 (August, 30) Coroian Cristian: USAMV Cluj, Cluj-Napoca (Romania)

Volume 9(3)/2016 (June, 30) Creanga Steofil: USAMV Iasi, Iasi (Romania)

Volume 9(2)/2016 (April, 30) Cristea Victor: Dunarea de Jos University of Galati, Galati (Romania)

Volume 9(1)/2016 (February, 28) Das Simon Kumar: Universiti Kebangsaan Malaysia, Bangi, Selangor (Malaysia)

Volume 8(6)/2015 (December, 30) Dimaggio Matthew A.: University of Florida (USA)

Volume 8(5)/2015 (October, 30) Firica Cristian Manuel: Spiru Haret University Bucharest, Craiova (Romania)

Volume 8(4)/2015 (August, 30) Georgescu Bogdan: USAMV Cluj, Cluj-Napoca (Romania)

Volume 8(3)/2015 (June, 30) Karayucel Ismihan: University of Sinop, Sinop (Turkey)

Volume 8(2)/2015 (April, 30) Khamesipour Faham: Shiraz University, Shiraz (Iran)

Volume 8(1)/2015 (February, 28) Kosco Jan: Presov University, Presov (Slovakia)

Volume 7(6)/2014 (December, 30) Kovacs Eniko: USAMV Cluj, Cluj-Napoca (Romania)

Volume 7(5)/2014 (October, 30) Mehrad Bahar: Gorgan University of Agricultural Sciences and Nat. Res. (Iran)

Volume 7(4)/2014 (August, 30) Miclaus Viorel: USAMV Cluj, Cluj-Napoca (Romania)

Volume 7(3)/2014 (June, 30) Mihociu Tamara: R&D National Institute for Food Bioresources (Romania)

Volume 7(2)/2014 (April, 15) Molnar Kalman: Hungarian Academy of Sciences, Budapest (Hungary)

Volume 7(1)/2014 (February, 15) Muchlisin Zainal Abidin: Universiti Sains (Malaysia), Syiah Kuala University (Indonesia)

Volume 6(6)/2013 (November, 15) Muntean George Catalin: USAMV Cluj, Cluj-Napoca (Romania)

Volume 6(5)/2013 (September, 15) Nowak Michal: University of Agriculture in Krakow (Poland)

Volume 6(4)/2013 (July, 25) Nyanti Lee: Universiti Malaysia Sarawak, Sarawak (Malaysia)

Volume 6(3)/2013 (May, 15) Olivotto Ike: Universita Politecnica delle Marche, Ancona (Italy)

Volume 6(2)/2013 (March, 15) Oroian Firuta Camelia: USAMV Cluj, Cluj-Napoca (Romania)

Volume 6(1)/2013 (January, 15) Papuc Tudor: USAMV Cluj, Cluj-Napoca (Romania)

Volume 5(5)/2012 (December, 30) Parvulescu Lucian: West University of Timisoara (Romania)

Volume 5(4)/2012 (September, 30) Pasarin Benone: USAMV Iasi, Iasi (Romania)

Volume 5(3)/2012 (July, 30) Pattikawa Jesaja Ajub: Pattimura University, Ambon (Indonesia)

Volume 5(2)/2012 (June, 30) Petrescu Dacinia Crina: Babes-Bolyai University, Cluj-Napoca (Romania)


Volume 5(1)/2012 (March, 15) Petrescu-Mag Ruxandra Malina: Babes-Bolyai University, Cluj-Napoca (Romania)

Volume 4(5)/2011 (December, 30)


Volume 4(4)/2011 (October, 30)

Volume 4(3)/2011 (July, 30)

| | |
|--|--|
| Volume 4(2)/2011 (April, 30) | Petrovici Milca: West University of Timisoara (Romania) |
| Volume 4(1)/2011 (January, 30) | Pratasik Silvester Benny: Sam Ratulangi University, Manado (Indonesia) |
| Volume 3(5)/2010 (December, 5) | Proorocu Marian: USAMV Cluj, Cluj-Napoca (Romania) |
| Volume 3(4)/2010 (December, 1) | Ray Sunuram: Khulna University (Bangladesh) |
| Volume 3(3)/2010 (November, 15) | Rhyne Andrew: Roger Williams University; New England Aquarium, Boston (USA) |
| Volume 3(2)/2010 (July, 30) | Ruchin Alexander B.: Joint Directorate of the Mordovia State Nature Reserve and National Park «Smolny», Saransk (Russia) |
| Volume 3(1)/2010 (February, 28) | Safirescu Calin: USAMV Cluj, Cluj-Napoca (Romania) |
| Volume 2(4)/2009 (October, 30) | Serrano Jr. Augusto E.: University of the Philippines Visayas (Philippines) |
| Volume 2(3)/2009 (July, 30) | Sima Nicusor Flaviu: USAMV Cluj, Cluj-Napoca (Romania) |
| Volume 2(2)/2009 (April, 30) | Tlusty Michael F.: New England Aquarium, Boston (USA) |
| Volume 2(1)/2009 (January, 30) | Vesa Stefan Cristian: Iuliu Hatieganu UMF, Cluj-Napoca (Romania) |
| Volume 1(2)/2008 (December, 30) | Vintila Iuliana: Dunarea de Jos University of Galati, Galati (Romania) |
| Volume 1(1)/2008 (September, 30) | Wariaghli Fatima: University Mohammed V in Rabat, Rabat (Morocco) |
| Volume Pilot/2007 (December, 30) - available printed only | Yusli Wardiatno: Bogor Agricultural University, Bogor (Indonesia). |
| Pontus Euxinus, Volume 1 (1980) - Parent Journal | |



design: www.simple-webdesign.com



Search Keywords

Search

Aquaculture, Aquarium, Conservation & Legislation

You are here > Home · Volume 13(2)/2020

AACL Bioflux

Volume 13(2)/2020

Instructions to authors

First Pages, 2020 AACL Bioflux 13(2):i-x.

Submission letter

Firmansah F., Muskita W. H., Indrayani I., 2020 Effect of culture duration on layer thickness and pearl quality of winged pearl oyster *Pteria penguin* (Bivalvia: Pteriidae) in Palabusa waters, Buton Strait, Southeast Sulawesi. AACL Bioflux 13(2):451-458.

Model of paper

Reviewer information pack

Editorial Board Expanded

Lampe M., Mungsi H., Luran N. F., 2020 Development phases and socio-cultural contexts of the reef-based fishing economy of the Sembilan Islands community, South Sulawesi, Indonesia. AACL Bioflux 13(2):459-469.

Coverage / databases

Volume 13(6)/2020

Volume 13(5)/2020

Volume 13(4)/2020

Volume 13(3)/2020 (June, 30)

Liew Y. S., Sim S. F., Ling T. Y., Nyanti L., Grinang J., 2020 Relationships between water quality and dissolved metal concentrations in a tropical river under the impacts of land use, incorporating multiple linear regression (MLR). AACL Bioflux 13(2):470-480.

Volume 13(2)/2020 (April, 30)

Kasnir M., Harlina, Rustam, Jayadi, Jabbar F. B. A., 2020 Sustainability index of the shrimp farming in Takalar Regency, Indonesia. AACL Bioflux 13(2):481-495.

Volume 13(1)/2020 (February, 28)

Daris L., Yusuf M., Ali M. S. S., Wahyuti, 2020 Priority strategies for conflict resolution of traditional fishermen and mini trawl in Maros District, South Sulawesi Province, Indonesia. AACL Bioflux 13(2):496-502.

Volume 12(6)/2019 (December, 30)

Volume 12(5)/2019 (October, 30)

Volume 12(4)/2019 (August, 30)

Volume 12(3)/2019 (June, 30)

Ardiansyah, Jaya A. A., Amrullah, Dahlia, Baiduri M. A., Hartinah, Wahidah, Indrayani, 2020 Antioxidant status and oxidative stress markers of white faeces syndrome-infected Pacific white shrimp (*Litopenaeus vannamei* Boone). AACL Bioflux 13(2):503-517.

Volume 12(2)/2019 (April, 30)

Volume 12(1)/2019 (February, 28)

Volume 11(6)/2018 (December, 30)

Rahman, Wardiatno Y., Yulianda F., Rusmana I., 2020 Socio-ecological system of carbon-based mangrove ecosystem on the coast of West Muna Regency, Southeast Sulawesi-Indonesia. AACL Bioflux 13(2):518-528.

Volume 11(5)/2018 (October, 30)

Volume 11(4)/2018 (August, 30)

Volume 11(3)/2018 (June, 30)

Triyanto, Affandi R., Kamal M. M., Haryani G. S., 2020 Population dynamic and exploitation rate of glass eels (*Anguilla* spp.) in Cimandiri River estuary, West Java, Indonesia. AACL Bioflux 13(2):529-538.

Volume 11(2)/2018 (April, 30)

Volume 11(1)/2018 (February, 28)

Volume 10(6)/2017 (December, 30)

Maturbongs M. R., Elviana S., Lesik M. M. N. N., Rani C., Burhanuddin A. I., 2020 Growth patterns, sex ratio and size structure of nurseryfish (*Kurtus gulliveri* Castelnau, 1878) according to the lunar phase in Maro River, Merauke. AACL Bioflux 13(2):539-552.

Volume 10(5)/2017 (October, 30)

Volume 10(4)/2017 (August, 30)

Nopiana M., Yulianda F., Sulistiono, Fahrudin A., 2020 Condition of shore and

Volume 10(3)/2017 (June, 30)

- Volume 10(2)/2017 (April, 30)
- Volume 10(1)/2017 (February, 28)
- Volume 9(6)/2016 (December, 30)
- Volume 9(5)/2016 (October, 30)
- Volume 9(4)/2016 (August, 30)
- Volume 9(3)/2016 (June, 30)
- Volume 9(2)/2016 (April, 30)
- Volume 9(1)/2016 (February, 28)
- Volume 8(6)/2015 (December, 30)
- Volume 8(5)/2015 (October, 30)
- Volume 8(4)/2015 (August, 30)
- Volume 8(3)/2015 (June, 30)
- Volume 8(2)/2015 (April, 30)
- Volume 8(1)/2015 (February, 28)
- Volume 7(6)/2014 (December, 30)
- Volume 7(5)/2014 (October, 30)
- Volume 7(4)/2014 (August, 30)
- Volume 7(3)/2014 (June, 30)
- Volume 7(2)/2014 (April, 15)
- Volume 7(1)/2014 (February, 15)
- Volume 6(6)/2013 (November, 15)
- Volume 6(5)/2013 (September, 15)
- Volume 6(4)/2013 (July, 25)
- Volume 6(3)/2013 (May, 15)
- Volume 6(2)/2013 (March, 15)
- Volume 6(1)/2013 (January, 15)
- Volume 5(5)/2012 (December, 30)
- Volume 5(4)/2012 (September, 30)
- Volume 5(3)/2012 (July, 30)
- Volume 5(2)/2012 (June, 30)
- Volume 5(1)/2012 (March, 15)
- Volume 4(5)/2011 (December, 30)
- Volume 4(4)/2011 (October, 30)
- Volume 4(3)/2011 (July, 30)
- mangrove area in the coastal area of Karawang Regency, Indonesia. *AACL Bioflux* 13(2):553-569.
- Krisanti M., Maknuun L. L. I., Anzani Y. M., Yuwono A. S., Widyastuti R., Wardiatno Y., Wulandari D., 2020 A comparative study on macroinvertebrates community in three rivers of Jawa Island, Indonesia. *AACL Bioflux* 13(2):570-581.
- Rahman M. M., Haque S. M., Islam M. A., Paul A. K., Iqbal S., Atique U., Wahab A., Eгна H., Brown C., 2020 Assessment of mud crab fattening and culture practices in coastal Bangladesh: understanding the current technologies and development perspectives. *AACL Bioflux* 13(2):582-596.
- Hamzah S. N., Paruntu C. P., Mingkid W. M., Rembet U. N. W. J., Tumbol R. A., Lasabuda R., 2020 Reef fishes community performances in Olele marine tourism area, Bone Bolango Regency, Indonesia. *AACL Bioflux* 13(2):597-604.
- Rifqi M., Widigdo B., Mashar A., Wardiatno Y., 2020 CO₂ and CH₄ flux from the water-air interface of three shrimp culture technologies. *AACL Bioflux* 13(2):605-617.
- Amien M., Widiatmaka, Nirmala K., Pertiwi S., Ambarwulan W., 2020 Analysis of water quality in the river estuary as source water for tiger shrimp farming in ponds in Bulungan Regency, Province of North Kalimantan, Indonesia. *AACL Bioflux* 13(2):618-626.
- Parakkasi P., Rani C., Syam R., Zainuddin, Achmad M., 2020 Growth response and quality of seaweed *Kappaphycus alvarezii* cultivated in various coastal ecosystems in the waters of West Sulawesi, Indonesia. *AACL Bioflux* 13(2):627-639.
- Soetignya W. P., Munir A. M. S., Hurriyani Y., Anzani Y. M., 2020 The reproductive biology of Waanders's hard-lipped barb, *Osteochilus waandersii* in the Landak River, Indonesia. *AACL Bioflux* 13(2):640-650.
- Idris F., Karlina I., Herandarudewi S. M. C., Nugraha A. H., 2020 Short communication: Dugong's presence confirmation in Bintan Island based on local ecological knowledge. *AACL Bioflux* 13(2):651-656.
- Lodo Pe E. O., Mashar A., Taryono, Wardiatno Y., 2020 Microplastic distribution and abundance in Cimandiri Watershed flowing to Palabuhanratu Bay, Sukabumi, West Java, Indonesia. *AACL Bioflux* 13(2):657-668.
- Sarjito, Wati R. K., Haditomo A. H. C., Desrina, Sabdaningsih A., Prayitno S. B., 2020 Pathogenicity of bacterial isolate GM 01 in gourami (*Osphronemus goramy*). *AACL Bioflux* 13(2):669-683.
- Hermawan F., Suharyanto, Baskoro M. S., 2020 Bioeconomic model of largehead hairtail fisheries (*Trichiurus lepturus*) in Cilacap waters, Central Java, Indonesia as an approach to fisheries management. *AACL Bioflux* 13(2):684-693.
- Hamid A., Kamri S., Irawati N., Wardiatno Y., 2020 Community structure of crustacean bycatch of blue swimming crab (*Portunus pelagicus*) fisheries in Kendari Bay, Southeast Sulawesi, Indonesia. *AACL Bioflux* 13(2):694-704.

Volume 4(2)/2011 (April, 30)

Volume 4(1)/2011 (January, 30)

Volume 3(5)/2010 (December, 5)

Volume 3(4)/2010 (December, 1)

Volume 3(3)/2010 (November, 15)

Volume 3(2)/2010 (July, 30)

Volume 3(1)/2010 (February, 28)

Volume 2(4)/2009 (October, 30)

Volume 2(3)/2009 (July, 30)

Volume 2(2)/2009 (April, 30)


Volume 2(1)/2009 (January, 30)

Volume 1(2)/2008 (December, 30)

Volume 1(1)/2008 (September, 30)

Volume Pilot/2007 (December, 30) -
available printed only

Pontus Euxinus, Volume 1 (1980) -
Parent Journal



Nababan B. O., Kusumastanto T., Adrianto L., Fahrudin A., 2020 The economic impact of the “cantrang” prohibition in the northern Java Sea, Indonesia. AACL Bioflux 13(2):705-714.

Kusumo S., Adrianto L., Boer M., Suharsono, 2020 A system dynamics model for marine conservation area management – a case study of Pulo Pasi Gusung local marine conservation area, Selayar, Indonesia. AACL Bioflux 13(2):715-735.

Harsindhi C. J., Bengen D. G., Zamani N. P., Kurniawan F., 2020 Abundance and spatial distribution of reef fish based on coral lifeforms at Tidung Island, Seribu Islands, Jakarta Bay. AACL Bioflux 13(2):736-745.

Abduh M. Y., Phuc Thuong N., Abol-Munafi A. B., Norazmi-Lokman N. H., 2020 Producing false clownfish (*Amphiprion ocellaris*) male broodstock by administering 17 a-methyltestosterone to protandrous hermaphrodite juveniles. AACL Bioflux 13(2):746-759.

Rondonuwu A. B., Lumingas L. J. L., Bataragoa N. E., Pratasik S. B., Tilaar F. F., Salaki M. S., 2020 Mitochondrial CO1sequences of banggai cardinal fish (BCF) from Lembeh Strait, North Sulawesi, Indonesia. AACL Bioflux 13(2):760-767.

Efrizal, Zakaria I. J., Rusnam, 2020 Effects of formulated diets supplemented with vitamin E on the egg quality and ovi somatic index of female *Portunus pelagicus* broodstock. AACL Bioflux 13(2):768-779.

Suman A., Kembaren D. D., Amri K., Pane A. R. P., Taufik M., Marini M., Bintoro G., 2020 Population dynamic and spawning potential ratio of long-barbel sheatsfish (*Kryptopterus limpok*) in Tasik Giam Siak Kecil waters, Bengkalis, Riau Province, Indonesia. AACL Bioflux 13(2):780-788.

Billah M. M., Uddin M. K., Samad M. Y. A., Hassan M. Z. B., Anwar M. P., Kamal A. H. M., Shahjahan M., Asif A. A., 2019 Effects of different stocking density of Nile tilapia (*Oreochromis niloticus*) and common carp (*Cyprinus carpio*) on the growth performance and rice yield in rice-fish farming system. AACL Bioflux 13(2):789-803.

Poerwanto B., Mahyudin I., Sofia L. A., 2020 The analysis of factors influencing carp (*Cyprinus carpio*) seed production in Bungur District, Tapin Regency, South Kalimantan. AACL Bioflux 13(2):804-812.

Hastuti S., Subandiyono S., 2020 Aminotransferase, hematological indices and growth of tilapia (*Oreochomis niloticus*) reared in various stocking densities in aquaponic systems. AACL Bioflux 13(2):813-824.

Rafdinal, Rizalinda, Raynaldo A., Minsas S., 2020 Growth and survival rate analysis of *Avicennia lanata* seedlings in Mempawah mangrove areas, West Kalimantan, Indonesia. AACL Bioflux 13(2):825-832.

Simbolon D., Tarigan D. J., Yolanda D. F., Antika M. R., 2020 Determination of potential fishing zones of areolate grouper (*Epinephelus areolatus*) based on analysis of productivity, gonad maturity and fish length in Karimunjawa National Park, Indonesia. AACL Bioflux 13(2):833-848.

- Kemer K., Mantiri D. M. H., Rompas R. M., Rimper J. R., Margyaningsih N. I., 2020 Transmission electron microscope analysis upon growth of lead acetate treated microalga, *Dunaliella* sp. *AACL Bioflux* 13(2):849-856.
- Pagoray H., Ghitarina G., 2020 The use of aquatic plants as organic absorbent in coal mining void used for aquaculture. *AACL Bioflux* 13(2):857-864.
- Handayani S., Bengen D. G., Nurjaya I. W., Adrianto L., Wardiatno Y., 2020 The sustainability status of mangrove ecosystem management in the rehabilitation area of Sayung coastal zone, Demak Regency, Central Java Indonesia. *AACL Bioflux* 13(2):865-884.
- Helmizuryani, Djumanto, Muslimin B., Aminah R. I. S., Khotimah K., 2020 The gonadal maturation of climbing perch, *Anabas testudineus* (Bloch, 1792) with dietary supplement add on feed. *AACL Bioflux* 13(2):885-892.
- Risdawati R., Dahelmi D., Nurdin J., Syandri H., 2020 Bioecological aspects of *Hampala macrolepidota* in Lake Singkarak, West Sumatera, Indonesia. *AACL Bioflux* 13(2):893-901.
- Wicaksono E. A., Tahir A., Werorilangi S., 2020 Preliminary study on microplastic pollution in surface-water at Tallo and Jeneberang Estuary, Makassar, Indonesia. *AACL Bioflux* 13(2):902-909.
- Lalamentik L. T. X., Kepel R. C., Lumingas L. J. L., Rembet U. N. W. J., Pratasik S. B., Mantiri D. M. H., 2020 Faviidae coral colonization living and growing on agricultural waste-materialized artificial substrate. *AACL Bioflux* 13(2):910-918.
- Husen S. A., La Sara, Nur A. I., Tadjuddah M., 2020 Distribution and condition of coral reef resources using satellite image data on Labengki Island, Southeast Sulawesi (Indonesia). *AACL Bioflux* 13(2):919-929.
- Katuuk V., Gerung G. S., Mantiri D. M. H., Paulus J. J. H., Wagey B. T., 2020 A new clade of *Thalassia hemprichii* (Ehrenberg) Ascherson from the waters of North Sulawesi and West Papua, Indonesia revealed using chloroplast (rbcL) DNA. *AACL Bioflux* 13(2):930-937.
- Ali M., Kusnadi J., Aulanni'am A., Yunianta Y., 2020 Amino acids, fatty acids and volatile compounds of *terasi udang*, an Indonesian shrimp paste, during fermentation. *AACL Bioflux* 13(2):938-950.
- Schaduw J. N. W., Kondoy K. F. I., 2020 Seagrass percent cover in small islands of Bunaken National Park, North Sulawesi Province, Indonesia. *AACL Bioflux* 13(2):951-957.
- Ihwan, Pratama F. S., Yonarta D., Faqih A. R., Widodo M. S., Valen F. S., Tamam M. B., Hasan V., 2020 Presence of Asian catfish *Clarias batrachus* (Siluriformes, Clariidae) in Madura Island, Indonesia. *AACL Bioflux* 13(2):958-962.
- Mazumder S. K., Kubra J., Das S. K., Nishad N., Sultana T., Kunda M., 2020 Length-weight, length-length, and condition factors of critically endangered riverine catfish *Rita rita* (Hamilton, 1822) from Surma River, Bangladesh. *AACL Bioflux* 13(2):963-973.

- Pantjara B., Kristanto A. H., 2020 Pond bottom management and probiotic application in extensive Tiger prawn (*Penaeus monodon*) culture on acid sulfate soil. *AACL Bioflux* 13(2):974-983.
- Salosso Y., Sunadji, Rebhung F., Anggrainy K., 2020 Application of Kefa forest honey as antibacterial in the treatment of common carp *Cyprinus carpio* infected with bacteria *Aeromonas hydrophila*. *AACL Bioflux* 13(2):984-992.
- Puspitasari R., Suratno, Purbonegoro T., 2020 Health risk assessment of metal accumulated in marine bivalves from Semarang, Indonesia. *AACL Bioflux* 13(2):993-1002.
- Fadly Z. R., Krisnafi Y., Soeboer D. A., 2020 Measurement of dimensions and calculation of Danish seine fishing vessel volume. *AACL Bioflux* 13(2):1003-1015.
- Afifa F. H., Hartoko A., Purnomo P. W., 2020 Changes and vulnerability of coral reef ecosystem based on field and remote sensing data on Kemujan Island, Karimunjawa Islands, Indonesia. *AACL Bioflux* 13(2):1016-1026.
- Zamani N. P., Januar H. I., 2020 Coral mortality and bioerosion index for assessing environmental stress effects: a study case of the Indonesian Tropical Reef in Banda-Neira Conservation Park. *AACL Bioflux* 13(2):1027-1037.
- Herawati V. E., Pinandoyo, Darmanto Y., Hutabarat J., Windarto S., Rismaningsih N., Radjasa O. K., 2020 Fermented Black soldier fly (*Hermetia illucens*) meal utilization in artificial feed for carp (*Cyprinus carpio*). *AACL Bioflux* 13(2):1038-1047.
- Garcia L. N., Marin A. F., Chapman F. A., 2020 Effects of different color artificial lights on growth, survival, and sex ratio on an experimental population of freshwater ornamental emperor tetra fish *Nematobrycon palmeri*. *AACL Bioflux* 13(2):1048-1054.
- Tuan N. N., Hoai T. D., Yaemkong S., 2020 Replacement of velvet bean (*Muncuna pruriens*) with faba bean (*Vicia faba*) in crisp common carp (*Cyprinus carpio*) production. *AACL Bioflux* 13(2):1055-1063.
- Wijayanti M., Jubaedah D., Yulistya O., Tanbiyaskur, Sasanti A. D., 2020 Optimization of striped snakehead fish (*Channa striata*) culture using swamp microbial combination and nitrification bacteria. *AACL Bioflux* 13(2):1064-1078.
- Prihatiningsih, Kamal M. M., Kurnia R., Suman A., 2020 The spawning season, growth, and mortality of humpback red snapper (*Lutjanus gibbosus* (Forsskal, 1755)) in the Southern Banten waters, Indonesia. *AACL Bioflux* 13(2):1079-1089.
- Farid W. A., Al-Salman A. N., Ali W. A., 2020 Uptake, tainting and depuration in common carp (*Cyprinus carpio*) exposed to the water soluble fraction (WSF) of crude oil. *AACL Bioflux* 13(2):1090-1104.
- Cristianawati O., Sabdaningsih A., Nuryadi H., Sabdono A., Trianto A., Radjasa O. K., 2020 Coral-associated fungi as a natural inhibitor for treatment of multidrug-resistant pathogens. *AACL Bioflux* 13(2):1105-1117.

Aminah I., Putra A. E., Arbain D., Handayani D., 2020 Antibacterial potential of fungi derived extracts of marine sponge *Acanthostrongylophora ingens*. AACL Bioflux 13(2):1118-1125.

Bhuayain M. A. B., Haque M. A., Jewel M. A. S., Hasan J., Paul A. K., Reza M. S., Das S. K., 2020 Seasonal occurrence and community structure of gastropod molluscs with environmental variables at Cox's Bazar sandy sea beach, Bangladesh. AACL Bioflux 13(2):1126-1137.

Rahayu D. R. U. S., Anggoro S., Soeprobawati T. R., 2020 Plankton community structure and trophic status of Wadaslintang Reservoir, Indonesia. AACL Bioflux 13(2):1138-1151.

El-Nokrashy A. M., El-Banna R. A., Edris B. M., Abdel-Rahim M. M., Jover Cerda M., Tomas Vidal A., Mohamed R. A., Goda A. M. A. S., 2020 Partial and total replacement of fishmeal by cheaper plant and animal proteins with NucleoforceFish™ supplementation in diets for *Sparus aurata* influence fish performance, whole-body composition, and amino acid profile. AACL Bioflux 13(2):1152-1167.


Yani A. H., Effendi I., Windarti, Ramses, Nofrizal, 2020 A study on by-catch and discard of filter nets (gombang) during West and North season in Bengkalis waters, Indonesia. AACL Bioflux 13(2):1168-1178.

Noegroho T., Boer M., Adrianto L., Sulistiono, 2020 Fishery characteristics of Indo-Pacific king mackerel (*Scomberomorus guttatus*) in Riau Islands waters (IFMA 711), Indonesia. AACL Bioflux 13(2):1179-1189.

Fausayana I., Padangaran A. M., Budiyanto, Kartono, 2020 Moratorium policy impact on purse seine fishing boats' income. AACL Bioflux 13(2):1190-1197.

Pamukas N. A., Syafriadiman, Lukistyowati I., Efriyeldi, Feliatra, Mulyadi, Syakti A. D., Fauzi M., Windarti, 2020 Types and abundance of plankton in the hybrid tilapia brackish water culture media enriched with mixed booster (plankton, aqua enzyme and amino liquid). AACL Bioflux 13(2):1198-1210.

design: www.simple-webdesign.com



Reef fishes community performances in Olele marine tourism area, Bone Bolango Regency, Indonesia

¹Sri N. Hamzah, ²Carolus P. Paruntu, ²Winda M. Mingkid, ²Unstain N. W. J. Rembet, ²Reiny A. Tumbol, ²Ridwan Lasabuda

¹ Department of Aquatic Resources Management, Faculty of Fisheries and Marine Science, Gorontalo State University, Gorontalo City, Indonesia; ² Faculty of Fisheries and Marine Science, Sam Ratulangi University, Manado City, Indonesia. Corresponding author: S. N. Hamzah, sri.nuryatin@ung.ac.id

Abstract. Olele waters, as one of the leading diving location for tourism in the Gorontalo Province, lack information about its resources. The reef fish diversity, which is a major tourist attraction, has never been evaluated. This research was conducted to determine the structure of reef fish communities in Olele waters. The survey was carried out using a visual census method in two zones: away from the settlement and close to the settlement. A total of 26,466 individual reef fishes were found during the study, with a density of 8.82 ind m⁻². The Pomacentridae family has the highest number of species among all stations. Shannon diversity (H'), Shannon similarity (E), and Simpson dominance (C) index indicate that the Olele waters belong to a biodiversity category characterized by a high diversity, stable community conditions, and a low dominance.

Key Words: composition, density, ecology index, community structure, Gorontalo.

Introduction. Fishes are one of the most notorious faunal groups on coral reefs. They include a variety of functional groups that play fundamental, diverse, and complex ecological roles (Sale 2002). The coral fish community is one of the biological resources that compose the complexity of the coral reef ecosystem. The existence of fish in these areas makes them one of the most productive ecosystems on the planet (Maduppa 2013). Over 4,000 species of fish inhabit coral reefs, representing over 25% of all marine fish species (Spalding et al 2001). These fish play critical ecological roles in the reef ecosystem, serve as vital food resources for coastal populations, and provide one of the chief attractions offered by reefs to tourism (Sale 2015).

The Indo-Pacific region has the highest coral reef richness and fish diversity. It is estimated that there are around 3,000 species of reef fish in this region (Nybakken 1993). In the Indo-Pacific region there are 2,057 species of reef fishes included in 113 families and spread from Western to Eastern Indonesian waters (Allen & Adrim 2003). Indonesia is one of the most eminent countries for endemic reef fishes, in terms of absolute numbers, boasting with the highest overall species diversity (Allen 2000). The reefs and its fishes are also essential components of the eco-tourism, reefs with high fish diversity can attract local and foreign tourists (Balisco & Dolorosa 2019). Several areas in Indonesia that have the potential of the richness and magnificence of the sea developed marine tourism activities (Supriharyono 2000).

Olele waters, one of the primary locations for marine tourism in Gorontalo Province, are located 20 km from the center of Gorontalo City, being the gateway to the waters of Tomini Bay. The Wallacea II expedition found 140 species of coral reefs in the waters of Olele, which enabled this zone to become one of the famous diving sites in Gorontalo, also labeled "the hidden paradise" by tourists visiting this area. This undeniable marine tourism potential is equally due to the presence of both coral reefs

and reef fishes making the stunning coral reef ecosystem. However, information about the ecological conditions, especially the description of the reef fish community, has never been gathered and synthesized, though the existence of reef fish is crucial for the coral reef ecosystem and for the sustainability of marine tourism in the Olele Waters. The study of coral fish ecology is an indicator of the level of coral reefs health and illustrates that the coral reefs ecosystem is functioning optimally (Fatimah et al 2018; Hourigan et al 1988). This research was conducted to provide an overview of the coral fish community in the Olele waters, as reference information for a sustainable coastal and marine conservation and tourism management.

Material and Method

Study site. This research was conducted in the Olele waters, Bone Bolango Regency, Gorontalo Province. The location for the research is divided into two zones, representing areas with and without community settlements, respectively. In each zone, there are three observation stations. In general, the entire station chosen is snorkeling and diving tourist spots. The research location is provided in Figure 1.




Figure 1. Research location.

Reef fish survey. Observation of reef fish was carried out using an underwater visual census (UVC) on the line intercept transect (LIT), which was placed along 50 m at a depth of 3 and 10 m at each research station. The observation method consists in swimming at a constant speed along the 50 m line transect in 3 and 10 m depth and counting fish encountered within 2.5 meters on each side and 5 meters above the transect, according to English et al (1997) and Hill & Wilkinson (2004). The total area of the survey is 250 m² for each station. Identification was based on Allen & Steene (2007), Kuitert & Tono-zuka (2001), and fish base (www.fishbase.org). Illustration of reef fish observations can be seen in Figure 2.




Figure 2. Illustration of visual census survey using transects (English et al 1997).

The status of the reef fish communities was obtained through the species composition analysis, the Shannon diversity index (H'), the evenness index (E), and the Simpson dominance index (C), based on Odum (1993).

Results and Discussion. The number of reef fish recorded from the results of the visual census in Olele waters is 174 species, belonging to 78 genera and 32 families with a total of 26,466 individuals. A total of 14,239 reef fish individuals are included in 114 species, 63 genera, and 29 families found in distant zones from the settlement. A total of 12,227 individual reef fishes belonging to 131 species, 65 genera, and 26 families were found in the settlement area (Table 1). The number of species found varies for each station, ranging from 57 species (Station 1 non-residential zone) to 85 species (Station 1 residential zone).

Table 1
Summary of reef fish composition found during the study

| <i>Zone/Station</i> | <i>Number of transect</i> | <i>Family</i> | <i>Genera</i> | <i>Species</i> | <i>Individual</i> | <i>D (ind m⁻²)</i> |
|----------------------|---------------------------|---------------|---------------|----------------|-------------------|-------------------------------|
| Non-residential zone | | | | | | |
| Station 1 | 2 | 15 | 39 | 57 | 3,699 | 7.40 |
| Station 2 | 2 | 20 | 45 | 67 | 4,443 | 8.89 |
| Station 3 | 2 | 22 | 43 | 62 | 6,097 | 12.19 |
| Sub-total | 6 | 29 | 63 | 114 | 14,239 | 9.49 |
| Residential zone | | | | | | |
| Station 1 | 2 | 22 | 52 | 85 | 4,128 | 8.26 |
| Station 2 | 2 | 21 | 47 | 74 | 5,467 | 10.93 |
| Station 3 | 2 | 15 | 39 | 64 | 2,632 | 5.26 |
| Sub-total | 6 | 26 | 65 | 131 | 12,227 | 8.15 |
| Total | 12 | 32 | 78 | 174 | 26,466 | 8.82 |

Table 1 informs that the population of individual reef fish is larger in non-residential zone. However, in terms of species and genera diversity, the residential zone is richer. A large number of species found in the residential zone, which is a snorkeling tour spot, where visitors mostly interact directly with biota, for instance by feeding reef fish, one of the most popular tourist attractions in the world. However, this phenomenon is a significant

cause of altering patterns of distribution, abundance, behavior, and structure of fish communities in coral reef areas (Giglio et al 2015; Paula et al 2018).

The number of fish species found in these study sites was higher than at similar research locations in other regions in Indonesia. For example, Adrim et al (2012) recorded 111 reef fish species in Kendari waters. Utomo et al (2013) recorded 20 reef fish species in Legon Boyo Karimunjawa National Park, and Runtuboi et al (2018) found 116 reef fish species on the Numfor Island, Biak Numfor. The 174 species recorded in this study were also higher than in some similar studies conducted in other countries. For comparison, Mendonça-Neto et al (2008) found 42 species of reef fish on three islands of Itaipu, Southeast Brazil. Palacios & Zapata (2014) reported 70 species of reef fish in Tropical Eastern Pacific, and Cuadrado et al (2016) successfully recorded 102 reef fish species in Tubay, Agusan del Norte, Philippines.

The study results found that Pomacentridae (damselfishes) were families with the highest number of representative species, followed by Labridae (wrasses), Chaetodontidae (butterflyfishes), Acanthuridae (surgeonfishes) and Serranidae (groupers) (Figure 3). Pomacentridae are resident species that have territorial behavior and rarely roam far from food sources and shelter (Runtuboi et al 2018).




Figure 3. Five reef fish families having the highest number of species in all research stations (A) and in each zone/research station (B).

Species from the Pomacentridae family are most commonly found in the residential zone (17-21 species), which is not explained by a sedentary behavior. During the visual data collection in the area, tourists feeding fish were observed and alleged to be a contributor to the abundant presence of Pomacentridae fish family and more specifically of the *Abudefduf vaigiensis* species. A research done by Sa-nguansil et al (2017) showed that the Pomacentridae family is a dominant "bread feeder fishes" (a term for fish involved in feeding attractions) with 70-96% aggregation. The results also indicate that *Abudefduf vaigiensis*, *A. bengalensis*, and *A. sexfasciatus* are an omnivore group with a relatively high abundance.

The density of coral fish. Reef fish's entire life cycle occurs in the area of a coral reef, has a strong relationship with living coral, and its density reflects the number of microhabitats in the coral reef environment (Sale 1991; Allen 1997; Suharsono 1996). The density of reef fish in Olele waters ranged between 5.26 and 12.19 ind m⁻² with a total density of 8.82 ind m⁻² (Table 1). The highest density of reef fish was found in Station 3 zone which was far from the settlement and station 2 zone located near the settlement (Figure 4).




Figure 4. The density of reef fish at each station (A) and five families of reef fish with the highest density (B).

The results showed that the reef fish families that had the highest density in a row were the Serranidae, Pomacentridae, Caesionidae, Chaetodontidae, and Balistidae (Figure 4). *Pseudanthias tuka* (Station 3 at non-residential zone) and *Abudefduf vaigiensis* (Station 2 at the residential zone) species contributed to the high density of reef fish populations in both research stations. The types of fish in the Serranidae and Pomacentridae families, which have the highest density in Olele waters, are included in the significant fish group. Major fish groups, throughout their lives on coral reefs, are territorial and found to be abundant in terms of the number of individuals and species (English et al 1997).

Reef fishes community performances. Ecological indices (diversity, similarity, and dominance) indicate that waters are in balance in the distribution of the number of individuals of each species and indicate species richness (Odum 1993). The results of the analysis of the reef fish ecology index can be seen in Table 2. The Shannon diversity index is in the range $H'=2.09$ to $H'=2.74$, with a total $H'=3.29$. The Index can be used to assess community diversity in an area. According to Mason (1981) in Limmon et al (2018), diversity index categories are as follows: low diversity ($H'<1$), moderate diversity ($1\leq H'\leq 3$), and high diversity ($H'>3$). Based on these categories, the diversity of reef fish at six research stations is in the moderate category. The lowest diversity index is at station 1 Non-residential Zone. This is caused by the unequal distribution of individuals, especially from three species of the family Pomacentridae and Balistidae, namely *Pseudanthias evansi*, *Pseudanthias squamipinnis*, and *Odonus niger* which were found in large numbers (76.6%) at this station. Variations influence high or low diversity values in the presence of several species in a community (Hukom et al 2012). However, overall, the Shannon diversity index in the Olele Waters is in the high diversity category with a value of $H'=3.29$.

Table 2
Ecological indexes of coral fish in Olele waters

| Location/Zone | Station | H' | E | C |
|----------------------|-----------|------|------|------|
| Non-residential zone | Station 1 | 2.09 | 0.52 | 0.21 |
| | Station 2 | 2.74 | 0.65 | 0.11 |
| | Station 3 | 2.45 | 0.59 | 0.15 |
| Residential Zone | Station 1 | 2.55 | 0.57 | 0.18 |
| | Station 2 | 2.74 | 0.64 | 0.11 |
| | Station 3 | 2.59 | 0.62 | 0.19 |
| Total | | 3.29 | 0.63 | 0.08 |

H' - Shannon diversity index, E -the evenness index, C -the Simpson dominance index.

The range of similarity index obtained is $E=0.52$ to $E=0.64$, where the index for the sampling area is $E=0.63$. According to Odum (1975), a community is called in a stable condition if the value of $E \geq 0.6$. Based on this statement, the reef fish community in Olele waters has a stable condition ($E=0.63$). However, there are three stations with an E value < 0.6 , thus in an unstable condition, namely stations 1 and 3 in the Non-residential Zone and station 1 in the Residential Zone. This unstable community condition is caused by the dominance of several reef fish species in each location, namely *Pseudanthias evansi* (Station 1, Non-residential zone), *Pseudanthias tuka* (Station 3, non-residential zone) and *Pterocaesio tile* (Station 1, residential zone).

The results also showed that the Simpson dominance index at the study location ranged from $C=0.11$ to $C=0.21$, and overall Simpson dominance $C=0.08$. Based on Odum's dominance criteria (1993), the Simpson dominance index can be classified into 3 categories, namely low ($C < 0.5$), moderate ($0.5 < C < 0.75$) and high ($C > 0.75$). Based on these criteria, the reef fish community in Olele waters is included in the category of low dominance or no fish dominating each observation.

Conclusions. This study succeeded in identifying 174 reef fish species in Olele waters, belonging to 78 genera and 32 families with a total of 26,466 individuals and a density of 8.82 ind m^{-2} . Pomacentridae, Labridae, Chaetodontidae, Serranidae, and Acanthuridae are the five families with the highest number of species at each research station. Based on the ecological index, the reef fish community structure in the Olele waters was categorized as being characteristic for a stable community, with a high diversity and a low dominance. Moreover, the unstable stations were caused by species abundance attracting visitors to feed fish. Thus, the controlling of such activities is needed. Additionally monitoring the coral reef coverage as the fish habitat for sustainable tourism purpose also needs to be carried out continually.

Acknowledgements. We thank Hidayat Bachtiar, Alinton Pisuna, Dadang Alim, Jufriyanto Umar, for the technical assistance during the sampling and Dewi Embong Bulan, Nuralim Pasingi for the technical writing support.

References

- Adrim M., Harahap S. A., Wibowo K., 2012 [Structure of coral fish community in Kendari waters]. Ilmu Kelautan 17:154–163. [In Indonesian].
- Allen G. R., 1997 Marine fishes of tropical Australia and South East Asia. A field guide for angler and diver. Western Australia Museum 292 p.
- Allen G. R., 2000 Indo-Pacific coral-reef fishes as indicators of conservation hotspots. Proceedings 9th International Coral Reef Symposium, Bali, Indonesia, 2:1–6.
- Allen G. R., Adrim M., 2003 Coral reef fishes of Indonesia. Zoological Studies 42(1):1–72.
- Allen G. R., Steene R., 2007 Indo-Pacific coral reef field guide: most comprehensive of nature's, exquisite masterpiece, the living coral reef! Tropical Reef Research, Singapore, 378 p.
- Balisco R. A. T., Dolorosa R. G., 2019 The reef-associated fishes of West Sulu Sea, Palawan, Philippines: A checklist and trophic structure. AACL Bioflux 12(1):1260–1299.
- Cuadrado J. T., Cañizares L. P., Cariño R. L., Seronay R. A., 2016 Status of corals and reef fishes community near mining operation site in Tubay, Agusan del Norte, Philippines. AACL Bioflux 9(2):204–214.
- English S. A., Wilkinson C., Baker V., 1997 Survey manual for tropical marine resources. Australian Institute of Marine Sciences, Townsville, North Queensland, Australia, 390 p.
- Fatimah S., Putra T. W. L., Kondang P., Suratman, Gamelia L., Syahputra H., Rahmadayanti, Rizmaaadi M., Ambariyanto A., 2018 Diversity of coral fish at Saebus Island, East Java, Indonesia. E3S Web of Conferences 31:1–5.
- Giglio V. J., Luiz O. J., Schiavetti A., 2015 Marine life preferences and perceptions among recreational divers in Brazilian coral reefs. Tourism Management 51:49–57.

- Hill J., Wilkinson C., 2004 Methods for ecological monitoring of coral reefs: Version 1. Australian Institute of Marine Sciences, Townsville, North Queensland, Australia, 117 p.
- Hourigan T. F., Timothy C. T., Reese E. S., 1988 Coral reef fishes as indicators of environmental stress in coral reefs. In: Marine organisms as indicators. Soule D. F., Kleppel G. S. (eds), pp. 107-135, Springer, New York.
- Hukom F. D., Hehuat Y., Picasouw J., 2012 [Reef fish in the waters of Pangkajene Kepulauan Regency, South Sulawesi Province]. In: [Pangkajene Islands coastal waters ecosystem, South Sulawesi Province]. Pusat Penelitian Oseanologi-LIPI, Jakarta, pp. 39-68. [In Indonesian].
- Kuiter R. H., Tonozuka, T., 2001 Pictorial guide to Indonesian reef fishes. Zoonetics, Seaford VIC, Australia, 893 p.
- Limmon G. V., Rijoly F., Ongkers O. T. S., Loupatty S. R., Pattikawa J. A., 2018 Community structure of reef fish in the southern waters of Ambon Island, eastern Indonesia. *AAFL Bioflux* 11(3):919-924.
- Maduppa H., 2013 [Bioecology and biosystematics of reef fish: genetic sampling techniques & fish monitoring study of Kepulauan Seribu status study fish identification guidelines in Indonesia]. IPB Press, 373 p. [In Indonesian].
- Mason C. F., 1981 Biology of freshwater pollution. Longman Inc., New York, 250 p.
- Mendonça-Neto J. P., Monteiro-Neto C., Moraes L. E., 2008 Reef fish community structure on three islands of Itaipu, Southeast Brazil. *Neotropical Ichthyology* 6(2):267-274.
- Nybakken J., 1992 [Marine biology: an ecological approach]. Gramedia Pustaka Utama, Jakarta, 480 p. [In Indonesian].
- Odum E. P., 1975 Ecology: the link between the natural and the social science. Holt-Saunders, New York, 244 p.
- Odum E. P., 1993 [Fundamental ecology]. Gadjah Mada University Press, Yogyakarta, Indonesia, 697 p. [In Indonesian].
- Palacios M. D. M., Zapata F. A., 2014 Fish community structure on coral habitats with contrasting architecture in the Tropical Eastern Pacific. *Revista de Biología Tropical* 62:343-357.
- Paula Y. C., Schiavetti A., Sampaio C. L. S., Calderon E., 2018 The effects of fish feeding by visitors on reef fish in a Marine Protected Area open to tourism. *Biota Neotropica* 18(3):1-9.
- Runtuboi F., Bawole R., Goram A., Wawiyai Y., Wambrauw M., Numberi Y. Z., Gandegoai A., Lamahoda P. B. E., Rumakabes S., Luturmase M., Suparlan, Andoi D. K., 2018 [Inventory of coral fish and composition on important economic fish (case study in Kornasoren Village, Saribi and Syoribo) Numfor Island, Biak Numfor District]. *Journal of Tropical Fisheries Management* 2(1):11-18. [In Indonesian].
- Sale P. F., 1991 The ecology of fishes on coral reefs. Academic Press, San Diego, California, 754 p.
- Sale P. F., 2002 Coral reef fishes: dynamics and diversity in a complex ecosystem. Academic Press, San Diego, California, 576 p.
- Sale P. F., 2015 The future for coral reef fishes. In: Ecology of fishes on coral reefs. Mora C. (ed), pp. 283-288, Cambridge University Press.
- Sa-nguansil S., Tantichodok P., Darumas U., Lheknim V., Goh B. P. L., 2017 Coral reef fishes attracted by recreational feeding in Thailand. *Phuket Marine Biological Center Research Bulletin* 74:13-22.
- Spalding M., Ravilious C., Green E. P., 2001 World atlas of coral reefs. University of California Press, Berkeley, USA, 432 p.
- Suharsono, 1996 [Common types of coral found in Indonesian waters]. Coastal Research and Development Project, P30 LIPI, Jakarta, 116 p. [In Indonesian].
- Supriharyono, 2000 [Coral reef ecosystem management]. Djambatan, Jakarta, 108 p. [In Indonesian].
- Utomo S. P. R., Ain C., Supriharyono, 2013 [Diversity of coral fish species on the reef flats and reef slope in the coral reef ecosystem, Legon Boyo, Karimunjawa National Park Area, Jepara]. *Diponegoro Journal of Maquares* 2(4):81-90. [In Indonesian].

Received: 19 December 2019. Accepted: 04 March 2020. Published online: 13 March 2020.

Authors:

Sri Nuryatin Hamzah, Gorontalo State University, Department of Aquatic Resources Management, Jl. Jendral Sudirman, No. 6, 96128 Gorontalo City, Indonesia, e-mail: sri.nuryatin@ung.ac.id

Carolus Paulus Paruntu, Sam Ratulangi University, Faculty of Fisheries and Marine Science, 95115 Manado City, Indonesia, e-mail: carolusparuntu@yahoo.com

Winda Mercedes Mingkid, Sam Ratulangi University, Faculty of Fisheries and Marine Science, 95115 Manado City, Indonesia, e-mail: windamercedesmingkid@yahoo.com

Unstain Neginser Welly Johnly Rembet, Sam Ratulangi University, Faculty of Fisheries and Marine Science, 95115 Manado City, Indonesia, e-mail: onlyrembet@unsrat.ac.id

Reiny Antonetha Tumbol, Sam Ratulangi University, Faculty of Fisheries and Marine Science, 95115 Manado City, Indonesia, e-mail: reinytumbol@yahoo.com

Ridwan Lasabuda, Sam Ratulangi University, Faculty of Fisheries and Marine Science, Manado City, Indonesia, e-mail: ridwanlasabuda@yahoo.com

This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited.

How to cite this article:

Hamzah S. N., Paruntu C. P., Mingkid W. M., Rembet U. N. W. J., Tumbol R. A., Lasabuda R., 2020 Reef fishes community performances in Olele marine tourism area, Bone Bolango Regency, Indonesia. *AACL Bioflux* 13(2):597-604.