Systematic Reviews Pharmacy

ter an interest of the same line

and the second





Scimago Journal & Country Rank Enter	Journal Title, ISSN or Publisher Name
--------------------------------------	---------------------------------------

Home

Journal Rankings

js Cou

Country Rankings

Viz Tools

About Us

Help

Systematic Reviews in Pharmacy

Country	India - IIII SIR Ranking of India	11
Subject Area and Category	Pharmacology, Toxicology and Pharmaceutics Pharmaceutical Science	17
Publisher	Wolters Kluwer Medknow Publications	H Index
Publication type	Journals	
ISSN	09758453, 09762779	
Coverage	2010-2020	
Scope	The journal covers and publishes articles related to Pharmacy subjects allied subjects. Articles with timely interest and newer research concep preference.	including some of the ts will be given more
?	Homepage	
	How to publish in this journal	
	Contact	
	$igodoldsymbol{ ho}$ Join the conversation about this journal	



















Systematic Reviews in Pharmacy (Sys Rev Pharm.), (SRP) (Print ISSN: 0975-8453, E-ISSN: 0976-2779) a half yearly publication, serves the need of different scientists and others involved in Pharmaceutical research and development. Each issue covers review articles on Drug discovery topics, and also publishes full length reviews related to different subjects in pharmacy and that are of broad readership interest to users in industry, academia, and government. The first issue was published online on December 2009.

All contribution to Sys. Rev Pharm are reviewed by peer review process and copyediting process with the understanding that they have not been published previously and are not under consideration for publication elsewhere. Author/s is/are responsible for all statements made in their work and obtaining necessary permission to republish any previously published illustrations and/or other relevant materials. The journal's full text is available online at www.sysrevpharm.org . The journal allows free access (Open Access) to its contents and permits authors to self-archive final accepted version of the articles on any OAI-compliant institutional / subject-based repository.

Scope of the journal

The journal covers and publishes **all articles** related to Pharmacy subjects including some of the allied subjects. Articles with timely interest and newer research concepts will be given more preference.

This journal also publishes manuscripts related to agriculture and agriculture sciences. Topics include all aspects of crop and animal physiology, modelling of crop and animal systems, the scientific underpinning of agronomy and husbandry, animal welfare and behaviour, soil science, plant and animal product quality, plant and animal nutrition, engineering solutions, decision support systems, land use, environmental impacts of agriculture and forestry, impacts of climate change, rural biodiversity, experimental design and statistical analysis, and the application of new analytical and study methods (including genetic diversity and molecular biology approaches).



EDITORIAL BOARD

Editor in Chief

Dr. Dhiren P Shah

info@ijpronline.com Professor & Principal Shree Naranjbhai Lalbhai Patel College of Pharmacy, Visit Profile

Board Members

Dr. Aygul Z. Ibatova,

Department of Natural Sciences,

Tyumen Industrial University, Russia

Scopus Author ID: 57191110632 D http://orcid.org/0000-0003-0565-8533

Dr.Ayad F. Alkaim

University of Babylon, College of Science for Women, Babylon, Iraq , Scopus Author ID: 55255310600

Dr Ahmad Faisal Ismail

Kulliyyah of Dentistry, International Islamic University Malaysia, Kuantan Campus, 25200 Kuantan, Pahang, Malaysia Scopus Author ID: 35388596700

VO QUANG TRUNG (PhD., MBA, BSc. Pharm, BSc. Law)

Department of Economic and Administrative Pharmacy Faculty of Pharmacy,



University of Medicine Pham Ngoc Thach, Ho Chi Minh city 700000, Vietnam.

Dr. Mohd Armi Abu Samah

International Islamic University Malaysia (IIUM) 25200 Kuantan Pahang

Juhriyansyah Dalle, Ph.D.

Universitas Lambung Mangkurat Banjarmasin, Indonesia E-mail: j.dalle@ulm.ac.id Scopus Author ID: https://www.scopus.com/authid/detail.uri?authorId=55010239500

Past Editor :

S. Parasuraman, M.Pharm., Ph.D., AIMST University, Malaysia



BIBLIOGRAPHIC LISTINGS

Abstracted and Indexed in

- Academic Search Complete
- Baidu Scholar
- CNKI Scholar (China National Knowledge Infrastructure)
- Chemical Abstracts
- CABI Full Text
- Dimensions
- EBSCO (relevant databases)
- EBSCO Discovery Service
- Genamics JournalSeek
- Google Scholar
- Index Copernicus
- J-Gate
- JournalTOCs
- JournalGuide
- Microsoft Academic
- ProQuest (relevant databases)
- Publons
- PhcogBase
- ReadCube
- SCOPUS
- Scimago Journal Ranking
- SCILIT
- Sherpa/RoMEO
- Summon (Serials Solutions/ProQuest)
- Ulrich's Periodicals Directory/ulrichsweb
- WorldCat (OCLC)
- ROAD



Systematic Reviews in Pharmacy

CONTACT INFORMATION

Systematic Reviews in Pharmacy, Building number 4H JK Paul Road, New alipore , 700001, Kolkata- West Bengal Corporate office Block No.3, Jalan bandar U 24, bandar university seri iskandar, tronoh 32610 Perak, Malaysia Email:editor@sysrevpharm.org, submissions.srp@gmail.com



Systematic Reviews in Pharmacy

SRP. Year: 2020, Volume: 11, Issue: 5

Review Article

 Development and Validation of Analytical Methods for the Identification in Canprophem - AK® Suppositories with the New Original Polyene Antibiotic L.N. Ibragimova, A.S. Balgimbaeva, A.K. Sadanov, Z.B. Sakipova, G.E. Tugelbay,

A.Kh. Khasenova, Z. Turlybayeva, L.P. Trenozhnikova, I.I. Terninko, E.N.

Bekbolatova, A.K. Yergali

SRP. 2020; 11(5): 01-09

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.01</u>

 Study the Association of Asprosin and Dickkopf-3 with KIM-1, NTpro-BNP, GDF-15 and CPP among Male Iraqi with Chronic Kidney Disease.
 Shakir F. T. Alaaraji, Muthanna M. Awad, Mohammed A. Ismail
 SRP. 2020; 11(5): 10-17

» Abstract » PDF» doi: 10.31838/srp.2020.5.02

- 3. Hyperthyroid in Pregnancy: A Case Report Rajuddin Rajuddin, Budiman, Shalahuddin, Donny A.Taufika SRP. 2020; 11(5): 18-20
 » Abstract » PDF» doi: 10.31838/srp.2020.5.03
- 4. The Model of Midwife Performance of Antenatal Care in Banda Aceh Tilaili Ibrahim, Ritha F Dalimunthe, Ida Yustina, Juanita SRP. 2020; 11(5): 21-28
 » Abstract » PDF» doi: 10.31838/srp.2020.5.04
- 5. Regulatory-Adaptive Capabilities of the Organism after Radical Prostatectomy with Prostate Cancer of the I-II Degree Artyom Grigorievich Penzhoyan, Grigory Artemovich Penzhoyan, Vladimir

Mikhailovich Pokrovsky, Valery Gordeevich Abushkevich

SRP. 2020; 11(5): 29-32

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.05</u>



6. The Solution to the Problem of a Heart Rhythm Recovery with Modern Methods

Gradskaya Anastasia Igorevna, Vitaliy Alekseevich Solovyov, Maksimova Irina Valeryevna, Egorova Anastasia Yurievna, Grishachkina Nadezhda Igorevna **SRP. 2020; 11(5): 33-35**

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.06</u>

7. In Vitro Antioxidant and Anti-Mycobacterial Activities of Roselle (Hibiscus sabdariffa L.) Calyx Extract against Clinical Isolate of Multidrug Resistant Mycobacterium tuberculosis

Sartini Sartini, M Natsir Djide, Gemini Alam, Andi Arjuna, Nana Juniarti N Djide SRP. 2020; 11(5): 36-39

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.07</u>

8. Therapeutic Efficacy of Bone Marrow- Derived Mesenchymal Stem Cells Plus Zinc Oxide Nanoparticles Against Streptozotocin- Induced Type 2 Diabetes in Albino Rats.

Khabat Anwar Ali

SRP. 2020; 11(5): 40-51

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.08</u>

 The Influence of Uric Acid Levels on Blood Pressure and Chronic Hypertension towards Hypertension Patient Proteinuria Levels (Overview of the Banjar Ethnic at the Cempaka Banjarmasin Health Center)

Huldani, Mohammad Rudiansyah, Fauzie Rahman, Adelgrit Trisia, Sri Ramadhany, Siti Kaidah, Harun Achmad, Bayu Indra Sukmana, Dhea M Swengly, Shelsy Marippi, Wafa Ahdiya, Muhammad Hasan Ridhoni, Amalia Rahman, Zhasifa Khoirunnisa Suwanto, Gandhi Mahesa Priambodo, Muhammad Rafagih, Abdullah Zuhair

SRP. 2020; 11(5): 52-56



10. A Review: Knowledge and Attitude of Society toward Tuberculosis Disease in Soppeng District

Sri Ramadhany, Harun Achmad, Marhamah F. Singgih, Yunita Feby Ramadhany, Nur Hildah Inayah, Nurul Mutmainnah

SRP. 2020; 11(5): 57-62

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.10</u>

- 11. The Autophagy Inhibitor Hydroxychloroquine Enhances Sensitivity of Osteosarcoma Cell Line MG-63 to Doxorubicin Treatment Hasanain K. Hasan Owadh, Bassim I. Mohammad, Sadiq J. Al-Muhana, Hamid Naji Obied, Rana A. Ghaleb, Najah R Hadi SRP. 2020; 11(5): 63-69 » Abstract » PDF» doi: 10.31838/srp.2020.5.11
 12. Immed of Omega 2 on Human helesteremia Induced Male Dabbits
- 12. Impact of Omega-3 on Hypercholesteremia Induced Male Rabbits Fadhil A. Rizij, Ali M. Janabi, Ayad A. Ameen, Najah R. Hadi
 SRP. 2020; 11(5): 70-74

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.12</u>

- 13. Immunohistochemical Study of Adenomatous Polyposis Coli Protein in Colorectal Carcinoma and its Precursor Lesions in Iraq Kaswer Musa Jaafar Altoriah, A Alaa Salah Jumaah, Adeeb Abdulally Abdulhussein, Asaad Abdul Hamza Aljanabi, Hawraa Sahib Al-Haddad, Aseel Al-Quzweni, Najah R. Hadi SRP. 2020; 11(5): 75-79 » <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.13</u>
 14. Presedence of Teorie Sheeb See decree Teorie 1 (TESET 1) Predeced here
- 14. Prevalence of Toxic Shock Syndrome Toxin-1 (TSST-1) Produced by Staphylococcus aureus Isolated from Patient Combined Psoriasis with Urinary Tract Infections (UTIs) and Gastroenteritis in Age Groups Between 8-18 Years

Ala'a Abdlhussein Abdulzahra, Rabehshakir Al-Jameel, Mohammed Abd-

ZaidAkool, Dheyaa ShnanAl-Jameel

SRP. 2020; 11(5): 80-85

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.14</u>



- 15. The Ameliorative Effects of Omega-3, Melatonin and their Combination Against Aluminum Chloride Induced Oxidative Stress in Albino Rat Brain Israa Mahmood Mohammed, Khabat Anwar Ali
 SRP. 2020; 11(5): 86-97
 » Abstract » PDF» doi: 10.31838/srp.2020.5.15
- 16. Anti- inflammatory and Anti- Arthritic Activity of Nanocurcumin in Albino Rats against Freund's Complete Adjuvant Induced- Arthritis

Zrar Saleem Kareem Almarzany

SRP. 2020; 11(5): 98-105

» Abstract » PDF» doi: 10.31838/srp.2020.5.16

17. Scabies Infection in Thi-Qar Province

Hind M. Mousa, Ahmed G. Hassan

SRP. 2020; 11(5): 106-109

» Abstract » PDF» doi: 10.31838/srp.2020.5.17

18. The Promising Barrier: Theoretical Investigation

Oday A. Al-Owaedi, Talat Tariq Khalil, Sadiq A. Karim, Mohammed Hamid Said, Ehssan Al-Bermany, Dakhil N. Taha

SRP. 2020; 11(5): 110-115

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.18</u>

19. A Review of Breastfeeding in Infants: Relation to the Occurrence of Early Childhood Caries (ECC)

Bayu Indra Sukmana, Huldani, Harun Achmad, Nurul Hidayah, Aminuddin Prahatama Putra, Sri Ramadhany, Siti Baiq Gadisha

SRP. 2020; 11(5): 116-122

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.19</u>

20. Cytomegalovirus UL83 Gene as Diagnostic Marker for Preliminary Infection in Pregnant Women in AL-Najaf City

Saif Jabbar Yasir, Younis Abdul-Redha AL- Khafaji, Khalida K Abbas Al-Kelaby SRP. 2020; 11(5): 123-129

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.20</u>



21. Determination and Evaluation of Doses of Metronidazole in Different Quantities and Formulations with Multiple Spectroscopic Methods

Khawla Salman Abd-Alrassol, H. N. K. AL-Salman, Ekhlas Qanber Jasim, Hussein H. Hussein

SRP. 2020; 11(5): 130-139

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.21</u>

22. An Experimental Trial to Prepared γ1 34.5 Herpes Simplex Virus 1 Immunogene by cloning Technique

Ameer M Hadi, Shakir H. Mohammed Al-Alwany, Zaytoon A. Al-Khafaji

SRP. 2020; 11(5): 140-149

» Abstract » PDF» doi: 10.31838/srp.2020.5.22

23. Antibacterial and Phytochemical Analysis of Two Plants Menispermaceous Family

Silvia Anitasari, Sjarif Ismail, Bayu Satria Wiratama, Hendrik Setia Budi

SRP. 2020; 11(5): 150-156

» Abstract » PDF» doi: 10.31838/srp.2020.5.23

24. Social, Environment and Economy: Community Empowerment in Utilizing Organic Waste as Batik Dyes through CSR

Endah Nurhawaeny Kardiyati, Mahendra Wijaya, Suwarto Suwart, Supriyadi Supriyadi

SRP. 2020; 11(5): 157-165

» Abstract » PDF» doi: 10.31838/srp.2020.5.24

25. Controlled Glycolysis as the Basis of Beer Technology with Specified

Consumer Properties

Lyudmila Tretyak, Maksim Rebezov, Nadezhda Kenijz, Mars Khayrullin, Vera

Gribkova, Andrey Goncharov

SRP. 2020; 11(5): 166-175



26. The Role of Lymph-vascular Space Invasion towards Disease of Free Survival and Overall Survival Cancer in High-Risk Endometrial Cancer Endometrioid Type Patients

Brahmana Askandar Tjokroprawiro, Trianggono Bagus Ariyanto, Indra Yuliati, Willy Sandhika

SRP. 2020; 11(5): 176-180

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.26</u>

27. Characteristics of Suspected Malignant Ovarian Tumor Patients Who Performed Surgery at Tertiary Referral Hospital

Brahmana Askandar Tjokroprawiro, Nila Krisna Sari, Indra Yuliati, Lies Mardiyana

SRP. 2020; 11(5): 181-184

» Abstract » PDF» doi: 10.31838/srp.2020.5.27

28. The Mechanism of Endoplasmic Reticulum Stress and the Cyclin D2 Expression on Ovarian Granulosa Cell Cycle in Infertile Women with Endometriosis

Jimmy Yanuar Annas, Hendy Hendarto, Erry Gumilar Dachlan, Samsulhadi, Soegiharto Soebijanto, Eu Leong Yong

SRP. 2020; 11(5): 185-191

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.28</u>

29. Outcome and Radiotherapy Side Effects of High-Risk Endometrial Cancer Brahmana Askandar Tjokroprawiro, Lulus Handayani, M. Dimas Abdi Putra SRP. 2020; 11(5): 192-198

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.29</u>

30. Repellent Activity of Bintaro Leaf Extract (Cerbera manghas) against Spodoptera litura

Achmadi Susilo, Dwi Haryanta, Tatuk Tojibatus Sa'adah

SRP. 2020; 11(5): 199-204

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.30</u>



31. Albumin-Bilirubin Grade as a Three-Month Survival Predictor in Hepatocellular Carcinoma Patients after Initial Transarterial Chemoembolization (ALBI Grade Predicting Survival in HCC Treated With TACE)

Ummi Maimunah, Andri Pramana Restu, Iswan Abbas Nusi, Herrry Purbayu, Titong Sugihartono, Ulfa Kholili, Budi Widodo, Muhammad Miftahussurur, Husin Thamrin, Amie Vidyani, Poernomo Boedi Setiawan

SRP. 2020; 11(5): 205-208

» Abstract » PDF» doi: 10.31838/srp.2020.5.31

32. Assessment for Retreatment with Trans arterial Chemoembolization Score Effectiveness for Selecting Hepatocellular Carcinoma Patients Undergoing Repeated Therapy (ART Score Predicting Repeated TACE Impact on Overall Survival)

Ummi Maimunah, Frida Lorita Hafidasari Pitoyo, Hartono Yudi Sarastika, Iswan Abbas Nusi, Herrry Purbayu, Titong Sugihartono, Ulfa Kholili, Budi Widodo, Muhammad Miftahussurur, Husin Thamrin, Amie Vidyani, Poernomo Boedi Setiawan

SRP. 2020; 11(5): 209-215

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.32</u>

33. Cultural Intelligence as a Pre-Requisite for Voice Behavior of Pharmaceutical Sector Employees in Indonesia: Mediating Role of Servant and Ethical Leadership Styles

Tetra Hidayati, Saida Zainurossalamia

SRP. 2020; 11(5): 216-225

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.33</u>

34. Automatic Reminder for Fluids Management on Confidence and Compliance with Fluid Restrictions in Hemodialysis Patients

Nursalam Nursalam, Ninuk Dian Kurniawati, Inda Rian Patma Putri, Diah Priyantini

SRP. 2020; 11(5): 226-233

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.34</u>



35. Factors Associated with the Use of Contraception among Women Age 15-24 Years in Indonesia

Fandy Euricky Petrus Mola, Dewi Elizadiani Suza, Ferry Efendi, Setho

Hadisuyatmana, Erni Astutik, Ika Adelia Susanti

SRP. 2020; 11(5): 234-240

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.35</u>

36. Determinants of Adolescent First Births in Indonesia

Kusnul Chotimah, Dewi Elizadiani Suza, Ferry Efendi, Setho Hadisuyatmana, Erni Astutik, Ika Adelia Susanti

SRP. 2020; 11(5): 241-245

» Abstract » PDF» doi: 10.31838/srp.2020.5.36

37. Family Empowerment Model Based on Belief and Health-Related Quality of Life among Housewives With HIV/AIDS

Nursalam Nursalam, Ferry Efendi, Rr Dian Tristiana, Misutarno Misutarno, Dluha Maf'ula, Diah Priyantini

SRP. 2020; 11(5): 246-251

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.37</u>

38. Medical Tourism Association as an Instrument of Managing Health Industry

Competitivity

Nelli A. Saveleva, Tatyana A. Yudina, Elena E. Sinyavskaya, Viktor A.

Yanyushkin, Violetta V. Rokotyanskaya

SRP. 2020; 11(5): 252-258

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.38</u>

39. Solid Lipid Nanoparticles (SLN) as a Novel Drug Delivery System: A

Theoretical Review

Ahmed A.A Alsaad, Ahmed A. Hussien, Mowafaq M. Gareeb **SRP. 2020; 11(5): 259-273**



40. Antimicrobial and Antibiofilm Activity of D-amino acids Combined with Nanoparticles against Candida albicans

Saif Talib Jasim, Asoda Mohammed Noori, Shadman Tariq Sadiq, May Talib Flayyih

SRP. 2020; 11(5): 274-280

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.40</u>

41. The Effect of Immersion of 12,5% Basil Leaves and 25% Mauli Banana Stem Mixture Extracts on Surface Hardness, Surface Roughness and Discoloration of Acrylic Resin

Priyawan Rachmadi, I Wayan Arya Krishnawan Firdaus, Bayu Indra Sukmana, Didit Aspriyanto, Dewi Puspitasari, Rosihan adhani, Harry Darmawan, Huldani, Marhamah F. Singgih, Sri Ramadhany, Naomi Bernadeth Sinarruli

SRP. 2020; 11(5): 281-287

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.41</u>

42. The Association between a Genetic Polymorphism in the Promoter Region of the CYP17 Gene and Sebum Level on Acne Vulgaris

Evi Mustikawati Arifin, Syafruddin Amin, Anis Irawan Anwar, Budu, Burhanuddin Bahar, Muh. Nasrum Massi, Huldani, Sri Ramadhany, Marhamah F. Singgih

SRP. 2020; 11(5): 288-292

» Abstract » PDF» doi: 10.31838/srp.2020.5.42

43. A Review of Nonsteroidal Anti-Inflammatory Drugs (NSAIDs) Medications in Dentistry: Uses and Side Effects

Marhamah F. Singgih, Huldani, Harun Achmad, Bayu Indra Sukmana, Austin Bertilova Carmelita, Aminuddin Prahatama Putra, Sri Ramadhany, Andika Puspita Putri

SRP. 2020; 11(5): 293-298



44. A Reviews on Use of Sea Cucumber as a Treatment for Oral Cancer Amiruddin Eso, Herlina Uinarni, Thomas Tommy, Ryanto Karobuana Sitepu, Iwan Kurnia Effendi, Yustinus Charles Ariestiyanto, Hutasoit Charles Martamba, Evi Mustikawati Arifin, Ferra Olivia Mawu, Bayu Indra Sukmana, Huldani SRP. 2020; 11(5): 299-307

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.44</u>

45. Morphological Maxillary Inter-Incisor Width in Indonesian Sundanese Children with Beta Thalassemia Major

Eriska Riyanti, Risti Saptarini Primarti, Naninda Berliana Pratidina, Prima Andisetyanto, Selvia Yunita, Iwan Ahmad Musnamirwan, Eka Chemiawan, Sri Ramadhany, Marhamah F. Singgih

SRP. 2020; 11(5): 308-312

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.45</u>

46. Intravitreal Implantable Film Containing Ketorolac Tromethamine Microsponges – In Vitro/In Vivo Correlation

Wid F. Neamah, Nidhal K. Maraie, Hameed A. Al-Timmemi

SRP. 2020; 11(5): 313-321

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.46</u>

47. Amino Acid Profile and Content in Crude Herbal Drugs (Fruits) of Rosaceae Species

Sergunova E.V., Bokov D.O., Bobkova N.V., Kovaleva T.Yu., Chromchenkova E.P., Bessonov V.V.

SRP. 2020; 11(5): 322-329

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.47</u>

48. Comparison of Anti-Oxidant Activity of Different Brands of Esomeprazole Available in Iraqi Pharmacies

M. Alfahad, M. E. Qazzaz, M. N. Abed, F. A. Alassaf, M. H. M. Jasim

SRP. 2020; 11(5): 330-334



49. Comparative Characteristics of Osteofixators in Treatment of Dogs with Cranial Cruciate Ligament Rupture

Sergey Pozyabin, Yury Vatnikov, Dmitry Kachalin, Evgeny Kulikov, Grigorii Kukovenko, Elena Piven, Olesya Petrikhina, Alexander Strachuk, Aleksandr Petrov, Irina Popova, Daria Lukina, Esam Almenshavi **SRP. 2020; 11(5): 335-346**

» Abstract » PDF» doi: 10.31838/srp.2020.5.49

50. Biocoenotic Diagnostics of Unfavorable Factors in the Cows Infection of Farms in the Moscow Region

Pavel Rudenko, Victoria Rudenko, Yury Vatnikov, Andrei Rudenko, Evgeny Kulikov, Nadezhda Sachivkina, Elena Sotnikova, Nikolai Sturov, Ekaterina Rusanova, Tatiana Mansur, Sergey Vyalov, Nikolay Sakhno, Stanislav Drukovsky SRP. 2020; 11(5): 347-357

» Abstract » PDF» doi: 10.31838/srp.2020.5.50

51. Assessment of Respiratory Rate in Dogs during the Sleep with Mitral Valve Endocardiosis, Complicated by Congestive Heart Failure Syndrome: the Degree of Adherence for this Test by Animal Owners and its Impact on Patient Survival

Andrei Rudenko, Pavel Rudenko, Igor Glamazdin, Yury Vatnikov, Evgeny Kulikov, Nadezhda Sachivkina, Victoria Rudenko, Nikolai Sturov, Nikolay Babichev, Elena Romanova, Ekaterina Rusanova, Daria Lukina

SRP. 2020; 11(5): 358-367

» Abstract » PDF» doi: 10.31838/srp.2020.5.51

52. Phenolic Compounds and Biological Activity of Badan (Bergenia crassifolia (L.) Fritsch) Leaves Growing in Russia

Kovaleva T.Yu., Ermakova V.A., Dorovskih E.A., Trashchenkova D.A., Bokov D.O., Shilova I.V., Samylina I.A.

SRP. 2020; 11(5): 368-374

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.52</u>



Systematic Reviews in Pharmacy

53. Association of Additive Risk of Pioglitazone Use with the Presence of CYP1A1 Polymorphisms in the Occurrence of Bladder Cancer Zainab Nizar Jawad, Kamal A.R, Weaam awad

SRP. 2020; 11(5): 375-376

» Abstract » PDF» doi: 10.31838/srp.2020.5.53

54. Modern Therapeutic Approaches to the Treatment of Anal Fissure

Aleksandra Savosina, Simon Lazar, Svetlana Suslina, Rimma Abramovich, Olga

Potanina, Oleg Novikov

SRP. 2020; 11(5): 377-382

» Abstract » PDF» doi: 10.31838/srp.2020.5.54

55. The Challenges in Eradication of Iron Deficiency Anemia in Developing Countries

Yasinta Rakanita, Rano K. Sinuraya, Eka W. Suradji, Auliya A. Suwantika, Mas Rizky A. A. Syamsunarno, Rizky Abdulah

SRP. 2020; 11(5): 383-401

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.55</u>

56. Medical and Sanitary Support in the Aftermath of Emergency Situations of

Anthropogenic Nature

Ibrayeva A.Sh., Turdaliyeva B.S., Aimbetova G.Ye.

SRP. 2020; 11(5): 402-410

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.56</u>

57. Analysis of the Organization and Conduct of Emergency Rescue Activities

Ibrayeva A.Sh., Turdaliyeva B.S., Aimbetova G.Ye.

SRP. 2020; 11(5): 411-420

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.57</u>

58. Evaluation the Predictors of Non-Alcoholic Fatty Liver Disease (NAFLD) in Type 2 Diabetes Mellitus (T2DM) Patients Amer Alasadi, Haider Hafudh Humaish, Husam Al-hraishawi

SRP. 2020; 11(5): 421-430

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.58</u>



59. Synthesis, Characterization and Biological Activity of Zinc Oxide Nanoparticles (ZnO NPs) Asmaa H. Hammadi, S.Abdulmunem Habeeb, Lena Fadhil Al-Jibouri, Falah H.

Hussien

SRP. 2020; 11(5): 431-439

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.59</u>

60. Preparation, Diagnosis, Thermodynamic and Biological Studies of New Complexes Derived from Heterocyclic Ligand

Ashraf A. Hussein, Lekaa K. Abdul Karem, Suhad S. Mohammed

SRP. 2020; 11(5): 445-450

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.61</u>

61. Evaluation of Thyroid Volume and Thyroid Function in Newly Diagnosed Type 2 Diabetes Mellitus Patients

Abdulhamza Rajooj Hmood, Ban Waheed Hussein Bdair, Satar Jabbar Rahi Al-Graittee

SRP. 2020; 11(5): 451-457

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.62</u>

62. Identification and Quantitation of Phospholipid Binding Sites in Lipid Drug

Conjugate Pharmacosomes using Model Drug

Abdullah Q. Khudhur, Nidhal K. Maraie, Ayad M.R. Raauf

SRP. 2020; 11(5): 458-463

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.63</u>

63. Comparative Study of the Efficacy of Flunixin, Ketoprofen and

Phenylbutazone in Delman Horses with Mild Colic

Agus Purnomo, Arya Pradana Wicaksono, Dodit Hendrawan, Muhammad Thohawi Elziyad Purnama

SRP. 2020; 11(5): 464-468



64. Accuracy of Otoacustic Emission in Comparison to Diagnostic Test of Auditory Brainstem Response in Hearing Screening for Children in Vietnam Tuyet Xuong Nguyen

SRP. 2020; 11(5): 469-471

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.65</u>

65. **The Genus Asarum L.: A Phytochemical and Ethnopharmacological Review** Antsyshkina A.M., Ars Yu.V., Bokov D.O., Pozdnyakova N.A., Prostodusheva T.V., Zaichikova S.G.

SRP. 2020; 11(5): 472-502

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.66</u>

66. Organization Decisions in Clinical Oncology Based on the Statistics of Malignant Neoplasms

Vladimir Yu. Startsev, Roman E. Sen'kov, Gleb V. Kondratiev, Vasyli I. Oriol, Vladimir S. Luchkevich

SRP. 2020; 11(5): 503-510

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.67</u>

67. Phytochemical Screening, Antioxidant Activity, Functional Groups and Chemical Element Characterization Analysis of (-)-Epigallocatechin-3-Gallate (EGCG) in East Javanese Green Tea Methanolic Extract: An Experimental In Vitro Study

Ida Bagus Narmada, Andari Sarasati, Satutya Wicaksono, Fianza Rezkita, Kadek Gede Putra Wibawa, Suhailah Hayaza, Alexander Patera Nugraha

SRP. 2020; 11(5): 511-519

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.68</u>

68. Geriatric e-Homecare Information System

Lukas, Eko Prasetyo Nugroho, Harlianto Tanudjaja, Kumala Indriati **SRP. 2020; 11(5): 520-524**

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.69</u>



- 69. Studies on the Photostability of Polystyrene Films with New Metals Complex of 1, 2, 4-triazole-3-thione Derivate
 Ali M. A. Al-Khazraji, Rehab A. M. Al Hassani, Ahmed Ahmed
 SRP. 2020; 11(5): 525-534
 » Abstract » PDF» doi: 10.31838/srp.2020.5.70
 70. Synthesis, Characterization and Spectroscopic Study of New Metal Complexed
- 70. Synthesis, Characterization and Spectroscopic Study of New Metal Complexes form Heterocyclic Compounds for Photostability Study
 Ali M. A. Al-Khazraji, Rehab A. M. Al Hassani
 SRP. 2020; 11(5): 535-555
 » <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.71</u>
- 71. Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia Herlina Jusuf, Sitti Rahma, Edwina R Monayo
 SRP. 2020; 11(5): 556-561

» <u>Abstract » PDF</u>» doi: <u>10.31838srp.2020.5.72</u>

72. Evaluate the fPSA for Discriminate between Prostate Cancer Patients (PCa) and Benign Prostatic Hyperplasia (BPH) Depending on PSA Fucosylation by Using Nano-Lectin Immunoassay

Aamer M. Ali*, Omar F. Abdul-Rasheed, Ahmed Turki Obaid

SRP. 2020; 11(5): 440-444

» <u>Abstract » PDF</u>» doi: <u>10.31838/srp.2020.5.60</u>

 Archive (http://www.sysrevpharm.org//?sec=archive)

 Aims and Scope (http://www.sysrevpharm.org//?sec=aimsscope)

 Abstracting & Indexing (http://www.sysrevpharm.org//?sec=jindex)

 Most Accessed Articles (http://www.sysrevpharm.org//?sec=mosta)

 Most Downloaded Articles (http://www.sysrevpharm.org//?sec=mostd)

 Most Cited Articles (http://www.sysrevpharm.org//?sec=mostc)



« Previous Article (?mno=119517)

Next Article » (?mno=106630)

Review Article

SRP (/). 2020; 11(5) (?jid=196&iid=2020-11-5.000): 556-561

doi: 10.31838srp.2020.5.72 (http://dx.doi.org/10.31838srp.2020.5.72)

Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia

Herlina Jusuf, Sitti Rahma, Edwina R Monayo.

ABSTRACT

Abstract

The objective of this study was to examine the behavioral associations of Gorontalo people in consuming foods with the incidence of metabolic syndrome. This research is expected to contribute as data source for endeavor to prevent morbidity and mortality of cardiovascular system disease. The approach of the study was an

ARTICLE TOOLS Abstract (?mno=10054)

- PDF Fulltext (index.php?fulltxt=10054&fulltxtj=196&fulltxtp=196-1593704151.pdf)
 How to cite this article
 Citation Tools
 Related Records
 Articles by Herlina Jusuf (http://www.bibliomed.org/?term=Herlina Jusuf&sarea=author&b1=Search+ScopeMed)
 Articles by Sitti Rahma (http://www.bibliomed.org/?term=Sitti Rahma&sarea=author&b1=Search+ScopeMed)
 Articles by Edwina R Monayo (http://www.bibliomed.org/?term=Edwina R
- Monayo&sarea=author&b1=Search+ScopeMed)
- on Google (http://www.google.com/search? hl=en&q=related:http://www.bibliomed.org/?mno=10054)

observational analytic study with cross sectional design. The population in this study was all non-infectious patients treated in the

path of internal policlinic and heart policlinic located three Hospitals in

Gorontalo Province, Indonesia, namely Regional Hospital of City Gorontalo - Rumah Sakit Umum Daerah (RSUD) Prof. Aloe Saboe, Regional Hospital of District Gorontalo (RSUD) MM Dunda Limboto Gorontalo and Regional Hospital of Bone Bolango (RSUD) Toto Kabila Bone Bolango, Gorontalo to obtain sample of 360 respondents. The sampling method employed nonprobability sampling technique by accidental/convenience sampling. These samples were then subjected to multiple tests to establish the appropriate metabolic syndrome

of

criteria in the National Cholesterol Education Program (NCEP) Adult

Treatment Panel-III (ATP-III) NCEP-ATP III. After that the

sample was then given some questions

about habitual behavior in

consuming food.

All research procedures were

granted ethical permission from the

Medical Ethics Committee of

Universitas Hasanuddin,

Makassar,

Indonesia.

The result of the study showed that female (109 respondents)

were

on Google Scholar (http://scholar.google.com/scholar?q=related:Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia)



(https://plu.mx/plum/a/? doi=10.31838srp.2020.5.72) more prone to metabolic syndrome than men, and age range of 46-60 years (151 respondents) were more risky to metabolic syndrome compared to the age range 25 -45 years. There is a significant relationship between food consumption in the fatty foods (p value = 0.001, OR = 2.023), baked foods (p value = 0.000, OR = 2.638),salted food (p value = 0.016, OR = 3.094) and Gourmet powder (p value = 0.000, OR = 2.911) with metabolic syndrome.

Key words: Food, Consumption habit, Consuming, Behavior, Adult, Metabolic, Syndrome

How to Cite this Article

Pubmed Style

Herlina Jusuf, Sitti Rahma, Edwina R Monayo. Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia. SRP. 2020; 11(5): 556-561. doi:10.31838srp.2020.5.72 (http://dx.doi.org/10.31838srp.2020.5.72)

Web Style

Herlina Jusuf, Sitti Rahma, Edwina R Monayo. Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia. http://www.sysrevpharm.org//?mno=10054 [Access: July 05, 2020]. doi:10.31838srp.2020.5.72 (http://dx.doi.org/10.31838srp.2020.5.72)

.....

.....

AMA (American Medical Association) Style

.....

.....

.....

.....

Herlina Jusuf, Sitti Rahma, Edwina R Monayo. Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia. *SRP*. 2020; 11(5): 556-561. doi:10.31838srp.2020.5.72 (http://dx.doi.org/10.31838srp.2020.5.72)

Vancouver/ICMJE Style

Herlina Jusuf, Sitti Rahma, Edwina R Monayo. Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia. SRP. (2020), [cited July 05, 2020]; 11(5): 556-561. doi:10.31838srp.2020.5.72 (http://dx.doi.org/10.31838srp.2020.5.72)

Harvard Style

Herlina Jusuf, Sitti Rahma, Edwina R Monayo (2020) Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia. *SRP*, 11 (5), 556-561. doi:10.31838srp.2020.5.72 (http://dx.doi.org/10.31838srp.2020.5.72)

Turabian Style

Herlina Jusuf, Sitti Rahma, Edwina R Monayo. 2020. Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia. *Systematic Reviews in Pharmacy*, 11 (5), 556-561. doi:10.31838srp.2020.5.72 (http://dx.doi.org/10.31838srp.2020.5.72)

Chicago Style

Herlina Jusuf, Sitti Rahma, Edwina R Monayo. "Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia." *Systematic Reviews in Pharmacy* 11 (2020), 556-561. doi:10.31838srp.2020.5.72 (http://dx.doi.org/10.31838srp.2020.5.72)

MLA (The Modern Language Association) Style

Herlina Jusuf, Sitti Rahma, Edwina R Monayo. "Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia." *Systematic Reviews in Pharmacy* 11.5 (2020), 556-561. Print. doi:10.31838srp.2020.5.72 (http://dx.doi.org/10.31838srp.2020.5.72)

APA (American Psychological Association) Style

Herlina Jusuf, Sitti Rahma, Edwina R Monayo (2020) Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia. *Systematic Reviews in Pharmacy*, 11 (5), 556-561. doi:10.31838srp.2020.5.72 (http://dx.doi.org/10.31838srp.2020.5.72)

Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia

Herlina Jusuf¹, Sitti Rahma², Edwina R Monayo³

¹Department of Public Health, Faculty of Sports and Health, Universitas Negeri Gorontalo, Indonesia ²Department of Public Health, Faculty of Sports and Health, Universitas Negeri Gorontalo, Indonesia ³Department of Nursing, Faculty of Sports and Health, Universitas Negeri Gorontalo, Indonesia E-mail Correspondence: <u>herlinajusuf@ung.ac.id</u>

Article History:	Submitted: 23.03.2020	Revised: 15.05.2020	Accepted: 24.06.2020
Affile Pristory. ABSTRACT The objective of this study of Gorontalo people in metabolic syndrome. Th source for endeavor cardiovascular system of observational analytic population in this study path of internal policlinic Gorontalo Province, Ind Gorontalo Province, Ind Gorontalo Province, Ind Gorontalo Argeional Bone Bolango, Gorontal sampling method empli accidental/convenience s	dy was to examine the behavioral associations in consuming foods with the incidence of is research is expected to contribute as data to prevent morbidity and mortality of disease. The approach of the study was an study with cross sectional design. The was all non-infectious patients treated in the and heart policlinic located three Hospitals in donesia, namely Regional Hospital of City stit Umum Daerah (RSUD) Prof. Aloe Saboe, strict Gorontalo (RSUD) MM Dunda Limboto Hospital of Bone Bolango (RSUD) Toto Kabila o to obtain sample of 360 respondents. The oyed non-probability sampling technique by sampling. These samples were then subjected	All research procedures were gr Medical Ethics Committee of U Indonesia. The result of the study showed t more prone to metabolic syndrom years (151 respondents) were r compared to the age range 25 relationship between food consur 0.001, OR = 2.023), baked foods (j food (p value = 0.016, OR = 3.05 0.000, OR = 2.911) with metabolic Keywords: Food, Consumption h Metabolic, Syndrome Correspondence: Herlina Jusuf	Accepted. 24.00.2020 anted ethical permission from the Jniversitas Hasanuddin, Makassar, hat female (109 respondents) were e than men, and age range of 46-60 nore risky to metabolic syndrome - 45 years. There is a significant nption in the fatty foods (p value = p value = 0.000, OR = 2.638), salted 44) and Gourmet powder (p value = syndrome. nabit, Consuming, Behavior, Adult,
to multiple tests to esta	ablish the appropriate metabolic syndrome of	Department of Public Health, Facu	ilty of Sports and Health, Universitas

accidental/convenience sampling. These samples were then subjected to multiple tests to establish the appropriate metabolic syndrome of criteria in the National Cholesterol Education Program (NCEP) Adult Treatment Panel-III (ATP-III) NCEP-ATP III. After that the sample was then given some questions about habitual behavior in consuming food.

@Advanced Scientific Research. All rights reserved

INTRODUCTION

Metabolic syndrome is a complex metabolic disorder caused by factors such as obesity, blood pressure increase, insulin resistance, and dyslipidemia; this syndrome could lead to cardiovascular diseases such as coronary heart disease, the number one among deadliest diseases. Metabolic syndrome was once called syndrome X in 1988 by Reaven; who later changed the name to metabolic syndrome X in 1999 [1]. World Health Organisation (WHO) referred the disease as metabolic syndrome, meeting at least three of five criteria in NCEP-ATP III (the National Cholesterol Education Program-Adult Treatment Panel III), particularly abdominal obesity (obesity with waist circumference >80 cm for women, and >90 cm for man), triglyceride rate increase, and HDL cholesterol decrease [2].

The prevalence of metabolic syndrome differs in each region, and is higher in developing countries compared to developed ones. The 2014 survey displayed that the prevalence of metabolic syndrome cases in Europe ranged from 11.6 - 26.3% [3]. In Japan, the disease's prevalence as quantified by NCEP-ATP III criteria was 16.5%; using the same criteria, the prevalence of metabolic syndrome in Indonesia resulted in much higher percentage, 28.4% [4, 5]. Metabolic syndrome cases are highly related with lack consumption of essential nutrients, for instance vitamin C and E, Zinc, sodium, potassium, calcium, and magnesium; these nutrients are commonly acquired in fruits and vegetables, therefore, less intake will result in increasing risk of metabolic syndrome [6]. The Data of Indonesian Basic Health Research (Riskesdas) in 2013 highlighted that 93.5% of population of > 10 years old tended to have less fruits and vegetables intake. Moreover, the national sugary food intake (\geq once a day) was 53.1%; while the intake of food containing high fat or cholesterol contents, and fried food (\geq once a day) was 40.7%. The research also highlighted that 77.3% Indonesians consumed MSG (monosodium glutamate) \geq once a day [7].

The consumption pattern that was low in fiber, but high in fat, cholesterol, sugar, and sodium; worsened by sedentary life style contributed to higher risk of obesity, metabolic syndrome, as well as other degenerative diseases [5, 8, 9]. The prevalence is more likely to increase, leading to higher quantity of population suffering from cardiovascular diseases and impacting one's quality of life [10, 11]. Other studies indicated that 21.7% patients of arterial disorder with metabolic syndrome also suffered from cardiovascular diseases that led to death [12]. Further, the result of 2013 Family Health Survey indicated that cardiovascular disease ranked first (49.9%) as the deadliest degenerative diseases in Indonesia [7]. The findings also suggested that the metabolic syndrome and its risk factors are to be treated seriously to prevent increasing risks of degenerative diseases.

Recent trends in metabolic syndrome cases are highly related to lifestyle shifts as a result of globalization. The community's turn to modern lifestyle also brought changes in high intake of instant and western food. A nine-years long cohort study involving 9514 subjects found out approximately 40% of new cases of metabolic syndrome due to increasing consumption of fast food, meats, and fried food [13]. In the meantime, other studies showed that consumption of products that are based of low-fat milk, fish, and cereals prevented metabolic syndrome diseases [14].

The etiology of metabolic syndrome is still unknown. A hypothesis argued that insulin resistance is the primary cause of the disease. In addition to that, the risk factors of metabolic syndrome involve aspects in life that are linked with early development of the disease, namely eating pattern, alcohol intake, cigarette intake, physical activities, socio-economic factors, genetic factors, as well as stress [15]. Among the mentioned factors, eating pattern contributes the most to the metabolic syndrome cases; however, it is still unknown that which kind of eating pattern that precisely leads to metabolic syndrome. The identified gap serves as this present study's rationale as the researcher intends to elaborate the aforementioned problems. This study's objectives are to identify and analyze the correlation between metabolic syndrome and eating habit of Gorontalo's community in consuming sugary foods, fatty foods, spicy foods, grilled foods, and foods that are high in MSG contents.

METHODS

The analytical survey research relied on cross-sectional method and involved variables i.e., metabolic syndrome as the dependent variable; as well as sugary food, fatty food, spicy food, grilled food, and high-MSG food as the independent variables. This study was conducted in three public hospitals, namely Aloei Saboe Hospital, MM Dunda Hospital in Limboto, and Toto Hospital in Kabila. The population comprised non-infectious diseases healthy-looking outpatients from 25-60 years old that underwent treatments in internal organs clinic and cardiology clinic. Based on the criteria, the research generated 360 respondents by accidental sampling technique.

The samples, which are the outpatients in the three hospitals, was chosen randomly, or *by accident*, during the initial observation. The selected criteria involved 1) patient with non-infectious disease, 2) was 25-60 years old during observation, and 3) was willing to be respondent. The study exclusion criteria were respondents consuming alcohol or they have not consumed any alcohol in the last 12 months, were excluded from the analyses and patients are not willing to become respondents in this study.

The data were directly collected from the respondents. The observation was conducted to diagnose indications of metabolic syndrome based on the NCEP-ATP III criteria [16]: waist circumference data were collected using standard techniques and standardized tools recommended by the International Diabetes Federation (IDF) to assess specific abdominal obesity for ethnic Asians with abdominal circles that exceed 80 cm in women and 90 cm in men [17]. Measure blood sugar was using fasting blood sugar. Respondents who presented three or more of the five

criteria established for metabolic syndrome, namely central obesity (waist circumference 90 cm in men and women 80 cm in women), hypertriglyceridemia (> 150 mg / dL), low HDL cholesterol (<40 mg / dL in men and <50 mg / dL in women), hypertension (\geq 130 / 85 mm Hg) and hyperglycemia (fasting plasma glucosa> 110 mg / dL).. HDL cholesterol levels, fasting blood sugar levels, and fasting triglyceride levels are measured by conducting the respondent's blood screening. The data of blood pressure were acquired by digital sphygmomanometer. Initially, the respondents were rested for 10 minutes in a sitting position and the Sphygmomanometer was placed at the height of the heart. Blood pressure measurements were carried out three times with a 5 minute break.

The instant blood sugar levels were measured by blood testing procedure that referred to the Standard Operating Procedure. Blood pressure was determined under standardized conditions with validated. About 2-3 cc of blood were acquired from each respondent to be further checked in the hospitals' laboratory. Waist circumference data were collected using standard techniques and standardized tools. HDL cholesterol levels, fasting blood sugar levels, and fasting triglyceride levels are measured by conducting the respondent's blood screening.

The respondents' consumption habit within the last 30 days was quantified by Food Frequency Questionnaire. Sugary foods are foods that are included in the food group that contains high sugar levels beyond the intake of daily needs. Fatty foods are foods that contain high total fat that exceeds the intake of daily needs. Spicy food is food that has a spicy flavor and has a lot of chili. Baked foods are foods that are processed by means of roasted. Foods with seasoning are foods that contain a lot of monosodium glutamate salt. Salty foods are foods that contain more than one and a half tablespoons of salt per day or more than 2000 mg / day. The consumption behavior of respondents is categorized into two, i.e. they often consume and rarely consume. Consumption behavior is categorized frequently if the respondent consumes \geq 3 times a week, and consumption behavior is categorized rarely if the respondent consumes \leq 2 times a week [17]

The data were further analyzed by Chi square test using SPSS 21 software. All research procedures were granted ethical permission from the Medical Ethics Committee of Universitas Hasanuddin, Makassar, Indonesia.

RESEARCH FINDINGS

The present study confirmed the findings about food consumption behavior and their association with metabolic syndrome of adult in Gorontalo province, Indonesia, as follows:

Herlina Jusuf et al / Food Consumption Behavior and their Association with Metabolic Syndrome: A cross-Sectional Study of Adult in Gorontalo Province, Indonesia

Characteristics	n	%	
Gender			
Male	148	41.1	
Female	212	58.9	
Age	84	23.3	
25 – 45 vears	276	76.7	
46 – 60 years			
Profession			
Civil servants	45	12.5	
Entrepreneurs	49	13.6	
Labors/Temporary workers	15	4.2	
Farmers	69	19.2	
	152	42.2	
Retirement	30	8.3	

The table 1 shows that numbers of male respondents were more than female respondents. However, female respondents suffering from high metabolic syndrome were larger in number. Based on the respondents' age, the ratio of 46-60 years old respondents suffering from metabolic syndrome is highest among those of other age groups. The classification of age group variable referred to that of the Ministry of Health, especially early mature age, late mature age, and early elder age. In addition to that, housewives were more likely to suffer from metabolic syndrome compared to those of other professions.

Table 2: Analysis of the relationship between habitual behavior in consuming food and the incidence of metabolic syndrome

syndromesyndromen%n%PORSweets15589.60.4670.782Frequently16487.715589.60.4670.782Seldom2312.31810.4Fatty foods2.023Frequently12868.48951.40.0012.023Seldom5931.68448.6Spicy Foods </th <th></th> <th colspan="2">Metabolic</th> <th colspan="2">Non-metabolic</th> <th></th> <th></th>		Metabolic		Non-metabolic			
n % n % P OR Sweets Frequently 164 87.7 155 89.6 0.467 0.782 Seldom 23 12.3 18 10.4 7 175 Fatty foods		syndrome		syndrome			
Sweets Frequently 164 87.7 155 89.6 0.467 0.782 Seldom 23 12.3 18 10.4 7 7 Fatty foods		n	%	n	%	Р	OR
Frequently16487.715589.60.4670.782Seldom2312.31810.4Fatty foodsFrequently12868.48951.40.0012.023Seldom5931.68448.690.70.3620.731Seldom2412.81669.30.0002.638Seldom2412.8169.30.0002.638Grilled Foods581.310762.20.0002.638Seldom3518.76537.30.0002.911Seldom2613.95532.00.0002.911Salty Foods532.0532.00.0002.911	Sweets						
Seldom 23 12.3 18 10.4 Fatty foods	Frequently	164	87.7	155	89.6	0.467	0.782
Fatty foodsFrequently12868.48951.40.0012.023Seldom5931.68448.65959Spicy Foods	Seldom	23	12.3	18	10.4		
Frequently12868.48951.40.0012.023Seldom5931.68448.6Spicy FoodsFrequently16487.215690.70.3620.731Seldom2412.8169.30.0002.638Grilled FoodsFrequently15381.310762.20.0002.638Seldom3518.76537.30.0002.911Gourmet powderFrequently16286.111768.00.0002.911Seldom2613.95532.00.0002.911Salty Foods	Fatty foods						
Seldom 59 31.6 84 48.6 Spicy Foods - <td>Frequently</td> <td>128</td> <td>68.4</td> <td>89</td> <td>51.4</td> <td>0.001</td> <td>2.023</td>	Frequently	128	68.4	89	51.4	0.001	2.023
Spicy Foods Frequently 164 87.2 156 90.7 0.362 0.731 Seldom 24 12.8 16 9.3 0.731 Grilled Foods 5 5 0.000 2.638 Frequently 153 81.3 107 62.2 0.000 2.638 Seldom 35 18.7 65 37.3 0.000 2.911 Gourmet powder 55 32.0 0.000 2.911 2.911 Seldom 26 13.9 55 32.0 0.000 2.911 Seldom 101 0.00 102 0.000 2.911	Seldom	59	31.6	84	48.6		
Frequently 164 87.2 156 90.7 0.362 0.731 Seldom 24 12.8 16 9.3 16 9.3 Grilled Foods 5 107 62.2 0.000 2.638 Seldom 35 18.7 65 37.3 16 Gourmet powder 5 32.0 2.911 2.911 Seldom 26 13.9 55 32.0 2.011 Salty Foods 101 0.00 101 0.001 2.911	Spicy Foods						
Seldom 24 12.8 16 9.3 Grilled Foods	Frequently	164	87.2	156	90.7	0.362	0.731
Grilled Foods Frequently 153 81.3 107 62.2 0.000 2.638 Seldom 35 18.7 65 37.3 2.638 Gourmet powder 5 37.3 2.911 Frequently 162 86.1 117 68.0 0.000 2.911 Seldom 26 13.9 55 32.0 2.911 Salty Foods 101 0.00 101 0.00 2.911	Seldom	24	12.8	16	9.3		
Frequently 153 81.3 107 62.2 0.000 2.638 Seldom 35 18.7 65 37.3 65 37.3 Gourmet powder Frequently 162 86.1 117 68.0 0.000 2.911 Seldom 26 13.9 55 32.0 2011 2011 Salty Foods 101 01.0 151 00.7 0.011 0.001	Grilled Foods						
Seldom 35 18.7 65 37.3 Gourmet powder Frequently 162 86.1 117 68.0 0.000 2.911 Seldom 26 13.9 55 32.0 200 200 Salty Foods 101 01.0 151 00.7 0.001 0.001	Frequently	153	81.3	107	62.2	0.000	2.638
Gourmet powder Frequently 162 86.1 117 68.0 0.000 2.911 Seldom 26 13.9 55 32.0 200	Seldom	35	18.7	65	37.3		
Frequently 162 86.1 117 68.0 0.000 2.911 Seldom 26 13.9 55 32.0 <t< td=""><td>Gourmet powder</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	Gourmet powder						
Seldom 26 13.9 55 32.0 Salty Foods 100 150 000 000	Frequently	162	86.1	117	68.0	0.000	2.911
Salty Foods	Seldom	26	13.9	55	32.0		
	Salty Foods						
Frequently 181 96.8 156 90.7 0.016 3.094	Frequently	181	96.8	156	90.7	0.016	3.094
Seldom 7 3.2 16 9.3	Seldom	7	3.2	16	9.3		

The Table 2 indicates that sugary food consumption habit (p = 0.467) as well as spicy food consumption habit (p = 0.362) do not have significant correlation to metabolic syndrome cases. However, other food consumption habits, i.e., fatty food, grilled food, high-MSG food, and salty food possess significant risk to the cases.

DISCUSSION

Based on the research findings, people age 46 to 60 are those who suffer from metabolic syndrome compared to people with other age groups. It is shown that females are more likely to suffer such a syndrome rather than males. This is in line with the research by WHO in France that the prevalence of metabolic syndrome in people age 55 to 64 is higher than other groups of age, with the percentage of males and females accounted for 23% and 12%, respectively. However, the prevalence of this disease in males (34%) is higher than women (21%). The situation is because people ages 46 to 60 years are in their pre-elderly stage, namely a stage where physiological changes occur, specifically in blood vessels. Blood vessels begin to lose their elasticity and harden, while at the same time, the blood viscosity is increased and the blood is thickened. These situations lead to high blood pressure. In other words, such declines in

blood vessels increase the risks of hypertension and atherosclerosis.

High prevalence of metabolic syndrome in females rather than males is due to the fact that they have reached menopause. Menopause is a contributing factor in metabolic syndrome. Women who have reached menopause suffer from estrogen and progesterone deficiency; these hormones function to maintain the elasticity of the blood vessels and viscosity, increasing blood pressure and the resistance of blood vessels. On top of that, females tend to store fat under the abdominal skin compared to males; and consequently, females are prone to central obesity. A study has indicated that more females (26.6%) suffer from metabolic syndrome rather than males (18.3%). The chance of females from suffering the syndrome is 1.6 higher than males [18].

Dietary habits categorized *frequently* are the ones with the frequency \ge 3x/week while the *rarely* category refers to the ones with the frequency $\leq 2x$ /week. Variable of sugary food is not significant since the population in Gorontalo rarely consume this type of food. Sugar cravings are never satisfied, and, as a result, people who consume sugary food never stop eating. This condition is a cause of obesity and insulin resistance. Consuming sugary food continuously triggers type 2 diabetes mellitus. This research echoes the result seen in the study [19] on Korean females. It is shown that those with western lifestyles tend to incorporate sugary food in their diet; this situation positively correlates with the prevalence of metabolic syndromes, for instance obesity and high triglycerides level. Another research has revealed that high consumption of sugary food increases the risks of cardiovascular disease [20].

Consuming fatty food more than three times a week is two times more likely to suffer from metabolic syndrome compared to those who consume such type of food once a week. The majority of people in Gorontalo consume fatty food on a daily basis, considering that the local culinary, such as *Kuah Bugis* (local traditional herb soup), of this province is mostly high-fat dishes. The digestion processes break the fatty food into fatty acid and glycerol. Once the needs of energy are satisfied, fat is stored under the skin and around abdominal areas. Over consuming fatty food is a cause of obesity [21].

Central obesity refers to an excess accumulation of fat in the abdominal area that creates omentum or a sheet of fatty tissue that stretches over the abdomen. The accumulation of excessive fat in omentum will be stored under the skin. Accumulated fat in the omentum is also found surrounding the heart. The impact of the excessive fat accumulation in this part is significant, given the function of the heart to metabolize food to energy. The inability of the heart to metabolize food to energy results in the accumulation of fat to the food storage system of the human body. Failure to address the issue can increase the level of blood sugar [22]. The result of this research is in line with a study of metabolic syndrome in teens in Australia; the study [23] indicates that teens often consuming fatty food are prone to suffer from such a syndrome.

By consuming salt more than 1.5 tablespoons per day or more than 2000 mg correlates significantly with the metabolic syndrome prevalence. People with this diet are three times more likely to suffer from metabolic syndrome compared to those who rarely add salt in their food. High consumption of salt causes sodium to enter endothelial cells of arteries, and consequently, it attracts chloride ions (CI), forming Na CI (sodium chloride). This new compound has the osmotic power, by which it draws water to endothelial cells, resulting in cell swelling and high blood pressure (hypertension) [24]. Such a notion echoes the result seen in reference [25] in Finland; the study has shown that high consumption of salty food is a strong predictor of metabolic syndrome.

Frequently adding chemically produced food seasonings to the daily diet is also a significant factor in the issue of metabolic syndrome. Adding more than one tablespoon of such food seasonings increases the risk of the syndrome by 2.9 times. Consuming food with MSG can cause the degradation of neuronal membranes, allowing calcium ions to enter cells due to the permeability against sodium ion, calcium ion, and water. Calcium ion entering the cells increases the intracellular calcium ion, which is the preliminary phase of cell death, including nerve cells, by which it can harm the pancreas gland. Disorders in the pancreas gland lead to a deficit in the production of insulin, and, to worsen, the gland is no longer capable of producing insulin, causing a person to suffer from diabetes [26]. This is in line with the result seen in reference [27] that in Thailand, those who consume food with chemicallyproduced seasonings are prone to metabolic syndrome.

Baked food consumption significantly correlates with metabolic syndrome prevalence. Consuming grilled food more than three times a week increases the risk of the syndrome by 2.6 times. Most people in Gorontalo consume grilled food, such as tuna fish satay, Ayam Bakar Iloni (grilled chicken with traditional sauce), and other grilled food marinated with lots of oil. The residue of the grilling process results in the contamination of free radicals in the food, and, as a result, consuming the contaminated food damages the membrane of the cells of the body, specifically the pancreas. Damaged pancreas means that the person is incapable of producing insulin, causing diabetes mellitus type 2 [28]. People in Gorontalo often add greasy chili sauce to grilled food. A study has indicated that over-consumption of oil is impactful on people's metabolism and it has a glycemic effect, which is harmful to one's health [29], [30], [31].

CONCLUSION

The percentage of patients with metabolic syndrome (52.2 %) is greater than those without metabolic syndrome (47.8%). Metabolic syndrome prevalence in Gorontalo correlates with the diet of the people who often consume fatty or salty food with the addition of MSG. The way the food is processed, i.e., grill and fry, is also the factor contributing to the metabolic syndrome prevalence. On the other hand, the habit of consuming spicy food does not significantly correlate with the issue of metabolic syndrome.

REFERENCES

- Sarafidis, P. A., & Nilsson, P. M. (2006). The metabolic syndrome: a glance at its history. *Journal of Hypertension*, 24(4), 621–626. <u>https://doi.org/10.1097/01.hjh.0000217840.26971.b6</u>.
- 2. Amihaesei IC, Chelaru L. (2014). Metabolic syndrome a widespread threatening condition; risk factors, diagnostic criteria, therapeutic options, prevention and controversies: an overview. *Rev Med Chir Soc Med Nat Iasi*. 896–900.
- P. Ranasinghe, Y. Mathangasinghe, R. Jayawardena, A. P. Hills & A. Misra. (2017). Prevalence and trends of metabolic syndrome among adults in the Asia-pacific region: a systematic review. *BMC Public Health*. 17: 101. <u>https://doi.org/10.1186/s12889-017-4041-1</u>.
- Hao, Z., Konta, T., Takasaki, S., Abiko, H., Ishikawa, M., Takahashi, T., Kubota, I. (2007). The Association between Microalbuminuria and Metabolic Syndrome in the General Population in Japan: The Takahata Study. *Internal Medicine*, 46(7), 341–346. https://doi.org/10.2169/internalmedicine.46.6056.
- Soewondo P, Purnamasari D, Oemardi M, Waspadji S, Soegondo S. (2010). Prevalence of metabolic syndrome using NCEP/ATP III criteria in Jakarta, Indonesia: the Jakarta primary noncommunicable disease risk factors surveillance 2006. Acta Med Indonesia. 42:199–203.
- Houston, M. C. (2010). The role of cellular micronutrient analysis, nutraceuticals, vitamins, antioxidants and minerals in the prevention and treatment of hypertension and cardiovascular disease. *Therapeutic Advances in Cardiovascular Disease*, 4(3), 165–183. <u>https://doi.org/10.1177/1753944710368205</u>.
- 7. Ministry of Health of Republic Indonesia. (2017). *Basic Health Research.* Ministry of Health of Republic Indonesia. Jakarta Indonesia.
- Esmaillzadeh, A., Kimiagar, M., Mehrabi, Y., Azadbakht, L., Hu, F. B., & Willett, W. C. (2007). Dietary patterns, insulin resistance, and prevalence of the metabolic syndrome in women. *The American Journal of Clinical Nutrition*, *85*(3), 910–918. <u>https://doi.org/10.1093/ajcn/85.3.910</u>.
- Mozaffarian, D., Afshin, A., Benowitz, N. L., Bittner, V., Daniels, S. R., Franch, H. A., Zakai, N. A. (2012). Population Approaches to Improve Diet, Physical Activity, and Smoking Habits. *Circulation*, *126*(12), 1514–1563.
 https://doi.org/10.1161/cir.0b013e318260a20b.
- Bernard JG, Karen S, Bogani MM SY. (2010). The epidemic of cardiovascular disease in the developing world: Global Implication. *European Heart Journal.* 31: 642–648. https://doi.org/10.1093/eurhearti/ehq030.
- Gaziano, T. A., Bitton, A., Anand, S., Abrahams-Gessel, S., & Murphy, A. (2010). Growing Epidemic of Coronary Heart Disease in Low- and Middle-Income Countries. *Current Problems in Cardiology*, *35*(2), 72– 115. <u>https://doi.org/10.1016/j.cpcardiol.2009.10.002</u>.
- 12. Klein, S., Sheard, N. F., Pi-Sunyer, X., Daly, A., Wylie-Rosett, J., Kulkarni, K., & Clark, N. G. (2004). Weight

management through lifestyle modification for the prevention and management of type 2 diabetes: rationale and strategies. A statement of the American Diabetes Association, the North American Association for the Study of Obesity, and the American Society for Clinical Nutrition. *The American Journal of Clinical Nutrition, 80*(2), 257–263. <u>https://doi.org/10.1093/ajcn/80.2.257</u>.

- Lutsey, P. L., Steffen, L. M., & Stevens, J. (2008). Dietary Intake and the Development of the Metabolic Syndrome. *Circulation*, 117(6), 754–761. <u>https://doi.org/10.1161/circulationaha.107.716159</u>.
- Ruidavets, J.-B., Bongard, V., Dallongeville, J., Arveiler, D., Ducimetiere, P., Perret, B., ... Ferrieres, J. (2007). High consumptions of grain, fish, dairy products and combinations of these are associated with a low prevalence of metabolic syndrome. *Journal* of Epidemiology & amp: Community Health, 61(9), 810–817. . <u>https://doi.org/10.1136/jech.2006.052126</u>.
- 15. Shahab, A. Sindrom metabolik. *(2007). Jurnal Media informasi Ilmu Kesehatan dan Kedokteran.* 10: 21–32.
- 16. National Cholesterol Education Program. (2001). *ATP III Guidelines At A Glance Quick Desk Reference*. National Institutes of Health National Heart, Lung, and Blood Institute. <u>https://doi.org/10.1001/archinte.151.6.1071</u>.
- 17. Foundation for International Development/Relief (FIDR). (2017). *Development of Recommended Dietary Allowance and Food Based Dietary Guidelines for school-aged children in Cambodia.*
- Suhaema, S., & Masthalina, H. (2015). Pola Konsumsi dengan Terjadinya Sindrom Metabolik. *Kesmas: National Public Health Journal*, 9(4), 340. <u>https://doi.org/10.21109/kesmas.v9i4.741</u>.
- Joung, H., Hong, S., Song, Y., Ahn, B. C., & Park, M. J. (2012). Dietary patterns and metabolic syndrome risk factors among adolescents. Korean Journal of Pediatrics, 55(4), 128. <u>https://doi.org/10.3345/kjp.2012.55.4.128</u>.
- Hlebowicz, J., Persson, M., Gullberg, B., Sonestedt, E., Wallström, P., Drake, I., ... Wirfält, E. (2011). Food patterns, inflammation markers and incidence of cardiovascular disease: the Malmö Diet and Cancer study. *Journal of Internal Medicine*, *270*(4), 365–376. https://doi.org/10.1111/j.1365-2796.2011.02382.x.
- 21. Krisnatuti and Yehrina. (2008). *Diet Sehat Untuk Penderita Diabetes Melitus*. Penebar Swadaya. Jakarta.
- 22. Wulandari, M.Y., Isfandiari, M.A. (2013). The Relationship between Metabolic Syndrome and Life Symptoms style with Microvascular Complications. *Jurnal Berkala Epidemiologi.* 1: 224–233.
- Ambrosini, G. L., Huang, R.-C., Mori, T. A., Hands, B. P., O'Sullivan, T. A., de Klerk, N. H., Oddy, W. H. (2010). Dietary patterns and markers for the metabolic syndrome in Australian adolescents. Nutrition, *Metabolism and Cardiovascular Diseases, 20*(4), 274– 283. <u>https://doi.org/10.1016/j.numecd.2009.03.024</u>.
- 24. Drapeau, V., Després, J.-P., Bouchard, C., Allard, L., Fournier, G., Leblanc, C., & Tremblay, A. (2004).

Modifications in food-group consumption are related to long-term body-weight changes. *The American Journal of Clinical Nutrition, 80*(1), 29–37. https://doi.org/10.1093/ajcn/80.1.29.

- Räisänen, J. P., Silaste, M.-L., Kesäniemi, Y. A., & Ukkola, O. (2012). Increased daily sodium intake is an independent dietary indicator of the metabolic syndrome in middle-aged subjects. *Annals of Medicine*, 44(6), 627–634. <u>https://doi.org/10.3109/07853890.2011.585657</u>.
- 26. Marewa. (2014). *Pengaruh Gaya Hidup Terhadap Kejadian Diabetes Mellitus pada Masyarakat di Provinsi Sulawesi Selatan*. Research and development center.
- Insawang, T., Selmi, C., Cha'on, U., Pethlert, S., Yongvanit, P., Areejitranusorn, P., Hammock, B. D. (2012). Monosodium glutamate (MSG) intake is associated with the prevalence of metabolic syndrome in a rural Thai population. *Nutrition & Metabolism*, 9(1), 50. <u>https://doi.org/10.1186/1743-7075-9-50</u>.
- 28. Almatsier, S. (2004). *Prinsip Dasar Ilmu Gizi. Jakarta.* Gramedia Pustaka Utama.
- 29. Misra, A., Singhal, N., & Khurana, L. (2010). Obesity, the Metabolic Syndrome, and Type 2 Diabetes in Developing Countries: Role of Dietary Fats and Oils. *Journal of the American College of Nutrition, 29*(sup3), 289S–301S.

https://doi.org/10.1080/07315724.2010.10719844.

- Horiuchi, Y. (2018). Short Communication: Recommended Dietary Allowance for School-Aged Children in Cambodia. *International Journal of Nutrition and Food Sciences*, 7(5), 155. <u>https://doi.org/10.11648/j.ijnfs.20180705.11</u>.
- Gersh, B. J., Sliwa, K., Mayosi, B. M., & Yusuf, S. (2010). Novel therapeutic concepts the epidemic of cardiovascular disease in the developing world: global implications. *European Heart Journal*, *31*(6), 642–648. <u>https://doi.org/10.1093/eurheartj/ehq030</u>.