



THE INTERNATIONAL JOURNAL OF TROPICAL VETERINARY
AND BIOMEDICAL RESEARCH



Published by:

The Faculty of Veterinary Medicine of Syiah Kuala University

In cooperation with:

Center for Tropical Veterinary Studies of Syiah Kuala University
and Indonesian Veterinary Medical Association (PDHI)

International Journal of Tropical Veterinary and Biomedical Research

✉ 2503-4715 (PRINT) / 2503-4715 (ONLINE)

 Website  ISSN Portal

About Articles

PUBLISHING WITH THIS JOURNAL

⌚ The highest fee charged by this journal is
50 USD
as publication fees (article processing charges or APCs) other charges.

→ There is **no waiver policy** for these charges.

👤 Look up the journal's:

- Aims & scope
- Instructions for authors
- Editorial Board
- Double blind peer review

⌚ Expect on average **24 weeks** from submission to publication.

This website uses cookies to ensure you get the best experience. Learn more about DOAJ's privacy policy.

HIDE THIS MESSAGE

 This journal uses a **CC BY-SA** license.



→ Look up their [open access statement](#) and their [license terms](#).

 The author **does not retain unrestricted** copyrights and publishing rights.

 Articles digitally archived in:

- A national library: Portal Garuda

→ Find out about their [archiving policy](#).

JOURNAL METADATA

 Publisher
[Syiah Kuala University, Indonesia](#)

Society or institution
[Syiah Kuala University, Faculty of Veterinary Medicine](#)

Manuscripts accepted in
English

 LCC subjects [③](#)

This website uses cookies to ensure you get the best experience. Learn more about DOAJ's privacy policy.

[HIDE THIS MESSAGE](#)

Added 30 June 2017 • Updated 30 June 2017

SEARCH

Journals

Articles

DOCUMENTATION

API

OAI-PMH

Widgets

Public data dump

OpenURL

XML

FAQs

ABOUT

About DOAJ

DOAJ team

Ambassadors

Advisory Board & Council

Editorial Subcommittee

Volunteers

News

SUPPORT

Support DOAJ

Sponsors

Publisher supporters

Supporters

This website uses cookies to ensure you get the best experience. Learn more about DOAJ's privacy policy.

HIDE THIS MESSAGE

Guide to applying

 Facebook

The DOAJ Seal

 Github

Transparency & best practice

 LinkedIn

[Why index your journal in DOAJ?](#)[Atom feed](#)

© DOAJ 2020 default by all rights reserved unless otherwise specified.

[Accessibility](#) [Privacy](#) [Contact](#) [T&Cs](#)

[IS4OA](#) [Cottage Labs](#)



Content on this site is licensed under a Creative Commons Attribution-ShareAlike 4.0 International (CC BY-SA 4.0) license.



Copyrights and related rights for **article metadata** waived via CC0 1.0 Universal (CC0) Public Domain Dedication.

Photos used throughout the site by David Jorre, Jean-Philippe Delberghe, JJ Ying, Luca Bravo, Brandi Redd, & Christian Perner from Unsplash.



THE INTERNATIONAL JOURNAL OF TROPICAL VETERINARY AND BIOMEDICAL RESEARCH

E-ISSN : 2503 - 4715

[OPEN JOURNAL SYSTEMS](#)

[Journal Help](#)

INFORMATION

- For Readers
- For Authors
- For Librarians

Editorial Team

	7,974		101
	1,861		98
	370		95
	150		87
	136		74
	119		70

FLAG counter

Visitors	47,559
Online	1
Vis. today	1

FONT SIZE

[HOME](#) [ABOUT](#) [LOGIN](#) [REGISTER](#) [CATEGORIES](#) [SEARCH](#) [CURRENT ARCHIVES](#) [ANNOUNCEMENTS](#) [AIM & SCOPE](#) [ONLINE SUBMISSION & AUTHOR GUIDELINES](#) [PUBLICATION ETHICS](#) [CONTACT US](#)

Home > Vol 5, No 2 (2020)

The International Journal of Tropical Veterinary and Biomedical Research

The International Journal of Tropical Veterinary and Biomedical Research is published twice a year on May and November. This journal is disseminated to Faculty of Veterinary Medicine, Faculty of Animal Science, Faculty of Science, Faculty of Nursing, Faculty of Medicine, Research Institutions, selected animal hospitals, libraries and other relevant boards in the worlds.



The journal will accept original research papers from the field of veterinary, science, medicine and related fields whereas literature reviews will be supplementary. All accepted papers will firstly be evaluated by a peer reviewer consisting of experts in related fields. The accepted papers will become responsibility of the author/s and do not automatically reflect certain opinion of the editors.

Announcements

No announcements have been published.

[More Announcements...](#)

Vol 5, No 2 (2020): Vol. 5 (2) November 2020

Table of Contents

Articles


[The Effectiveness of Animated Video as Learning Media Towards The Perception of Healthy Snacks on Elementary School Students in Indonesia](#)
Mutia Yusuf, Zuhrawardi Zuhrawardi, Eily Wardani
[10.21157/ijtvbr.v5i2.20483](https://doi.org/10.21157/ijtvbr.v5i2.20483)

[The Effect of Ethanol Extract of Malacca Leaves \(Phyllanthus emblica\) on The Number of Fibroblast Cells in White Rats \(Rattus norvegicus\) Burns Wound](#)
Ajirni Ajirni, Nuzul Asmilia, Nazaruddin Nazaruddin, Amalia Sutriana, Dian Masyitha, Muhammad Isa
[10.21157/ijtvbr.v5i2.20484](https://doi.org/10.21157/ijtvbr.v5i2.20484)

[Development Strategy of Beef Cattle Business to Increase Farmers' Economic Value in Sukabumi Regency](#)
S Rusdiana, Andi B. Lompengeng Ishak, Teuku Reza Ferasyi
[10.21157/ijtvbr.v5i2.20485](https://doi.org/10.21157/ijtvbr.v5i2.20485)

[Effect of Cultural-Based Breast Self-Examination Educational Program on BSE Self Efficacy Among Nursing Student, Indonesia](#)
Juanita Juanita, Piyanchuk Jittanoon, Umaporn Boonyasopon
[10.21157/ijtvbr.v5i2.20486](https://doi.org/10.21157/ijtvbr.v5i2.20486)

Indexing by:



Indonesian Publication Index



JOURNAL CONTENT

Search

Search Scope

All

Search

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)
- [Other Journals](#)
- [Categories](#)

KEY WORDS

Artificial Insemination

Aspergillus niger Characteristics
Columbiformes Composition Conception Rate (CR) Diseases Diversity
Fermentation Generative Stage Insect Knowledge Morbidity Preventative Medicine Service Per Conception (S/C) Service per Conception (S/C) and Calving Rate (CrV) Soybean Waste Vegetative Stage Wheat Zoo helminthiasis Areca catechu Sauvage androgynous mineral block nematodes

NOTIFICATIONS

- [View](#)
- [Subscribe](#)

USER

Username

Password

Remember me

[Login](#)

[Link](#)

CURRENT ISSUE

[ATOM 1.0](#)

[RSS 2.0](#)

[RSS 1.0](#)



PDF

1 - 6

PDF

7 - 12

PDF

13 - 28

PDF

29 - 39



THE INTERNATIONAL JOURNAL OF TROPICAL VETERINARY AND BIOMEDICAL RESEARCH

E-ISSN : 2503 - 4715

[OPEN JOURNAL SYSTEMS](#)

[Journal Help](#)

INFORMATION

- For Readers
- For Authors
- For Librarians

Editorial Team

	7,974		101
	1,861		98
	370		95
	150		87
	136		74
	119		70

FLAG counter

Vita. Today: 1
Vista: 18 442
Page. Today: 8

FONT SIZE

[HOME](#) [ABOUT](#) [LOGIN](#) [REGISTER](#) [CATEGORIES](#) [SEARCH](#) [CURRENT ARCHIVES](#) [ANNOUNCEMENTS](#) [AIM & SCOPE](#) [ONLINE SUBMISSION & AUTHOR GUIDELINES](#) [PUBLICATION ETHICS](#) [CONTACT US](#)

Home > About the Journal > **Editorial Team**

Editorial Team

Editor in Chief

drh. Teuku Reza Ferasyi, M.Sc., PhD., Faculty of Veterinary Medicine of Syiah Kuala University, Darussalam, Banda Aceh, Indonesia, Indonesia

Editorial Board

Prof. Dr. drh. Muslim Akmal, MP., Syiah Kuala University, Indonesia

Prof. Drh. Srihadi Agungpriyono, PhD, PAVet(k), Dipl.ACCM, Faculty of Veterinary Medicine, Bogor Agricultural University, Indonesia

Prof. Graeme B Martin, UWA Institute of Agriculture, The University of Western Australia, Australia

A/Prof. Grant W. Booker, University of Adelaide, Australia

Prof. Dr. Hirovuki Matsuo, Department of Medical Zoology, Medical school of Jichi Medical University, Japan

Dr. T. P. Sethumadhaban, Kerala Veterinary and Animal Sciences University, India

Dr. Öğr. Üyesi Musa YAVUZ, Isparta University of Applied Sciences, Isparta, Turkey, Turkey

Assistant Prof. Frank E. Rheindt, Department of Biological Science National University of Singapore, Singapore

Prof. Dr. med. vet. Jean -Michel Hatt, MSc,Dipl. ACZM, Dipl. ECZM, Clinic for Zoo Animals, Exotic Pets and Wildlife, Vetsuisse Faculty, University of Zurich, Switzerland

Pavel Zoubek, M.Sc, Liberec Zoo, Liberec, Czech Republic

Tomas Ouhel, M.Sc, Palacky University, Czech Republic

Prof. Dr. Mahdi Abrar, M.Sc, Laboratory of Microbiology Faculty of Veterinary Medicine Syiah Kuala University, Indonesia

Ummu Balqis, Universitas Syiah Kuala, Indonesia

Prof. Dr. drh. Darmawi, M.Si, Faculty of Public Health, Universitas Teuku Umar, West Aceh, Indonesia

Dr. drh. I Wayan Suardana, M.Si, Faculty of Veterinary Medicine, Udayana University, Indonesia

Prof. drh. Setyawan Budiharta, M.Sc., PhD,, Faculty of Veterinary Medicine, Gadjah Mada University, Indonesia

Dr. drh. Widagdo S Nugroho, M.Si, Faculty of Veterinary Medicine, Gadjah Mada University, Indonesia

Prof. Dr. Ir. Samadi, M.Sc, Department of Animal Husbandry, Faculty of Agriculture, Syiah Kuala University, Indonesia

Dr. drh. Muhammad Hambal, Faculty of Veterinary Medicine, Universitas Syiah Kuala, Banda Aceh, Indonesia

Dr. drh. M Nur Salim, M. Si, Faculty of Veterinary Medicine Universitas Syiah Kuala, Indonesia

drh. Al Azhar, M.Kes.,Ph.D, Faculty of Veterinary Medicine, Universitas Syiah Kuala, Banda Aceh, Indonesia

Dr. Kurnia Fitri Jamil, Division of Tropical and Infectious Diseases, Department of Internal Medicine, Faculty of Medicine, Syiah Kuala University, dr. Zainoel Abidin General Hospital, Banda Aceh, Indonesia, Indonesia

Dr. drh. Farida Athaillah, M.Si, Parasitology Laboratory, Faculty of Veterinary Medicine, Syiah Kuala University

Dr. drh. Sugito., M.Si, Syiah Kuala University, Indonesia

drh. Cut Dahlia Iskandar, M.Sc., Ph.D, Fakultas Kesehatan Hewan, Universitas Syiah Kuala, Indonesia

Dr. drh. Amalia Sutriana, M.Sc, Laboratory of Pharmacology, Faculty of Veterinary Medicine, Syiah Kuala University, Indonesia

Dr. drh. Hennivanda M.Si, Indonesia

Erwin Erwin, Laboratory of Clinic and Surgery, Faculty of Veterinary Medicine, Syiah Kuala University Banda Aceh, Indonesia

Dr. drh. M.Sc Teuku Zahrial Helmi, Laboratorium Biokimia Fakultas Kedokteran Hewan Universitas Syiah Kuala, Indonesia

Dr. Dewi Yunita, S.TP, M.Res, Faculty of Agriculture, Universitas Syiah Kuala, Banda Aceh, Indonesia, Indonesia

Wahyu Eka Sari, S.Si, M.Si, Faculty of Veterinary Medicine, Syiah Kuala University, Indonesia

Mr Mudhita Zikkurrullah Ritonga, Anatomy Laboratory, Faculty of Veterinary Medicine, Universitas Syiah Kuala, Indonesia

Graphics Design

drh. Awaluddin, Department of Pathology, Faculty of Veterinary Medicine, Syiah Kuala University, Indonesia

drh. Rumi Sahara Zamzami, Clinical Department, Faculty of Veterinary Medicine, Syiah Kuala University, Indonesia

G6x67M Siti Rani Ayuti, S.Pt, M.Si, Fakultas Kedokteran Hewan Universitas Syiah Kuala, Indonesia

drh. Baidillah Zulkifli, M.Si, Department of Biology, School of Medicine, Syiah Kuala University, Indonesia

drh. Rosalia Edward, M.Sc, Faculty of Veterinary Medicine, Universitas Syiah Kuala, Banda Aceh, Indonesia

Web Programmer

drh. Teuku Shaddiq Rosa

drh. Rezky Ramadhan, Indonesia

Indexing by:

DOAJ

doi®
crossr

IP Indonesian Publication Index
Google Scholar

JOURNAL CONTENT

Search

Search Scope

All

Search

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)
- [Other Journals](#)
- [Categories](#)

KEY WORDS

Artificial Insemination

Aspergillus niger Characteristics
Columbiformes Composition Conception Rate (CR) Diseases Diversity Fermentation Generative Stage Insect Knowledge Morbidity Preventative Medicine Service Per Conception (S/C) Service per Conception (S/C) and Calving Rate (CrV) Soybean Waste Vegetative Stage Wheat Zoo helminthiasis, Areca catechu, Sauvage androgynous, mineral block, nematodes

NOTIFICATIONS

- [View](#)
- [Subscribe](#)

USER

Username

Password

Remember me

Login

Link



9 772503 471007

Copyright© 2016 | ISSN: [2503-4715](#)

Published by:

The Faculty of Veterinary Medicine of Syiah Kuala University

In cooperation with:

Center for Tropical Veterinary Studies of Syiah Kuala University and Indonesian Veterinary Medical Association (PDHI)

[Online Submissions & Guidelines](#) | [Editorial Policies](#) | [Contact](#) | [Statistics](#) | [Indexing](#) | [Citations](#)



IJTVBR is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).



THE INTERNATIONAL JOURNAL OF TROPICAL VETERINARY AND BIOMEDICAL RESEARCH

E-ISSN : 2503 - 4715

[OPEN JOURNAL SYSTEMS](#)

[Journal Help](#)

INFORMATION

- [For Readers](#)
- [For Authors](#)
- [For Librarians](#)

[Editorial Team](#)

	7,974		101
	1,861		98
	370		95
	150		87
	136		74
	119		70

FLAG counter

Visitors: 47 / 21
Online: 1
Vis. today: 1

FONTSIZE

[HOME](#) [ABOUT](#) [LOGIN](#) [REGISTER](#) [CATEGORIES](#) [SEARCH](#) [CURRENT ARCHIVES](#) [ANNOUNCEMENTS](#) [AIM & SCOPE](#) [ONLINE SUBMISSION & AUTHOR GUIDELINES](#) [PUBLICATION ETHICS](#) [CONTACT US](#)

Home > About the Journal > **Journal Contact**

Journal Contact

Mailing Address

Faculty of Veterinary Medicine, Syiah Kuala University
Jl. Tgk. Hasan Krueng Kalee No. 4, Darussalam-Banda Aceh, 23111

Principal Contact

drh. Teuku Reza Ferasyi, M.Sc, Ph.D
Faculty of Veterinary Medicine, Syiah Kuala University
Jl. Tgk. Hasan Krueng Kalee No. 4, Darussalam-Banda Aceh, 23111

Phone: +62-8126995474

Fax: +62-651-755 1536

Email: ijtvbr_editor@unsyiah.ac.id

Support Contact

Wahyu Eka Sari, S.Si, M.Si

Phone: +62-85215472373

Email: wahyueka_sari@unsyiah.ac.id



9 772503 471007

Copyright© 2016 | ISSN: **2503-4715**

Published by:

The Faculty of Veterinary Medicine of Syiah Kuala University

In cooperation with:

Center for Tropical Veterinary Studies of Syiah Kuala University
and Indonesian Veterinary Medical Association (PDHI)


[Online Submissions & Guidelines](#) | [Editorial Policies](#) | [Contact](#) | [Statistics](#) | [Indexing](#) | [Citations](#)



IJTVBR is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).



Indexing by:



JOURNAL CONTENT

Search

Search Scope

All

Search

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)
- [Other Journals](#)
- [Categories](#)

KEY WORDS

[Artificial Insemination](#)

[Aspergillus niger Characteristics](#)

[Columbiformes Composition Conception](#)

[Rate \(CR\) Diseases Diversity](#)

[Fermentation Generative Stage Insect](#)

[Knowledge Morbidity Preventative](#)

[Medicine Service Per Conception \(S/C\)](#)

[Service per Conception \(S / C\) and](#)

[Calving Rate \(CvR\) Soybean Waste](#)

[Vegetative Stage Wheat Zoo](#)

[helminthiasis, Areca catechu, Sauvageus](#)

[androgyinous, mineral block, nematodes](#)

NOTIFICATIONS

- [View](#)
- [Subscribe](#)

USER

Username

Password

Remember me



THE INTERNATIONAL JOURNAL OF TROPICAL VETERINARY AND BIOMEDICAL RESEARCH

E-ISSN : 2503 - 4715

[OPEN JOURNAL SYSTEMS](#)

[Journal Help](#)

INFORMATION

- For Readers
- For Authors
- For Librarians

Editorial Team

	7,974		101
	1,861		98
	370		95
	150		87
	136		74
	119		70

FLAG counter

Visitors	47,559
Online	1
Total Today	1

FONT SIZE

[HOME](#) [ABOUT](#) [LOGIN](#) [REGISTER](#) [CATEGORIES](#) [SEARCH](#) [CURRENT ARCHIVES](#) [ANNOUNCEMENTS](#) [AIM & SCOPE](#) [ONLINE SUBMISSION & AUTHOR GUIDELINES](#) [PUBLICATION ETHICS](#) [CONTACT US](#)

Home > Archives > **Vol 3, No 2 (2018)**

Vol 3, No 2 (2018)

Vol. 3 (2) November 2018

Table of Contents

Articles

[Infectious Diseases of Six Non-Domesticated Neo-Tropical Animals In Trinidad and Tobago](#)
Kavita Ranjeeta Lall, Kegan Romelle Jones, Gary Wayne Garcia
[10.21157/ijtvbr.v3i2.12322](#)

PDF
1-31

[Management Femoral Fracture in Cats using Intramedullary Pin and Wires Fixation](#)
Erwin Erwin, Deni Noviana, Dany Umbu, Tri Isyani Tungga Dewi
[10.21157/ijtvbr.v3i2.12333](#)

PDF
32-35

[Bat Coronavirus of Pteropus alecto from Gorontalo Province, Indonesia](#)
Wenty Dwi Febriani, Uus Saepuloh, Ellis Dwi Ayuningih, R. Suryo Saputra, Azhari Purbatrapsila, Meis Jacinta Nangoy, Tiltje Andretha Ransaleh, Indyah Wahyuni, Safriyanto Dako, Rachmitasari Noviana, Diah Iskandriati, Ligaya ITA Tumbelaka, Joko Pamungkas
[10.21157/ijtvbr.v3i2.12359](#)

PDF
36-42

[Study of Knowledge, Attitude and Action of Buffalo Breeders in the Villages Around Nagan Raya Power Plant on the Impact of Fly Ash Exposure](#)
Ira Susanti, Rinidar Rinidar, Sugito Sugito
[10.21157/ijtvbr.v3i2.12334](#)

PDF
43-48

[Concentration Of Cortisol Metabolites In Captive Sumatran Elephants At Elephant Conservation Facilities In Aceh](#)
Rosa Rika Wahyuni, Sri Wahyuni, Al Azhar, Gholib Gholib
[10.21157/ijtvbr.v3i2.13385](#)

PDF
49-56

[Effectivity of Entomopathogen of Fungi of Metarhizium brunneum Petch As Biotermitside for Termite Pest of Coptotermes curvignathus Holmgren on Nutmeg in Aceh Province](#)
Muhammad Sayuthi, Tequih Santoso, Iswadi Iswadi
[10.21157/ijtvbr.v3i2.12336](#)

PDF
57-63



9 772503 471007

Copyright© 2016 | ISSN: **2503-4715**

Published by:

The Faculty of Veterinary Medicine of Syiah Kuala University

In cooperation with:

Center for Tropical Veterinary Studies of Syiah Kuala University
and Indonesian Veterinary Medical Association (PDHI)



[Online Submissions & Guidelines](#) | [Editorial Policies](#) | [Contact](#) | [Statistics](#) | [Indexing](#) | [Citations](#)



IJTVBR is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).



Indexing by:



JOURNAL CONTENT

Search

Search Scope

All ▾

Search

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

BROWSE

- By Issue
- By Author
- By Title
- Other Journals
- Categories

PDF

1-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF

3-31

PDF

32-35

PDF

36-42

PDF

43-48

PDF

49-56

PDF

57-63

PDF



THE INTERNATIONAL JOURNAL OF TROPICAL VETERINARY AND BIOMEDICAL RESEARCH

E-ISSN : 2503 - 4715

OPEN JOURNAL SYSTEMS

Journal Help

INFORMATION

- For Readers
- For Authors
- For Librarians

Editorial Team

	7,974		101
	1,861		98
	370		95
	150		87
	136		74
	119		70

FLAG counter

Vis. Today: 5
Visits: 18,441
Page. Today: 14

FONT SIZE

HOME ABOUT LOGIN REGISTER CATEGORIES SEARCH CURRENT ARCHIVES ANNOUNCEMENTS AIM & SCOPE ONLINE SUBMISSION & AUTHOR GUIDELINES PUBLICATION ETHICS CONTACT US

Home > Vol 3, No 2 (2018) > Febriani

Bat Coronavirus of *Pteropus alecto* from Gorontalo Province, Indonesia

Wenty Dwi Febriani, Uus Saepuloh, Ellis Dwi Ayuningsih, R. Suryo Saputra, Azhari Purbatapsila, Meis Jacinta Nangoy, Tiltje Andretha Ransaleh, Indhy Wahyuni, Safriyanto Dako, Rachmitasari Noviana, Diah Iskandriati, Ligaya ITA Tumbelaka, Joko Pamungkas

Abstract

Bats have been known as natural reservoirs for potential emerging infectious viruses, such as Lyssaviruses, Coronaviruses, Ebola viruses, Nipah virus, and many others. Because of their abundance in population, wide distribution and mobility, bats have a greater risk as source for zoonotic transmission than other animals. Despite the facts of their role as reservoirs for many pathogens, not until an epidemic of Severe Acute Respiratory Coronavirus (SARS-CoV) in 2003 and Middle-East Respiratory Syndrome Coronavirus (MERS-CoV) in 2012, that people pay much attention about coronavirus in bats. SARS-like virus also found in bats with a higher prevalence rate. This study aims to detect the coronavirus of bats in Gorontalo province Indonesia, characterization at the molecular level of the coronavirus genome and determining the level of kinship (through trees filogenetic). This study was conducted as part of bigger PREDICT Indonesia project, in particular to examine coronavirus in bats from Gorontalo province, Indonesia. As many as 95 rectal swab samples collected from flying foxes (*Pteropus alecto*) were analyzed in the laboratory using Consensus Polymerase Chain Reaction (PCR) technique to amplify the target sequence from RNA-dependent RNA Polymerase (RdRp) gene with 434 basepair product, resulted 24 samples determined as presumptive positive. Eight out of 24 presumptive positive samples by PCR were analyzed further by nucleotide sequencing and confirmed coronavirus positive. Phylogenetic tree analyses to the eight coronavirus confirmed-sequences were constructed with MEGA-6.0 . The conclusion was 24 out of 95 samples suggested as presumptive positive to Bat CoV. Eight out of 24 samples were analyzed further by nucleotide sequencing and have similarities in the kinship. Three samples had the 98% nucleotide identity to BatCoV from Indonesia and five samples were 85-88% nucleotide identity to BatCoV from Thailand.

Full Text:

PDF

References

- R. Achmaliadi, I.G. Maha Adi, Y.M. Hardiono, H. Kartodihardjo, C.H. Malley, D.A. Mampioner, E.G.T. Manurung, A. Nababan, L.B. Pangkali, A. Ruwindrijarto, L.L.M. Situmorang, C.V. Barber, E. Matthews. "Keadaan Hutan Indonesia" Bogor, Indonesia: Forest Watch Indonesia and Washington D.C: Global Forest Watch. 2011.
- P.D. Anindita, M. Sasaki, A. Setiyono, E. Handharyani, Y. Orba, S. Kobayashi, I. Rahmadani, S. Taha, S. Adiani, M. Subangki et al. "Detection of coronavirus genomes in Moluccan naked-backed fruit bats in Indonesia". Arc Virol, doi: 10.1007/s00705-015-2342-1. 2015.
- Dr S.J Anthony, Dr T. Goldstein, Dr D. Rejmanek, M.D. Sanchez, Dr T. Seimon, Dr J. Fair, Dr B. Schneider, Dr J. Epstein, Dr I. Lipkin. "Laboratory Protocols for PREDICT Surveillance". PREDICT USAID Columbia University, version 2, pp.9. 2013.
- C.H. Calisher, J.E. Childs, H.E. Field, K.V. Holmes, T. Schountz. "Bats important reservoirs host of emerging viruses". Clin microbiol, vol 19, pp.531-545. 2006.
- CDC Centers for Disease Control Prevention. "Severe Acute Respiratory Syndrome". [Internet]. [diunduh 2015 Desember 23]. Available at: http://www.cdc.gov/coronavirus/mers/downloads/factsheet-mers_en.pdf. 2015.
- M.A. Goulih, S.J. Puechmaille, J.P. Gonzales, E. Teehng, P. Kittayapong, J.C. Manuguerra. "SARS-coronavirus ancestor's footprints in South-East Asian bat colonies and the refuge theory". Infect Evol, vol 11, pp.1690-1702. 2011.
- S. Heinrichs, K. Zahnke. The Fruit Bats of Sulawesi. BATS Magazine Media and Education, vol. 15, Des. 1997.
- C.R. Mahon, D.C. Lehman, J.R.G. Manuseis. "Textbook of Diagnostic Microbiology". Maryland Heights: US, Elsevier. 2014.
- L. Poon, Y. Guan, J. Nicholls, K. Yuen, J. Peiris. "The aetiology, origins, and diagnosis of severe acute respiratory syndrome". Lancet Infect, vol 4, pp. 663-671. 2004.
- K. Tamura, G. Stecher, D. Peterson, A. Filipski, and S. Kumar. "MEGA6: Molecular Evolutionary Genetics Analysis version 6.0. Mol. Biol. Evol.", vol 30, pp.2725-2729. Oct. 2013.
- S. Wacharapluesadee, P. Duengkao, A. Rodpan, T. Kaewpom, P. Maneem, B. Kanchanasaka, S. Yingsakmongkon, N. Sittidetboripat, C. Chareesaen, N. Khlangsap. "Diversity of coronavirus in bats from eastern Thailand". J Virol, doi: 10.1186/s12985-015-0289-1. 2015.
- S. Watanabe, J.S. Masangkanay, N. Nagata, S. Morikawa, T. Mizutani, S. Fukushi, P. Alviola, T. Omatsu, N. Ueda and K. Iha. "Bat coronavirus and experimental infection of bats, the Philippines". Emerg Infect, vol 16, pp.1217-1223. 2010.
- A.J. Whitten, G.S. Henderson, M. Mustafa. "Ekologi Sulawesi". Yogyakarta: Gadjah Mada University Press, 1987.
- X. Xu, Y. Liu, S. Weiss, E. Arnold, S.G. Sarafianos, J. Ding. "Molecular model of SARS coronavirus polymerase; implication for biochemical function and drug design". Nucleic acids Res, vol 31, pp.7117-7130. 2003.

DOI: <https://doi.org/10.21157/iitvbr.v3i2.12359>

Refbacks

- There are currently no refbacks.



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).

ABOUT THE AUTHORS

Wenty Dwi Febriani

Uus Saepuloh

Ellis Dwi Ayuningsih

R. Suryo Saputra

Azhari Purbatapsila

Meis Jacinta Nangoy

Tiltje Andretha Ransaleh

Indhy Wahyuni

Safriyanto Dako

Rachmitasari Noviana

Diah Iskandriati

Ligaya ITA Tumbelaka

Joko Pamungkas

Indexing by:

DOAJ

doi®
crossr

IPI Indonesian Publication Index
Google Scholar

JOURNAL CONTENT

Search

Search Scope

All

Search

Browse

- By Issue
- By Author
- By Title
- Other Journals
- Categories

KEY WORDS

Artificial Insemination

Aspergillus niger Characteristics
Columbiformes Composition Conception
Rate (CR) Diseases Diversity
Fermentation Generative Stage Insect
Knowledge Morbidity Preventative
Medicine Service Per Conception (S/C) and
Service per Conception (S/C) and
Calving Rate (CvR) Soybean Waste
Vegetative Stage Wheat Zoo
helminthiasis, Areca catechu, Sauropus
androgyneous, mineral block, nematodes

NOTIFICATIONS

- [View](#)
- [Subscribe](#)

USER

Username

Password

Remember me

Login

Link





9 772503 471007

Copyright© 2016 | ISSN: [2503-4715](#)

Published by:

The Faculty of Veterinary Medicine of Syiah Kuala University
In cooperation with:
Center for Tropical Veterinary Studies of Syiah Kuala University
and Indonesian Veterinary Medical Association (PDHI)

[Online Submissions & Guidelines](#) | [Editorial Policies](#) | [Contact](#) | [Statistics](#) | [Indexing](#) | [Citations](#)



IJTVBR is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).



Bat Coronavirus of *Pteropus alecto* from Gorontalo Province, Indonesia

Wenti Dwi Febriani¹, Uus Saepuloh², Ellis Dwi Ayuningsih², R. Suryo Saputro², Azhari Purbatapsila², Meis Jacinta Nangoy³, Tiltje Andretha Ransaleleh³, Indyah Wahyuni³, Safriyanto Dako⁴, Rachmitasari Noviana², Diah Iskandriati², Ligaya ITA Tumbelaka^{2,5}, Joko Pamungkas^{1,2}

¹*Division of Medical Microbiology, Department of Animal Diseases and Veterinary Public Health, Faculty of Veterinary Medicine, Bogor Agricultural University, Jl. Agatis, Dramaga, Bogor, 16680, Indonesia*

²*Primate Research Center, Bogor Agricultural University, Jl. Lodaya II/5, Bogor, 16151, Indonesia*

³*Faculty of Animal Science, Sam Ratulangi University, Jalan Kampus Unsrat-Bahu, Manado 95115, North Sulawesi, Indonesia*

⁴*Department of Animal Science at Faculty of Agriculture, Gorontalo State University, Jalan Jenderal Sudirman 6, Gorontalo 95125, Gorontalo, Indonesia*

⁵*Department of Veterinary Clinic Reproduction and Pathology, Faculty of Veterinary Medicine, Jl. Agatis, Dramaga, Bogor, 16680, Indonesia*

Email for correspondence: jpi-pssp@indo.net.id

Abstract

Bats have been known as natural reservoirs for potential emerging infectious viruses, such as Lyssaviruses, Coronaviruses, Ebola viruses, Nipah virus, and many others. Because of their abundance in population, wide distribution and mobility, bats have a greater risk as source for zoonotic transmission than other animals. Despite the facts of their role as reservoirs for many pathogens, not until an epidemic of Severe Acute Respiratory Coronavirus (SARS-CoV) in 2003 and Middle-East Respiratory Syndrome Coronavirus (MERS-CoV) in 2012, that people pay much attention about coronavirus in bats. SARS-like virus also found in bats with a higher prevalence rate. This study aims to detect the coronavirus of bats in Gorontalo province Indonesia, characterization at the molecular level of the coronavirus genome and determining the level of kinship (through trees filogenetic). This study was conducted as part of bigger PREDICT Indonesia project, in particular to examine coronavirus in bats from Gorontalo province, Indonesia. As many as 95 rectal swab samples collected from flying foxes (*Pteropus alecto*) were analyzed in the laboratory using Consensus Polymerase Chain Reaction (PCR) technique to amplify the target sequence from RNA-dependent RNA Polymerase (RdRp) gene with 434 basepair product, resulted 24 samples determined as presumptive positive. Eight out of 24 presumptive positive samples by PCR were analyzed further by nucleotide sequencing and confirmed coronavirus positive. Phylogenetic tree analyses to the eight coronavirus confirmed-sequences were constructed with MEGA-6.0 . The conclusion was 24 out of 95 samples suggested as presumptive positive to Bat CoV. Eight out of 24 samples were analyzed further by nucleotide sequencing and have similarities in the kinship. Three samples had the 98% nucleotide identity to BatCoV from Indonesia and five samples were 85-88% nucleotide identity to BatCoV from Thailand.

Keywords: Consensus PCR, Coronavirus, Indonesia, *Pteropus alecto*

Background

Indonesia has a megabiodiversity, both flora and fauna, and it has about 162 million hectares of forest area with a variety of ecosystems, including the habitat of bats. Sulawesi Island, which most of their area has included in the Wallace line ecological zone, become the second largest home to

flora or fauna next to Brazil in terms of biodiversity (Achmaliadi *et al.*, 2011). About 62 species of bats in the world are found in Sulawesi (Heinrichs *et al.*, 1997). Bats are known as potential reservoir for emerging pathogens. Because of their abundance, distribution, and mobility, bats give high risk for transmission to other

animals (Calisher *et al.*, 2006). Human interaction with wildlife is mediated by multiple triggers (drivers): forest clearing, mining industry, eco-tourism, transportation, wildlife hunting and illegal trading, as well as consumption of wildlife meat. Sulawesi an community (Minahasa) known as consumer of domestic animals or wildlife. Bats are one of the most favorite meat, even it becomes popular extreme culinary (Whitten *et al.*, 1987)

Previously, the infection of coronavirus (CoV) in human received less attention until a new type of coronavirus causing epidemics in humans was reported; This Severe Acute Respiratory Syndrome Coronavirus was discovered in 2003 and the Middle-East Respiratory Syndrome Coronavirus (Mers-CoV) in 2012 which infected more than 8000 people in the world and caused 774 deaths (Poon *et al.*, 2004). Common symptoms of SARS include a high fever over 38°C of body temperature, followed by symptoms of pneumonia (CDC, 2015; Mahon *et al.*, 2014). In Southeast Asia, it was documented that bats are known to carry coronavirus in several countries, including the Philippines (Watanabe *et al.*, 2010) and Thailand (Gouilh *et al.*, 2011).

Surveillance of virus in bats indicates the type of virus which is classified as pathogens that causing emerging infectious diseases and potentially zoonotic. The interaction between bats and humans (human-animal interface) especially in North Sulawesi region could increase the risk of transmission of pathogen against zoonotic diseases. Only a few studies focused on coronavirus of bats were conducted in Indonesia. Therefore, it is necessary to conduct research on identification and characterization of CoV in bats from their natural habitats in Indonesia, for example Gorontalo Province.

Materials and Methods

This project was conducted under research grant from PREDICT Indonesia in the EPT-1 Program.

Sample collection

We obtained 95 bats of one species: black flying fox (*Pteropus alecto*) during 2013 field sampling from Olibuu mangroves, Gorontalo province, after receiving permission from the government. All bats captured from mangrove forests Olibuu using relevant equipment, conditioned on a certain place and then taxonomically classified on the basis of morphology. The specimens were sampled from urine or uro-genital swab, blood, fecal or rectal swab, throat swab, and skin biopsy when necessary for the host genetic identification. All specimens in lysis buffer or VTM (Viral Transport Medium) were collected in accordance with the Guidelines for the Institutional Animal Care and USE Committee at the PRC-IPB with protocol number approval PRC-16-D001 and stored in a cold chain in order to keep the low temperature. Recommendations to carry out the study was issued by Indonesian Institute of Science (LIPI) approval number: 1689/IPH.1/HK.04.04/VII/2013. Approval for shipping of specimens from Olibuu mangrove forests to Bogor was issued by the Directorate General of Conservation of Natural Resources and Ecosystem, Ministry of Forestry, number 02/SATS/BKSDA-28/2013

RNA Extraction and cDNA synthesis

Viral RNA was extracted from rectal swab specimens using QIAamp viral RNA minikit (QIAGEN, Hilden, Germany) according to the manufacturer's instructions. These RNA then used as the template for reverse transcription using Superscript™ III First-Strand cDNA Synthesis System for RT-PCR (Life Technologies, CA, USA). Briefly, 10 µL of extracted RNA containing 1 µL of 10 mM dNTPs, 1 µL of 50 pmol/µL random hexamer was incubated at 65°C for 5 minutes. The mixture then added to 10 µL of a reverse transcriptase enzyme mix containing 10x RT buffer, 25mM MgCl₂, mM MgSO₄, 0.1 M DTT, RNAs out, and 1 µL (200U) of reverse transcriptase enzyme. Samples were subjected to an initial cycle of 50°C for 50 min and 85°C for 5 min. One

microliter of RNaseH 2U/ μ L was added and incubated at 37°C for 20 min

PCR and DNA sequencing

All cDNA samples obtained from Olibuu mangroves were tested using conventional nested PCR. We used two sets of consensus primers amplifying highly conserved region of the RNA-dependent RNA polymerase (RdRp) gene, modified of Watanabe *et al.*, 2010. As much as 2.5 μ L of cDNA was added to a 22.5 μ L reaction mixture of 2x KAPA Taq Hotstart ready mix (containing 1U KAPA Taq DNA polymerase, KAPA Taq buffer, 0.2 mM dNTPs, 1.5mM MgCl₂) (KAPA Biosystem, Boston, USA), 1 μ L of each primer (10 pmol/ μ L) and nuclease free water. The primer for first round PCR were CoV-Forward-1: GGTTGGGAYTAYCCHAA-RTGTGA and CoV-Reverse-1: CCATCA-TCASWYRAATCATCATA; and for the second round were CoV-forward-2 as forward primer: GAYTAYCCHAARTGT-GAUMGWGC and the same CoV-Reverse-1 primer as used in first round. PCR amplification was undertaken in Thermal Cycler (Veriti Applied Biosystem) at 94 °C for 2 minutes, 35 cycles at 94°C for 20 seconds, 50°C for 30 seconds and 72°C for 30 seconds and a final extension of 72°C for 5 minutes. This protocols are the same for second round PCR. The amplified PCR product then analyzed by 1.8% agarose gel electrophoresis in tris-acetic EDTA (TAE buffer) and visualized in GelDoc machine (BioRad) using Quantity One program

Sequences and Data Analysis

The presumptive PCR positive samples were results then nucleotide sequenced in commercial sequencing provider. The results then analyzed by BioEdit program and further analyzed by alignment method using the Basic Local Alignment Search Tool (BLAST) program from NCBI. Sequences were aligned with previously published CoV sequences from GenBank by using ClustalW program. The GenBank accession numbers of all sequences used are noted in the taxon names

in Figures 2. The partial RdRp gene sequences were trimmed to equal length about 390 bp. Phylogenetic trees were constructed to see the kinship of the virus using the Molecular Evolutionary Genetics Analysis 6.0 (MEGA 6.0) with neighbor-joining (NJ) method. Bootstrapping was performed to asses the robustness of tree topologies by using 1000 replicate (Tamura *et al.*, 2013).

Results and Discussion

As many as 95 *Pteropus alecto* bats rectal swab samples were collected from Olibuu Mangrove Gorontalo Province Indonesia. Reverse transcribed-consensus nested PCR of 434 bp partial RdRp gene (Figure 1) were performed in this research and resulted 24 out of 95 samples (23.3%) as presumptive positive to CoV. Eight out of 24 presumptive positive samples by PCR were analyzed further by nucleotide sequencing and confirmed CoV positive.




Figure 1. Visualization of nested PCR results of 8 rectal swab bats samples from Olibuu mangroves using CoV F4/Bat primers and CoV RVS3. M: 100 bp DNA ladder (Vivantis), lane 3-10: 434 bp of nested PCR positive results

Based on BLAST analysis results showed that the samples of INDSWBT101, INDSWBT102, and INDSWBT103 were 98% of nucleotide identity to BatCoV IFB2012-8F (AB918719) isolated from Indonesia *Dobsonia moluccensis* (Anindita, 2015). Meanwhile, samples of INDSWBT180, INDSWBT195, INDSWBT192, INDSWBT110, INDSWBT198 were 85-88% nucleotide identity to BatCoV/b5576-2/S.hea/CB/Tha/6/2012 (KJ020607) isolated

from Thailand's *Scotophilus heathii* [12] showed in Table 1.

Table 1: Nucleotide identity of bat CoV from Olibuu *Pteropus alecto* rectal swab samples based on BLAST analysis

No	ID	Origin	% Virus Identity
		Number	
1	INDSWBT 110	Olibuu Mangrove	85% Bat Coronavirus Thailand BtCoV/B55762/S.hea/CB/Tha/6/2012
2	INDSWBT 192	Olibuu Mangrove	85% Bat Coronavirus Thailand BtCoV/B55762/S.hea/CB/Tha/6/2012
3	INDSWBT 198	Olibuu Mangrove	85% Bat Coronavirus Thailand BtCoV/B55762/S.hea/CB/Tha/6/2012
4	INDSWBT 180	Olibuu Mangrove	88% Bat Coronavirus Thailand BtCoV/B55762/S.hea/CB/Tha/6/2012
5	INDSWBT 195	Olibuu Mangrove	88% Bat Coronavirus Thailand BtCoV/B55762/S.hea/CB/Tha/6/2012
6	INDSWBT 101	Olibuu Mangrove	98% Bat Coronavirus Indonesia IFB 2012-8F <i>Dobsonia moluccensis</i>
7	INDSWBT 102	Olibuu Mangrove	98% Bat Coronavirus Indonesia IFB 2012-8F <i>Dobsonia moluccensis</i>
8	INDSWBT 103	Olibuu Mangrove	98% Bat Coronavirus Indonesia IFB 2012-8F <i>Dobsonia moluccensis</i>

Based on Table 1 shows that Coronavirus (CoV) found in samples of bat originating from Olibuu Gorontalo province has similarities in nucleotide sequences with virus samples that have been found in Indonesia before by Anindita, 2015. She mentioned the coronavirus found in *Dobsonia moluccensis* bat species obtained from 3 regions in Indonesia, Paguyaman, Gorontalo, Surabaya and Jogjakarta. whereas the similarity of the sequences of the next nucleotides is 85-88% found in Thailand in the bat species *Scotophilus heathii* (Wacharapluesadee, 2015). Three samples had the 98% nucleotide identity to BatCoV from Indonesia and five samples were 85-88% nucleotide identity to BatCoV from Thailand

Phylogenetic analysis of nucleotide sequences of 390 bp of RdRp gene showed that 8 samples were clustered as Betacoronavirus genus and branched to two clustered groups. The first group consist of three specimens (INDSWBT101, IND-WBT 102, and INDSWBT103) were 99% nucleotide identity with each other were closely related and clustered to BatCoV IFB2012-8F from Indonesia (AB918719) and clustered with bat coronavirus BtKY78 from Kenya (GU065422), Bat CoV from Lebanon (KT368821), Bat CoV isolate

Rousettus/Egypt/NRC-HKU-308 from Egypt (KT346242.1), Bat CoV 2265/Philippines/2010 from Philippines (AB683970), Rousettus Bat Alphacoronavirus strain ML_32I (KP895524), and Bat CoV (KU182986) from China. The second group consist of five specimens (INDSWBT180, INDSWBT195, INDSWBT192, INDSWBT110, and INDSWBT198) were 84% nucleotide identity among each other, therefore suggested these isolates were novel although were closely related to Bat CoV from Thailand (KJ020607) at the 85-88% identities.




Figure 2: Phylogenetic tree of bat coronavirus based on RdRP partial gene constructed using Neighbor Joining method with 1000 times bootstrap. Values on each branch of the tree indicate the bootstrap values.

In this study, we found that 23.3% presumptive positive to bat coronavirus were detected from *Pteropus alecto* rectal swab specimens. Meanwhile, only 8

presumptive positive out of 97 samples (8.3%) were detected from throat swab specimens of those samples (unpublished data). This finding suggests that bat CoV circulation is found more around the digestive tract. This means to detect the genetic material of bats CoV is more likely found in rectal swab than throat swab, although most of CoV are transmitted by both and by aerosols of respiratory secretions. These data are consistent with the result of bat CoV detection from fecal sample or rectal swab or intestine tissue that previously reported. (Watanabe *et al.*, 2010; Anindita *et al.*, 2015; Wacharapluesadee *et al.*, 2015). The species of bats captured from Olibuu Mangrove was identified as *Pteropus alecto* (black flying fox), meanwhile the CoV genetic material were detected closely related to the bat CoV found in Indonesian *Dobsonia moluccensis* (Moluccan naked-backed fruit bat) and Thailand's *Scotophilus heathii* (greater Asiatic yellow bat) (Anindita *et al.*, 2015; Wacharapluesadee *et al.*, 2015). Therefore, bat CoV with similar genetic material were found in different bats species and not solely correlated with one host species. This data also supported the previous study about the diversity of CoV detected in different bats species (Wacharapluesadee *et al.*, 2015).

The RdRp gene is the one most commonly used for PCR amplification in CoV surveillance, since it contains the most region that are conserved in all CoV (Xu *et al.*, 2003). The primers designed in this research were nested consensus primer that amplified the RdRp partial genes resulted about 434 bp PCR product modified of Watanabe et al 2010 (Anthony *et al.*, 2013). The gene target position was a different region slightly more upstream. On the Human CoV genome (Strain 229E) it targets roughly nucleotides at the position 14,370-14,750 of CoV whole genome. The primers developed by modified some degenerate sequences to increase the ability of the assay to detect widely variant CoV in family level. A hemi-nested PCR step has also been conducted to increase the sensitivity. This step can be performed using a forward

primer that is optimized for bat CoV, or other coronaviruses, depending on the sample being investigated (Anthony *et al.*, 2013)

The BLAST and the phylogenetic tree result to the 8 bats CoV positive samples indicated there were two group bats CoV detected from Olibuu *Pteropus alecto*. Three samples (INDSWBT101, INDSWBT 102, and INDSWBT103) clustered with the known bat CoV that previously reported from Paguyaman, Indonesia with 98% nucleotide identity. Olibuu and Paguyaman are the same province region of Gorontalo Indonesia. Five specimens (INDSWBT180, INDSWBT195, INDSWBT192, INDSWBT110, and INDSWBT198) possibly assumed as new bats CoV due to low similarity (85%) to others bat CoV in Genbank, although still clustered with bat CoV from Thailand. Further characterization to the whole RdRp gene or the other gene region of these bat CoV is needed to prove this assumption. In general, CoV in bats that taken from Olibuu mangroves, Gorontalo province were genetically still has a kinship with the others CoV found in some areas of the world (Kenya, China, Thailand, Philippine, Middle East, and Madagascar).

This study shows that fruit bats from Indonesia is a reservoir for viruses that have potentially zoonotic, because the fruit bats are also consumed in some areas in Indonesia. Although CoV does not cause illness in bats and the kinship of the findings of phylogenetic in this study were far distance with SARS and MERS-CoV, but this studies finding need more attention about the impact of the CoV to human health and could serve as an early warning. The information could serve as additional data to support global monitoring system for the emergence of bats CoV which potentially become dangerous pathogens to human health, thus further and assist the authorities to develop relevant policies. The threat of emerging pandemic diseases is facilitated by the interaction of wildlife and humans at human-animal interfaces. In Indonesia, as in other countries, increasing contact between wildlife and humans leads

to greater risk of human exposure to pathogens, both well-known and new. Habitat disturbance, such as forest clearing for agriculture or development purposes; transportation; handling of wildlife; and wildlife consumption, among other human-mediated practices, promotes direct opportunities for pathogens to move from wildlife to people. Development of early warning systems, including expanded surveillance and diagnostic capacity for potential disease threats to human beings, is urgently needed by government agencies, research, and academic institutions in order to better serve and protect the public

Conclusion

Twenty four out of 95 samples suggested as presumptive positive to Bat CoV. Eight out of 24 samples were analyzed further by nucleotide sequencing and confirmed as Bat CoV. Three samples had the 98% nucleotide identity to BatCoV from Indonesia and five samples were 85-88% nucleotide identity to BatCoV from Thailand.

Acknowledgement

This work was supported by PREDICT Indonesia under the EPT-1 Program. This research also partially supported by Directorate General of Higher Education, Ministry of Research, Technology and Higher Education, Republic of Indonesia, through the Strategic Research Scheme 079/SP2H/LT/DRPM/II/2016 given to Joko Pamungkas

References

- R. Achmaliadi, I.G. Maha Adi, Y.M. Hardiono, H. Kartodihardjo, C.H. Malley, D.A. Mampioner, E.G.T. Manurung, A. Nababan, L.B. Pangkali, A. Ruwindrijarto, L.L.M. Situmorang, C.V. Barber, E. Matthews. "Keadaan Hutan Indonesia" Bogor, Indonesia: Forest Watch Indonesia and Washington D.C: Global Forest Watch. 2011.
- P.D. Anindita, M. Sasaki, A. Setiyono, E. Handharyani, Y. Orba, S. Kobayashi, I. Rahmadani, S. Taha, S. Adiani, M. Subangkit et al. "Detection of coronavirus genomes in Moluccan naked-Backed fruit bats in Indonesia". *Arc Virol*, doi: 10.1007/s00705-015-2342-1. 2015.
- Dr S.J Anthony, Dr T. Goldstein, Dr D. Rejmanek, M.D. Sanchez, Dr T. Seimon, Dr J. Fair, Dr B. Schneider, Dr J. Epstein, Dr I. Lipkin. "Laboratory Protocols for PREDICT Surveillance". PREDICT USAID Columbia University, version 2, pp.9. 2013.
- C.H. Calisher, J.E. Childs, H.E. Field, K.V. Holmes, T. Schountz. "Bats important reservoirs host of emerging viruses". *Clin microbiol*, vol 19, pp.531-545. 2006.
- CDC Centers for Disease Control Prevention. "Severe Acute Respiratory Syndrome". [Internet]. [diunduh 2015 Desember 23]. Available at: http://www.cdc.gov/coronavirus/mers/downloads/factsheet-mers_en.pdf. 2015.
- M.A. Gouilh, S.J. Puechmaille, J.P. Gonzales, E. Teehng, P. Kittayapong, J.C. Manuguerra. "SARS-coronavirus ancestor's footprints in South-East Asian bat colonies and the refuge theory". *Infect Evol*, vol 11, pp.1690-1702. 2011.
- S. Heinrichs, K. Zahnke. *The Fruit Bats of Sulawesi. BATS Magazine Media and Education*, vol. 15, Des. 1997.
- C.R. Mahon, D.C. Lehman, J.R.G. Manuselis. "Textbook of Diagnostic Microbiology". Maryland Heights: US, Elsevier. 2014.
- L. Poon, Y. Guan, J. Nicholls, K. Yuen, J. Peiris. "The aetiology, origins, and diagnosis of severe acute respiratory syndrome". *Lancet Infect*, vol 4, pp. 663-671. 2004.
- K. Tamura, G. Stecher, D. Peterson, A. Filipski, and S. Kumar. "MEGA6: Molecular Evolutionary Genetics Analysis version 6.0. *Mol. Biol. Evol*", vol 30, pp.2725-2729. Oct. 2013.
- S. Wacharaplaesadee, P. Duengkae, A. Rodpan, T. Kaewpom, P. Maneem, B. Kanchanasaka, S. Yingsakmongkon, N. Sittidetboripat, C. Chareesaen, N. Khlangsap. "Diversity of coronavirus in

- bats from eastern Thailand”. *J Virol*, doi: 10.1186/s12985-015-0289-1. 2015.
- S. Watanabe, J.S. Masangkay, N. Nagata, S. Morikawa, T. Mizutani, S. Fukushi, P. Alviola, T. Omatsu, N. Ueda and K. Iha. “Bat coronavirus and experimental infection of bats, the Philippines”. *Emerg Infect*, vol 16, pp.1217-1223. 2010.
- A.J. Whitten, G.S. Henderson, M. Mustafa. “*Ekologi Sulawesi*”. Yogyakarta: Gadjah Mada University Press, 1987.
- X. Xu, Y. Liu, S. Weiss, E. Arnold, S.G. Sarafianos, J. Ding. “Molecular model of SARS coronavirus polymerase; implication for biochemical function and drug design”. *Nucleic acids Res*, vol 31, pp.7117-7130. 2003.