

# CERTIFICATE OF PLAGIARISM CHECK

# To Whom It May Concern:

This is to certify that the following document has been checked by our premium plagiarism checker software. The result detail is as follows:

Manuscript title	Microbiological Quality Of Flavoring Products Based Different Raw Fish And Carbohiyrate Concentration
Author(s)	Faiza A. Dali Rita Marsuci Harmain
Document's Plagiarism percentage	1%
Minimum percentage	20%
Remark(s)	

Gorontalo, 09 April 2018

Novriyanto Napu, PhD

Director



#### **TRANSBAHASA**

SK Menteri Hukum dan HAM RI Nomor. AHU-0009641.AH.01.07.2017

JL. Ir.H. Joesoef Dalie No. 78 Kota Gorontalo

Email. transbahasa.go@gmail.com / Phone. +62 853 9862 5876

www.transbahasa.co.id

# abstract book FAIZA A. DALI





KOREA - ASEAN BIOMASS SYMPOSIUM

Biodiversity and biotechnology for human welfare

October 15th, 2016 ITS Campus - Surabaya, Indonesia

hosted by



Institut Teknologi Sepuluh Nopember



**Biology Department of ITS** 

### supported by



Korea University



Institut Teknologi Sepuluh Nopember



Chulalongkorn University



Naresuan University



Mulawarman University



**National University** of Singapore



National Research Foundation of Korea



Sapienza University of Rome




Brawijaya University



University




Putra Malaysia KH. A. Wahab Hasbullah University



**Brain Korea** 21 Plus







PT. EnviLab Indonesia



AIP **Conference Proceedings** 



# **Abs**tracts Book of the 3<sup>nd</sup> International Biology Conference (IBOC) 2016 & 10<sup>th</sup> Korea-ASEAN Biomass Symposium

© Department of Biology, Faculty of Mathematic and Natural Sciences, Institut Teknologi Sepuluh Nopember – Surabaya, Indonesia

Scientific editorial board

Prof. Seung Wok Kim Prof. Gianfranco Risuleo Prof. Dae Ryok Yang Prof. Min-Kyu Oh Prof. Sung Ok Han

Assoc. Prof. Dr. Hunsa Punnapayak Assist. Prof. Dr. Pongtharin Lotrakul

Dr. Duangporn Premjet

Dr.rer.nat Maya Shovitri, M.Si

Dr.techn Endry Nugroho Prasetyo, MT

Dr. Enny Zulaika, MP

Indah Trisnawati D.T, Ph.D

Dr. Nurul Jadid, M.Sc Dr. Dewi Hidayati, M.Si Dr. Rudianto Amirta Dr. Anton Muhibudin

Text and layout editor

Triono Bagus Saputro, M.Biotech Farid Kamal Muzaki, M.Si

All rights reserved. No part of this manuscript may be reproduced, stored in a retrieval system, or transmitted by any other means without the prior permission of the copyright holder. Please direct all enquiries to the publishers.

Department of Biology
Faculty of Mathematic and Natural Sciences
Institut Teknologi Sepuluh Nopember

Kampus ITS Sukolilo

Jl. A.R. Hakim, Keputih, Sukolilo, Surabaya 60111 – Indonesia
www.bio.its.ac.id





#### **PREFACE**

We would like to thank God for the blessing since the joint 3<sup>rd</sup> International Biology Conference (IBOC) and 10<sup>th</sup> Korea-ASEAN Biomass Symposium could be held in 15<sup>th</sup> October 2016 by The Biology Department of Institut Teknologi Sepuluh Nopember (ITS). This conference is purposed to build a promising international networking between our department and international institutions which have a similar biological interest for saving the environment and enhancing human welfare, as the theme of conference is 'Biodiversity and Biotechnology for Human Welfare'.

Through the conference we would like to achieve many personal contacts, ideas, biological-environmental problem solve sharing and fruitful discussions in order to save the earth together. Therefore we are really grateful and thankful that the participants who are interested to joint with are from Italy, Korea, Thailand, Japan, Singapore, Philippine, Malaysia and Indonesia.

We would like also to thank to the Mathematics and Natural Sciences Faculty and the ITS for supporting the conference. The big remarkable applause is also going to our seminar committee who are giving their excellent hands for keeping the conference running on schedule.


Last but not least, we have a big hope that a real excellent networking in the future may arise from this event.

Thank you and best regards

Surabaya, October 10<sup>th</sup> 2016 Head of Biology Department Institut Teknologi Sepuluh Nopember

Dr. Dewi HIDAYATI, M.Si






#### **CONTENTS**


Preface	li
Content	iii
Seminar Program	xiv
ABSTRACTS OF KEYNOTE SPEAKER	
Production of bioenergy and chemicals from sustainable biomass resources	1
in bioprocess engineering laboratory – Dong Sup KIM, Ju Hun LEE, Soo	
Kweon LEE, Ji Hyun YANG and Seung Wook KIM	
Biological impact of nano-materials - Gianfranco RISULEO	3
Enzyme meets industry: hydrolase and oxidoreductase applications - Endry	5
Nugroho PRASETYO	
ADCTD ACTC OF INDUTED COFALIEDS	
ABSTRACTS OF INVITED SPEAKERS	7
Design of nanoscale enzyme complexes based on cellulosome system as functional biological tools for C1/3/5/6 biorefinery – Jeong Eun HYEON	/
and Sung Ok HAN (GROUP 1)	
and sung on mare (directing)	
Novel products from the tropical phylloplane black yeast Aureobasidium spp.	9
Isolated in Thailand - Pongtharin LOTRAKUL, Wichanee BANKEEREE,	
Sehanat PRASONGSUK and Hunsa PUNAPAYAK (GROUP 2)	
Growth assessment and physico-chemical properties of Macaranga:	10
searching for energy feedstock from tropical forest of East Kalimantan,	
Indonesia – Rudianto AMIRTA, Dwi SUSANTO, YULIANSYAH and Wiwin	
SUWINARTI (GROUP 4)	
Sponge fauna di Southeast Asia – Lim Swee CHENG (GROUP 3)	11
Sponge idding at South Case / Site of Site (Site of Si	
ABSTRACTS OF ORAL PRESENTATION	
GROUP 1. BIOMASS AND BIOENERGY	
Mixing of Akasia bark and palm shells to increase caloric value	13
of palm shell white charcoal briquette - Edy Wibowo KURNIAWAN, Enos	
Tangke ARUNG, Edy BUDIARSO and Rudianto AMIRTA	
	2 2
Tropical plant biomass resources for the potential benefits in sustainable	14
biotechnology – Hunsa PUNNAPAYAK, Sehanat PRASONGSUK, Pongtharin LOTRAKUL and Wichanee BANKEEREE	
TO LIVAKOF BUD MICHBUCE DAIMNEENTE	






Utilization of bark, plastic and oil for high quality briquette – Wiwin SUWINARTI, SYAFRIZAL, YULIANSYAH and Rudianto AMIRTA	15
Chitosan-kaolinite beads for removal of chromium (VI) ions from aqueous solutions - Roongkan NUISIN, P. SINNARONG and SIRALERTMUKUL	16
Potential use of cornstalk in molded pulp – Weerayuth JAROENPANYAPRAT, Nattaya PONGSTABODEE and Kuntinee SUVARNAKICH	17
Various chemical pulping of elephant grass under alkaline condition – Wichitpol SIMMAKOT and Somporn CHAIARREKIJ	18
Effect of sulfite pretreatment on enzymatic saccharification of palm-oil mill fibers - Wichanee BANKEEREE, Pongtharin LOTRAKUL, Sehanat PRASONGSUK, Rico RAMADHAN, Rudianto AMIRTA and Hunsa PUNNAPAYAK	19
Some characteristic of water yam starch for production of vermicelli prototype products - Orose RUGCHATI, Sarawut WATTANAWONGPITAK and Kanita THANACHAROENCHANAPHAS	20
Thermophilic fungi in compost and the enzymatic characterisation for biomass utilization – Juangjun JUMPATHONG and Kei KAMINO	21
The effect of physiologycal stress of nutrient phosphate and pH on the total lipid content and growth on microalgae Nannochloropsis sp. — Dini ERMAVITALINI, Wahyuning ATIS, Triono Bagus SAPUTRO and Sri NURHATIKA	22
Engineering glycolytic flux for N-acetylglucosamine production in Saccharomyces cerevisiae – Sang-Woo LEE and Min-Kyu OH	23
The production and activity test of cellulases towards bagasse substrate on Aspergillus niger isolated from clove field, Kare, Madiun – Ani SULISTYARSI, M Waskito ARDHI and PUJIATI	24
Lipase production in lipolytic yeast from Wonorejo mangrove area — Nur Hidayatul ALAMI, Liziyatin NASIHAH, Rurin Luswidya Artaty UMAR and Maya SHOVITRI	25
Production and purification of lipase with intestinal beef cattle fat as a substrate using submerged fermentation – Kholilah Nur HIDAYAH, Riska IRAWAN, Rahma Arita DEVI, Tri Wijayanti Irma SURYANI, Maharani Pertiwi KOENTJORO, Awik Puji Dyah NURHAYATI and Endry Nugroho PRASETYO	26






B-glucan production from Aureobasidium pullulans NRRL 58543 and its prebiotic property – Sehanat PRASONGSUK, Puncharat PILONG, Krisana SIRALEARTMUKUL, Pongtharin LOTRAKUL and Hunsa PUNNAPAYAK	27
Continuous production of soybean biodiesel with compressed ethanol in a microtube reactor – Prasert REUBROYCHAROEN, Nanthana SOOTCHIEWCHARN and Lalita ATTANATHO	28
Biobriquettes potential from Cassave leather, plastic Low Density Polyethylene and sludge from industrial waste water treatment plant — Nita CITRASARI, Bagus Setyawan ANANTO, Trisnadi Widyaleksono Cahyo PUTRANTO and Ganang Fahmi IMAN	29
Potency of Bioarang briquette with materials from leather Cassava tubers and slugge of wastewater treatment plant – Nita CITRASARI, Tety Ariani PINATIH, Eko Prasetyo KUNCORO and Bambang IRAWAN	30
Briquettes of rice husk, Polyethylene Terephtalate (PET) and dried leaves as implementation of wastes recycling – Sucipto HARIYANTO, Nita CITRASARI, Mohammad Nurdianfajar USMAN and Ganang Fahmi IMAN	31
Antioxidant activities of different solvent extracts of <i>Piper retrofractum</i> Vahl. using DPPH assay - Nurul JADID, Dewi HIDAYATI, Sylviana Rosyda HARTANTI, Byan Arasyi ARRANIRY, Rizka Yuanita RACHMAN and Wiwi WIKANTA	32
GROUP 2. ENVIRONMENTAL SCIENCE AND ECOLOGY  Effects of butachlor on cellulase activity of cellulolytic bacteria isolated from Thai paddy soils – Supawin WATCHARAMUL	-33
The people's knowledge, values and behaviors in conserving water and the watershed ecosystem to support sustainable energy conservation in Batu city, East Java – Indonesia – SUKARSONO	34
Adsorption of cadmium from aqueous solution using algae waste based adsorbent - Eko Prasetyo KUNCORO, Thin SOEDARTI, Trisnadi Widyaleksono Catur PUTRANTO, Syadzadhiya Qothrunada Zakiyayasin NISA, Umi Laelatul BADRIYAH and Nurul Alvia ISTIQOMAH	35
The potential use of porous channel in reducing puddle and flood in southern rayon of Sidoarjo (Sub DAS Sidokare and Sub DAS Sekardangan) — Nawang WULAN	36





Growth and physiological responses of some Capsicum frutescens varieties to copper stress – Nurul JADID, Rizka MAZIYAH, Desy Dwi NURCAHYANI and Nilna Rizqiyah MUBAROKAH	37
Immobilization of Aspergillus niger and Mortierella lipase in zeolite and alginate for liquid waste degradation - Nengah Dwianita KUSWYTASARI, Tri Dika SYAIDHARNI, Maya SHOVITRI, Enny ZULAIKA and Nur Hidayatul ALAMI	38
Soil burial method for plastic degradation performed by <i>Psudomonas</i> PL-01, <i>Bacillus</i> PL-01 and indigenous bacteria - <b>Maya SHOVITRI</b> , Risyatun NAFI'AH, Titi Rindi ANTIKA, Nengah Dwianita KUSWYTASARI, Nur Hidayatul ALAMI and Enny ZULAIKA	39
The effectiveness of habitat modification schemes for enhancing beneficial insects: assessing the importance of trap cropping management approach – Indah TRISNAWATI and Abdul AZIS	41
Potency of <i>Nicotiana tabacum</i> as anti-microfouling – <b>AUNUROHIM</b> , Ahmada Dian NURILMA and Nengah Dwianita KUSWYTASARI	43
Effect of Monosodium Glutamate on biofilm formation and plastic degradation by <i>Bacillus</i> PL01 and <i>Pseudomonas</i> PL01 - <b>Maya SHOVITRI</b> , Lailatul MUFROH, Rizka RAHMAWATI, Nengah Dwianita KUSWYTASARI, Nur Hidayatul ALAMI and Enny ZULAIKA	44
Revegetation increase bird diversity in coastal area of Socorejo, Tuban, East Java – Indonesia - <b>Yeni Indah LESTARI</b> , Alkautsar ALIVVY, Acib Setia IBADAH, Fadina Yuliana SARI, Finda NURAINI, Agus SATRIYONO, Citra Fitrie RIANY and Farid Kamal MUZAKI	45
Pattern of nucleotides subtitution of CpTI genes in some plants as material teaching in molecular genetics for student - Poppy Rahmatika PRIMANDIRI, Mohamad AMIN, Siti ZUBAIDAH, MAFTUCHAH and AM SANTOSO	46
Grey water treatment using plant of <i>Scirpus grossus</i> in biofiltration system - Harmin Sulistiyaning TITAH, Bieby Voijant TANGAHU, Arseto Yekti BAGASTYO, Alfan PURNOMO, Februriyana PIRADE, Bara Awanda MARHENDRA, Parama MAHARDDHIKA	47
Effects of the combination between bio-surfactant product types and washing times on the removal of crude oil in nonwoven fabric - Agus TRIAWAN, Agus SUPRIYANTO and NI'MATUZAHROH	48





SIMPANSE (System Information Tree Area of Solo) as an effort of handling a problem of open green space in Solo as wella as community education – Angga Prasetya BUDI	<b>4</b> 9
A baseline study of water quality in Surabaya estuary – Johan RISANDI and Rudhy AKHWADY	50
The dynamic of coastal currents during east and west monsoon (a case study im Ujung Pangkah - East Java) — Rudhy AKHWADY and Johan RISANDI	51
MICMATUZAHROH, Trikurniadewi N, Pramadita A.R.A, Pratiwi I.A, SALAMUN, FATIMAH and Sumarsih S	52
Diversity of heavy metal resistance bacteria from Kalimas Surabaya: a phylogenetic taxonomy approach – Enny ZULAIKA, M Andry Prio UTOMO, Adisya Prima NURMALITASARI	53
GROUP 3. ANIMAL SCIENCE  Renewable innovation of lime leaf extract and refine Eucalyptus oil based on hair steamer as a quick treatment for Pediculosis capitis — Mustika Suci SUSILASTUTI, Nurul INAYATI, Syifa Maulina INDIKA, Nurul Dini HANIFA, Nabiila Kaltsum ULAYYA and Niken Safitri DK	55
Cryptic speciation of Monopterus albus collected from Central Luzon,  Philippines – Esperanza I ARCILLA and Joel M CHAVEZ	56
Reproductive biology of protogynus hermaphrodite Monopterus albus from San Isidro, Nueva Ecija – Dulce Marie P NISPEROS and Joel M CHAVEZ	57
Plankton diversity index in estuary of Musi River to measure determinate the quality of waters as habitat of fishes – Effendi Parlindungan SAGALA	58
Effect of methionine and lactic acid bacteria as aflatoxin binder on broiler performance — Lusty ISTIQOMAH, Ema DAMAYANTI, Ade Erma SURYANI, Awistaros Angger SAKTI, Ayu Septi ANGGRAENI, Hardi JULENDRA and Hendra HERDIAN	59
Preliminary studies on the diversity of sponges that associated to mangroves in Situbondo, East Java, Indonesia – Edwin SETIAWAN, Awik Puji Diah NURHAYATI, Iwenda Bella SUBAGIO, Alkautsar ALIVVY, Amelia Trisnanda DEWI and Lanny KARTIKASARI	60









Analysis of protein profiles in diabetic rat blood plasma that induced by alloxan – Dewi HIDAYATI, Nurlita ABDULGANI, Hengki SETIYAWAN and Indah TRISNAWATI	61
Community structure of fish larvae in mangroves with different root types in Labuhan coastal area, Sepulu – Madura - Farid Kamal MUZAKI, Aninditha GIFFARI, Dian SAPTARINI, AUNUROHIM and Dewi HIDAYATI	62
Estimating species adaptation to climate change using distribution study on migratory bird (Scolopacidae) in Surabaya, Indonesia - Iska DESMAWATI, Indah TRISNAWATI, Ory Kurnia Ayu DEVIANTI, Albi HAMDANI, M Mahsun FAHMI and Mirza Fahmi FIRMANSYAH	63
The screening of toxicity bacteria with diverse novel Nonribosomal Peptide Synthetase (NRPS) genes from Indonesian sea sponge – Jepri Agung PRIYANTO, Aris Tri WAHYUDI and Rika Indri ASTUTI	64
The potency of curing fish waste pellet for growth and protein level of African Sharptooth Catfish ( <i>Clarias gariepinus</i> ) – <b>Awik Puji Dyah NURHAYATI</b> and Asti R FEBIYANI	65
Local community knowledge and participation for animal diversity conservation in SSWP IV Sidoarjo, East Java, Indonesia - <b>Nova Maulidina ASHURI</b> , Dwi OKTAFITRIA, Indra WIRAWAN, Zainul MUTTAQIN, M Ulya ALFARISY, Abdul AZIS, Sherly Eka ARGIYANTI and Via Nur FADILAH	66
The comparison of males and females number of <i>Drosophila melanogaster</i> that exposed by mobile phone in multiple generations - <b>Ahmad FAUZI</b> , Aloysius Duran COREBIMA and Siti ZUBAIDAH	68
Effects of gamma irradiation dose-rate on sterile male Aedes aegypti – Beni ERNAWAN, U.S.F TAMBUNAN, I SUGORO and H.I SASMITA	69
The effect of Pomelo citrus (Citrus maxima var. Nambangan), vitamin C and lycopene towards the number reduction of mice (Mus musculus) apoptotic hepatocyte caused of Ochratoxin A – BADRIYAH and Utami Sri HASTUTI	70
Tenderization of beef using bacterial collagenase isolated from slaughterhouse – Hilman Adzim EKRAM and Endry Nugroho PRASETYO	72
White Syndrome on massive corals: a case study of Paiton power plant, East Java – Aida Efrini RIZNAWATI, Dian SAPTARINI and Farid Kamal MUZAKI	73






Inayatul KHOIRIYAH, Dwi WINARNI and SUGIHARTO,	74
Assessment of polycyclic aromatic hidrocabon naphthalene on Perna viridis  (Asian green mussel) from Bacoor Bay as potential indicator for water  pollution – Cynthia B MINTU and Ruby D OLIPANY	75
The physiological characterization of Rat (Rattus norvegicus Berkenhout, 1769) which consumed a mixture of duck yolk and reused cooking oil — Noor Nails SA'ADAH, Kristanti Indah PURWANI, Awik Puji Dyah NURHAYATI and Nova Maulidina ASHURI	76
Functional properties of physically modified Purple Sweet Potato flour — Siti NURDJANAH, Neti YULIANA, Sussi ASTUTI, MARNIZA and ZUKRYANDRY	77
Effect of addition of Kepok banana (Musa paradisiaca Linn) peel flour as a stabilizer to chemical and organoleptic characteristics of ice cream — SUSILAWATI, Dewi SARTIKA and Mochamad Karel SAPUTRA	78
mproving properties of Sweet Potatoes composite flours: influence of lactic fermentation — Neti YULIANA, Siti NURDJANAH, Sri SETYANI and Dini NOVIANTI	79
LC MS determination of Java ginseng (Talinum paiculatum) ginsenoside –  Agus Muji SANTOSO, Mohamad AMIN, Sutiman B SUMITRO and Betty  LUKIATI	80
Growth and flavonoid contents of Sambung Nyawa (Gynura procumbens (Lour.) Merr.) shoots culture in solid medium — Ayu Dewi PRAMITA, Yosephine Sri Wulan MANUHARA and Alfinda Novi KRISTANTI	81
Moringa oleifera callus growth on different composition of auxin and cytokinin and its synthetic seed production — Wirdhatul MUSLIHATIN, Nurul JADID, Chusnul Eka Safitri HIMAYANI and Ika Dian PUSPITASARI	82
Effect of carrier media for biofertilizer of nitrogen-fixing bacteria Azotobacter sp against peanut (Arachis hypogea) growth — Tutik NURHIDAYATI, Wirdhatul MUSLIHATIN, Nailul FIRDAUSI, EP SETYANINGSIH and Awik Puji Dyah NURHAYATI	83






Improvement of salt tolerance on Local Maize (Zea mays L.) through somaclonal variation – Triono Bagus SAPUTRO, Fathin FINARIYAH, Nur Fadlilatus SHOLIHAH, Dini ERMAVITALINI and Sri NURHATIKA	84
In vitro cultures of Jatropha podagrica Hook – Duangporn PREMJET, Elias Zerai TSEGAY and Siripong PREMJET	85
Improvement nutrient-poor soil and Pb level using Soil Drive Nutrient (SDN) method in cropping combination of <i>Zea mays</i> L., <i>Hevea brasiliensis</i> L. and <i>Parasianthes falcataria</i> – Elok ADITIYAWATI, Septari YULIATI, <b>Sri NURHATIKA</b> , Anton MUHIBUDDIN and Achmad ARIFIYANTO	86
Production of secondary methabolites trimethyl xanthina by <i>Camellia</i> sinensis L suspension culture – <b>SUTINI</b> , Mochamad SODIQ, Wirdhatul MUSLIHATIN and Mochamad Rasjad INDRA	87
Viability of Azotobacter consortium in auxin production - Enny ZULAIKA, Farihatus SOLIKHAH, Nur Hidayatul ALAMI, Nengah Dwianita KUSWYTASARI and Maya SHOVITRI	88
Genetic variation analysis of local Durian ( <i>Durio</i> sp.) of ex situ Hortimart Collection Bawen based on microsatellite DNA marker – <b>Silviatun NIHAYAH</b> , Amin RETNONINGSIH and Enni Suwarsi R	89
Optimization of Potato ( <i>Solanum tuberosum</i> L. var. Granola) callus induction using different explant types with 2,4-D in vitro — <b>Muhammad Hamzah</b> SOLIM and Fauziyah HARAHAP	90
Productivity of <i>Spirulina</i> sp. in modified karst water medium - <b>Niken Tunjung Murti PRATIWI,</b> Majariana KRISANTI, Inna Puspa AYU, Dearizky Ramadhan P  FIRDAUS and Aliati ISWANTARI	91
Growth of Kappaphycus alvarezii and Eucheuma denticulatum cultivated in loating cages - Ma'ruf KASIM, Ahmad MUSTAFA, MUZUNI and Wardha JALIL	92
pectrophotometry and turbidimetry approximation approach on Nannochloropsis sp and Chlorella sp biomass in cultivation stages — Inna Puspa AYU, Niken Tunjung Murti PRATIWI, Aliati ISWANTARI, Dwi Yuni WULANDARI, Goran S.A SULAIMAN, Farila RAKHMANIKA and Reza ZULMI	93
Molecular characters of melon (Cucumis melo L. 'Tacapa') in response to arst critical land – Yuanita RACHMAWATI	94







The state of diversity varieties of Hylocereus spp base on phenetic method — HUNGAH, Husnus TSAWAB and ROSMANIDA	95
Table 1 A B STRACTS OF POSTER PRESENTATION  Commization on a new hybrid forward osmosis-electrodialysis-reverse  Commization of the new hybrid forward osmosis-electrodialysis-reverse  Commization of the new hybrid forward osmosis-electrodialysis-revers	97
the aid of non-catalytic cellulose-binding proteins – Da Woon JEONG,  Eun HYEON and Sung Ok HAN	98
meduction of acetoin from methanol as a sole carbon and energy source by methanol methanol manufacture and min-Kyu OH	100
Linethanol production by immobilized Enterobacter aerogenes ATCC 29007 Linethanol production by immobilized Enterobacter aerogene	101
morphology of Cordyceps militaris - Soo Kweon LEE, Dong Sup KIM, Ju Hun LEE, Chan Kyum KIM, Ji Hyun YANG and Seung Wook KIM	102
Decolorization of pulp mill black liquor by a laccase-producing white rot fungus, Tramates polyzona, combined with coagulation - Supornchai RATTANARAT, Nattaya PONGSTABODEE, Pongtharin LOTRAKUL, Hunsa PUNNAPAYAK and Sehanat PRASONGSUK	103
Growth response of larvae of Giant Tiger (Penaues monodon) on ethanol extract of Karamunting (Melastoma malabathricum) that mixed in feed — Ahmad RIDWAN and AWALUDIN	104
Assessment of beneficial microbial technology for adaptation on impact of climate change – Arwan SUGIHARTO, I Made SUDIANA and Maman RAHMANSYAH	106
Species diversity of Herpetofauna in Ironggolo waterfall area, Besuki, Kediri – Mochammad Yordan Adi PRATAMA, Nadya Ismi Putri TRIESITA, Rinda WAHYUTIANI, Titis MULYANINGTIYAS, Budhi UTAMI, Mumun NURMILAWATI and Berry Fakhry HANIFA	107






Bioremediation of oil sludge using a type of nitrogen source and the consortium of bacteria with composting method – Inayah FITRI, NI'MATUZAHROH and Tini SURTININGSIH	108
Pretreatment of Macaranga hypoleuca with a (peroxo) metal complex produced from interactionof a heteropolyacid catalyst, silicomolibdic acid and hydrogen peroxide – Dewi MUJIASIH, Helmi Alfath SEPTIANA, Wiwin SUWINARTI and Rudianto AMIRTA	109
Fungal pretreatment optimization of sawdust and rice straw using response surface methodology – <b>Muhammad Taufiq HAQIQI</b> , Ariyah TERASAWAT and Sivawan PHOOLPHUNDH	110
Microbiological quality of flavoring products based different raw fish and carbohydrate concentration – Faiza Abdurrahim DALI and Rita M HARMAIN	111
Effects of modified fertilizers on the survival and growth of sandfish (Holothuria scabra) reared on different types of substrate – Kadir SABILU and SUBHAN	112
Preliminary study on microhabitat preference of Kuhl's Flying Geckoo in Roro Kuning waterfall area, Bajulan, Nganjuk – East Java – HARIANTO, Indra FAUZI, Amirrul Fikri ANNA, Budhi UTAMI, Tutut Indah SULISTYOWATI and Berry Fakhry HANIFA	113
The effect of polygalacturonase and pectinesterase enzyme in the clarification of super Red Dragon Fuit (Hylocereus costaricensis) juice – Esti WIDOWATI, Edhi NURHARTADI and Nur HIDAYANTI	114
Manufacture of briquette coconut shell's charcoal and mixed plastic and rubber's waste of Kupang Jabon's landfill Sidoarjo Regency using tapioca adhesive as Refuse Derived Fuel (RDF) products – Rahmadhan AMRULAH, Nita CITRASARI and Trisnadi Widyaleksono Catur PUTRANTO	115
The correlation between salinity and intensity of <i>Trichodina</i> sp. on the gills and skin of milkfish ( <i>Chanos chanos</i> ) – <b>Dewi HIDAYATI</b> , M Zainul Muttaqin, Nurlita ABDULGANI and Amien WIDODO	116
Phosphate Solubilizing Bacteria (PSB) from Poteran Island soil – HEFDIYAH and MAYA SHOVITRI	117
Organic waste degradation by lipolytic fungi in single and consortium – Alfia Rahma KURNIAWATI and Nengah Dwianita KUSWYTASARI	118





The effect of ripening stages on the antioxidant potential of Cucumis melo L  Puji WULANDARI, SUPRIYADI and Budi Setiadi DARYONO	119
The Area of Bengawan Solo estuary	120
(Cerbera odollam) leaves extract to reduce the the attack of Army (Spodoptera litura F.) on mustard (Brassica rapa) - Kristanti Indah (Sri NURHATIKA, Dini ERMAVITALINI, Triono Bagus SAPUTRO and	121





# Microbiological quality of flavoring products based different raw fish and carbohydrate concentration

#### Faiza Abdurrahim DALI and Rita M HARMAIN

Department of Fisheries Product Technology, Faculty of Fisheries and Marine Science, State University of Gorontalo

Email: vian.dali@gmail.com

#### **Abstract**

Research focuses on the microbiological quality of flavoring products made from different raw fish and carbohydrate concentration aims to analyze the effect of different raw fish materials and carbohydrate concentration on microbiologis quality of flavoring, especially with regard to the value of Standard Plate Count (SPC). Raw materials for sampling used in this study are Nike fish (Awaous melanocephalus), Manggabai fish (Glossogobius giuris), Carborhydrate (rice flour) concentration of 20% and 40%. The method used is an experimental method in laboratory, technical data analysis using quantitative descriptive. Based on the experimental results showed that the quality of microbiological of flavoring is influenced by differences in raw materials of fish and concentrations of carborhydrate, the average value of the highest SPC there are Manggabai fish with a carborhydrate concentration 20% amounting to 1.75 x 103 (cfu/g) and the lowest average SPC there are Nike fish with a carbohydrate concentration of 20% amounting to 0.60 x 10<sup>3</sup> (cfu/g). SPC value is still acceptable by SNI 01-4273-1996. Microbiological quality of flavoring shows that Nike fish is the raw material of fish better than Manggabai fish.

Keywords: flavoring, microbiological quality



# MICROBIOLOGICAL QUALITY OF FLAVORING PRODUCTS BASED DIFFERENT RAW FISH AND CARBOHIYRATE CONCENTRATION

# Faiza A. Dali\*, Rita M. Harmain

Teknologi Hasil Perikanan, Fakultas Perikanan dan Ilmu Kelautan, Universitas Negeri Gorontalo \*Email:vian.dali@gmail.com

#### **ABSTRACT**

Research focuses on the microbiological quality of flavoring products made from different raw fish and carbohydrate concentration aims to analyze the effect of different raw fish materials and carbohydrate concentration on microbiologis quality of flavoring, especially with regard to the value of Standard Plate Count (SPC). Raw materials for sampling used in this study are Nike fish (*Awaous melanocephalus*), Manggabai fish (*Glossogobius giuris*), Carborhydrate (rice flour) concentration of 20% and 40%. The method used is an experimental method in laboratory, technical data analysis using quantitative descriptive. Based on the experimental results showed that the quality of microbiological of flavoring is influenced by differences in raw materials of fish and concentrations of carborhydrate, the average value of the highest SPC there are Manggabai fish with a carborhydrate concentration 20% amounting to 1.75 x 10<sup>3</sup> (cfu/g) and the lowest average SPC there are Nike fish with a carbohydrate concentration of 20% amounting to 0.60 x 10<sup>3</sup> (cfu/g). SPC value is still acceptable by SNI 01-4273-1996. Microbiological quality of flavoring shows that Nike fish is the raw material of fish better than Manggabai fish.

Keywords: flavoring, microbiological quality

### INTRODUCTION

Indonesian waters especially Gorontalo have biodiversity including Nike fish and Manggabai fish. Development of fishery products Nike and Manggabai need to be done in order to provide added value to the potential of Gorontalo fishery. Raw flavor made from fresh local fish processed with simple technology is a product that is rarely available in the market. Commonly marketed is instant flavored flavor with the addition of monosodium glutamate. Whereas in terms of potential fish raw materials, especially local fish is quite large, because Indonesia is a maritime country.

Fish fermentation technology is one of the processing by using enzyme or microorganism. Microorganisms grow and develop during the fermentation process by utilizing raw materials to produce products that have many advantages in nutrition and health (Pawiroharsono, 2007). Yanti and Dali (2013), reported that the results of microorganism analysis in fish fermentation process 'bakasang' found total colonies of bacteria  $5.0 \times 10^2$ - $1.6 \times 10^5$  CFU/g.

Research focuses on the microbiological quality of flavoring products made from different raw fish and carbohydrate concentration aims to analyze the effect of different fish raw materials and carbohydrate concentration against microbiologis quality or flavor, especially with regard to the value of Standard Plate Count (SPC).

### **METHODS**

The materials used in this study consisted of Nike fish (Awaous melanocephalus), Manggabai fish (Glossogobius giuris), salt, spices, aluminum foil, alcohol and microbiological materials. Equipment used includes a cool box, scales, incubators, ovens, mills and microbiological glassware.

Based on the research object, the method using experimental approaches in the laboratory, based on characteristics of the population, the sampling method used in raw materials of fish and fish Manggabai Nike, and based linkages with analysis, technical data analysis using quantitative descriptive.

Making the product flavorings using raw materials of fish Nike added salt 15% and Carbohydrates 20% (A), fish Nike added salt 15% and Carbohydrates 40% (B), fish Manggabai added salt 15% and Carbohydrates 20% (C) and fish Manggabai added salt Carbohydrates 15% and 40% (D). Once homogeneous, each sample is fermented for 15 days, then the sample is flavored with cloves, cinnamon, onion, pepper, ginger and tamarind. Furthermore, all samples were dried for 35 hours at a temperature of 90 °C, and then ground and sieved to obtain a powder product. The product obtained is microbiologically tested immediately refers to the procedures SNI 01-2332.3-2006.

## RESULTS AND DISCUSSION

In theory microbiological examination of the characteristics of the use of raw materials Fish and carbohydrate concentration (K) is different is to know the value of Standard Plate Count (SPC) from the calculation of the number of bacteria (CFU / g). The results of this analysis adjusted for Quality Standard National Indonesia (SNI 01-4273-1996) on flavorings. Effect of fish raw materials and carbohydrate concentration (K) is different to the microbiological quality characteristics of flavoring products in this research can be described in Table 1.

Table 1. Microbiological Quality Characteristics (CFU / g) Seasonings Sense On Raw Fish and Karborhidrat Different Concentration

Symbol	SAMPLE	Average (cfu/gr)	SNI 01-4273-1996
Α	Nike K-20%	0,60	Max 10 <sup>4</sup>
C	Manggabai K-20%	1,75	
В	Nike K-40%	1,26	
D	Manggabai K-40%	1,56	

Source: Results of the analysis

Based on Table 1, it can be explained that the use of raw materials Fish and concentration of different carbohydrates affect the quality standards Seasonings. Number of bacteria (CFU/g) in raw fish material Nike fish is lower than in the fish raw material Manggabai fish. This means that the value of quality standards flavorings made from raw fish Nike higher than flavoring made from raw fish Manggabai. Based on The figure shows that the microbiological quality standards of raw materials Nike fish better than fish Manggabai for flavoring. In histogram differences in the use of raw materials of different fish against microbiological characteristics (CFU/g) in the flavoring can be shown in Figure 1.




Figure 1. Differences Microbiological Characteristics (CFU/g) of flavoring

### CONCLUSION

- 1. Based on the experimental results, the use of different raw Fish and Carborhydrate concentrations affect the quality standards Seasonings.
- 2. Four treatments were tested still be accepted by Indonesia National Standard 01-4273-1996. The highest average value SPC there are Manggabai fish with a carbohydrate concentration of 20% and the lowest in Nike fish with a carbohyrate concentration of 20%
- 3. Based on the results of microbiological observing the number of bacteria (CFU/g) in raw material of Nike fish is lower than the amount of bacteria in raw material of Manggabai fish. This means that the value of quality standards flavorings made from raw Nike fish is higher and better than the flavor made from raw Manggabai fish.


### **ACKNOWLEDGEMENT**

Thanks to the Director General of Higher Education and Research Institute of the State University of Gorontalo.

# REFERENCES

- Pawiroharsono S. 2007. Potensi Pengembangan Industri dan Bioekonomi Berbasis Makanan Fermentasi Tradisional. *Jurnal Ilmu Kefarmasian Indonesia* 5 (2): 85-91.
- SNI 01-2332.3-2006. Cara uji mikrobiologi-Bagian 3: Penentuan angka lempeng total pada produk perikanan. BSN. Jakarta.
- Yanti, DIW dan Dali, FA. 2013. Karakterisasi Bakteri Asam Laktat yang Diisolasi selama Fermentasi Bakasang. *Jurnal Pengolahan Hasil Perikanan Indonesia* 16 (2):132-140.





# CERTIFICATE

is hereby awarded to

Faiza Abdurrahim Dali

for valuable contribution as POSTER PRESENTER with the paper entitled

Microbiological quality of flavoring products based different raw fish and carbohydrate concentration

# at 3rd INTERNATIONAL BIOLOGY CONFERENCE - 2016

'Biodiversity and Biotechnology for Human Welfare'

October 15th, 2016

BIOLOGY DEPARTMENT

Institut Teknologi Sepuluh Nopember

Surabaya - Indonesia

ELHOLOGI SES O

REProfe Ir. Joni Hermana, M.Sc.Es, Ph.D

Institut Teknologi Sepuluh Nopember (ITS)

Dr.rer.nat Edwin Setiawan, MSc

Chairman

Organizing Committee of 3rd IBOC 2016