

Schoarly research journal

Rapid index and hard copies printig and shipping to every corner of the world.

iiste.org OPEN








IOP Conference Series: Materials Science and Engineering

Country	United Kingdom -  SIR Ranking of United Kingdom	<h1>24</h1> <p>H Index</p>
Subject Area and Category	Engineering Engineering (miscellaneous) Materials Science Materials Science (miscellaneous)	
Publisher		
Publication type	Conferences and Proceedings	
ISSN	17578981, 1757899X	
Coverage	2009-ongoing	
Scope	The open access IOP Conference Series provides a fast, versatile and cost-effective proceedings publication service for your conference. Key publishing subject areas include: physics, materials science, environmental science, bioscience, engineering, computational science and mathematics.	
	Homepage How to publish in this journal Contact  Join the conversation about this journal	

Schoarly research journal

Rapid index and hard copies printig and shipping to every corner of the world.

iiste.org OPEN



IOP Conference Series: Materials Science and...

Not yet assigned quartile

SJR 2018 **0.19**

powered by scimagojr.com

← Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimagojr.com" style="color: #0070C0; text-decoration: none;">

```

PAPER • OPEN ACCESS

Foreword

To cite this article: 2019 *IOP Conf. Ser.: Earth Environ. Sci.* **370** 011001

View the [article online](#) for updates and enhancements.

FOREWORD

Their great diversity and potential makes the development of marine and fisheries resources a priority for Indonesia, and a key orientation of long-term development planning. The development of valuable maritime and fishery resources has been encouraged by the government as a means to achieve food security and economic independence.

These abundant marine and fisheries resources are the mainstay of Indonesia's efforts to achieve Sustainable Development Goal (SDG) number 14: "Conserve and sustainably use the oceans, seas and marine resources for sustainable development".

As a contribution towards achieving SDG 14, each year the Faculty of Marine Science and Fisheries at Universitas Hasanuddin holds a national and international marine and fisheries symposium. The theme of the 2019 Symposium is "**Managing Aquatic Resources for Sustainable Development**". This symposium will provide opportunities for participants to exchange information, knowledge and experience, as well as to initiate partnerships for research and outreach activities in the field of marine science and fisheries. These exchanges and partnerships will contribute towards enhancing the potential, development and utilization of marine and fishery resources in sustainable ways.

A warm welcome to the researchers and participants from a wide cross-section of the marine and fisheries sector and thank you for coming to taking part in this Universitas Hasanuddin Marine Science and Fisheries Symposium. A heartfelt thank you is also due to the many people and organisations that have provided support or contributed in any way towards the successful realisation of this Symposium. May all the contributions made during this event provide valuable input to support marine and fisheries development in Indonesia.

Makassar, 5 September 2019
Dean,

Dr.Ir.St Aisjah Farhum, MSi



PAPER • OPEN ACCESS

Organizing Committee

To cite this article: 2019 *IOP Conf. Ser.: Earth Environ. Sci.* **370** 011002

View the [article online](#) for updates and enhancements.

Organizing Committee

Steering	: Dr. Ir. St. Aisjah Farhum, M.Si.
Person in charge	: Prof. Dr. Ir. Rohani AR., M.Si
Coordinator	: Dr. Sri Suro Adhawaty, SE., M.Si.
Secretary for international Symp	: Dr. Yuyu Anugrah La Nafie, ST., M.Sc.
Secretary for national symp	: Dr. Nursinah Amir, S.P.i., MP
Treasure	: Syafri Amma, SE

Event and logistic division

- Dr. Nita Rukminasari, S.Pi., MP.
- Dr. Alfa F.Nelwan, M.Si
- Dr. Ir. Nadiarti, M.Sc.
- Dr. Wasir Samad, S.Si., M.Si.
- Dr. Ir. Mardiana E. Fachry, MS.
- Dra. Husni Husain, MAP
- Resky Dwiyantri Risa B., S.Pi., M.Si

Registration and full paper division

- Dr. Supriadi, ST., M.Si.
- Dr. Ir. Siti Aslamyah, MP.
- Dr. Marlina Achmad, S.Pi., M.Si.
- Dr. Ir. Khusnul Yaqin, M.Sc.
- Dr. Amir Hamzah Muhiddin, M.Sc
- Kasmianti, STP., MP. Ph.D.
- Moh. Tauhid Umar, S.Pi., MP.
- Arham, S.Kom.

Financial division :

- Asmi Citra Malina, S.Pi., M.Agr., Ph.D
- Prof. Dr. Ir. Chair Rani, M.Si
- Dr. Siti Fakhriyah, S.Pi, M.Si
- Prof. Dr. Amran Saru, ST., M.Si.
- Suriani, SE.

Equipment and transportation division

- Fahrul, S.Pi, M.Si
- Ir. Ilham Jaya, MM
- Ridwan, S.Sos., MM.
- Khaerunnisa Rahman, SE. M.Ak.
- Lini Hendrinita Samiadji, S.TP
- Muh. Nur, SE
- Sunardi, S.Sos.
- Rahmat Hidayat, S.Pi
- Sahabuddin



PAPER • OPEN ACCESS

Statement of Peer Review

To cite this article: 2019 *IOP Conf. Ser.: Earth Environ. Sci.* **370** 011003

View the [article online](#) for updates and enhancements.

Statement of Peer Review

All papers published in this volume of IOP Conference Series: Earth and Environmental Science (EES) (ISSN: 1755-1315) have been peer reviewed through processes administered by the proceeding Editors. Reviews were conducted by expert referees to the professional and scientific standards expected of a proceeding journal published by IOP Publishing



This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



⚠ NOTICE: Our engineering team is currently investigating significant increases in our website traffic. As they do so, it is possible that you will experience a degraded performance on IOPscience. We appreciate your patience as we work to resolve this situation

Table of contents

Volume 370

November 2019

[◀ Previous issue](#) [Next issue ▶](#)

**The 2nd International Symposium on Marine Science and Fisheries (ISMF2) - 2019 22
June 2019, Makassar, Indonesia**

Accepted papers received: 08 October 2019

Published online: 03 December 2019

[View all abstracts](#)

Preface

OPEN ACCESS 011001

Foreword

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 011002

Organizing Committee

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 011003

Statement of Peer Review

[+ View abstract](#) [View article](#) [PDF](#)

Papers

OPEN ACCESS 012001



Meristic characters and length-weight relation of climbing perch (*Anabas testudineus*) from wetlands in Sigi District, Central Sulawesi, Indonesia

S Ndobe, Rusaini, A Masyahoro, N Serdiati, Madinawati and A M Moore

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012002

Environmental Geochemistry of Heavy Metals and Plagioclase Background Enrichment Factor in Coastal Sediments at Lumpue - Parepare, South Sulawesi, Indonesia

A Tongggiroh, A M Imran and S Haerany

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012003

Participatory mapping and unmanned aerial vehicle (UAV) images for developing village level coastal geoinformation

N Nurdin, D F Inaku, A R Rasyid, A R Jalil, A Alimuddin, Agus, M Akbar As and S Q Al Azizi

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012004

Mapping distribution patterns of skipjack tuna during January-May in the Makassar Strait

M Zainuddin, M I Amir, A Bone, S A Farhum, R Hidayat, A R S Putri, A Mallawa, Safruddin and M Ridwan

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012005

Production of Pacific whiteleg shrimp, *Litopenaeus vannamei* through implementation of rapid biofloc technology

N A Kasan, A S Kamaruzzan, A I A Rahim, A N Ishak, I Jauhari and M Ikhwanuddin

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012006

Physico-chemical characteristics and amino acid profile of fermented sauce made from tuna loin by-product

M R Wenno and C R M Loppies

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012007

Preliminary note on the morphological characters of *penja* (amphidromous goby postlarvae) in West Sulawesi and Gorontalo Bay

Nurjirana, A Haris, F M Sahami, P Keith and A I Burhanuddin

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012008



Effect of oceanographic conditions on skipjack tuna catches from FAD versus free-swimming school fishing in the Makassar Strait

A R S Putri, M Zainuddin, M Musbir, M A Mustapha and R Hidayat

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012009

Quality of giant clam (*Tridacna derasa*) juveniles as non-target organisms after exposure to clove oil in concentrations suitable for anaesthetising ornamental fish

S W Rahim, K Yaqin, L Fachruddin and H Kudsiah

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012010

Biological condition and carapace width frequency distribution of blue swimming crabs (*Portunus pelagicus*) in Gresik and Lamongan, East Java

M A Rahman, F Iranawati, A B Sambah and D G R Wiadnya

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012011

The effect of commercial feed enrichment with *Piper betle* leaf extract on the growth and survival rate of tilapia (*Oreochromis niloticus*)

S S Agustina

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012012

A Microcosm Multitrophic Aquaculture System

A Tuwo, I Yasir, J Tresnati, Mutmainnah, R Aprianto, A Yanti, A D Bestari and M Nakajima

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012013

The stability of mangrove ecosystems for edu-tourism based on macrozoobenthos ecological indicators in the educational fish ponds of Hasanuddin University

A Saru, M Lanuru, S Mashoreng, Y Jubhari and M Ilham

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012014

Species diversity of wrasses caught by fishermen in the Spermonde Islands, South Sulawesi, Indonesia

I Yasir, J Tresnati, A Yanti, P Y Rahmani, R Aprianto and A Tuwo

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012015

Long-Term Monitoring of Parrotfish Species Composition in the Catch of Fishermen from the Spermonde Islands, South Sulawesi, Indonesia



J Tresnati, I Yasir, R Aprianto, A Yanti, P Y Rahmani and A Tuwo

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012016

Maturity stages of the redbreasted wrasse *Cheilinus fasciatus*

J Tresnati, I Yasir, A Yanti, R Aprianto, P Y Rahmani and A Tuwo

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012017

Cultivated seaweed carbon sequestration capacity

S Mashoreng, Y A La Nafie and R Isyri

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012018

Morphological and genetic analysis of *Gracilaria* sp. cultured in ponds and coastal waters

N I S Arbit, S B A Omar, E Soekendarsi, I Yasir, J Tresnati, Mutmainnah and A Tuwo

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012019

Comparative study on the growth, carotenoid, fibre and mineral content of the seaweed *Caulerpa lentillifera* cultivated indoors and in the sea

R Syamsuddin, H Y Azis, Badraeni and Rustam

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012020

Enrichment of commercial feed for striped snakehead fry (*Channa striata*) with golden snail (*Pomacea* sp.) flour

S Ndobe, S F Mangitung, R Bardi, Madinawati, D T Tobigo and A M Moore

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012021

Analysis of coral reef benthic cover changes around Kapoposang Island, Pangkep Regency, South Sulawesi using multi-temporal remote sensing imagery

A Faizal, A F Raazy and A Rasyid

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012022

Perspectives on seagrass ecosystem services from a coastal community

R Ambo-Rappe, Y A. La Nafie, A A Marimba, L C. Cullen-Unsworth and R K. Unsworth

[+](#) View abstract [View article](#) [PDF](#)

OPEN ACCESS

012023

Design Viability of Purse Seiners Operating in Bone Regency, South Sulawesi, Indonesia

S A Farhum, M Zainuddin, A F P Nelwan, A A Pangera and R D Risa

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012024

Nursery Performance of Sandfish *Holothuria scabra* Juveniles in Tidal Earthen Pond Using Different Types of Cage

M Firdaus and L F Indriana

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012025

Livelihood Features of Seaweed Farming Households: A Case study from Bungin Permai Village, South Konawe, South East (SE) Sulawesi, Indonesia

M Rahim, L O M Aslan, Ruslaini, S A A Taridala, N I Wianti, A Nikoyan, Budiyanto and H Hafid

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012026

Use of Common Lantana (*Lantana camara* Linn) Extract to Prevent Ice-ice Disease and Trigger Growth Rate of the Seaweed *Kappaphycus alvarezii*

R S Patadjai, I Nur and S Kamri

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012027

Structural relationship among steroids from Sulawesi Tenggara's sponge *Clathria* sp. and their radical scavenger activity

I Sahidin, Baru Sadarun, La Ode M. Aslan, Wahyuni, M. Hajrul Malaka and Adryan Fristiohady

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012028

Coral Disease Prevalence on Scleractinian Corals at Prigi Bay, Trenggalek, East Java

Rosdianto and O M Luthfi

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012029

The effect of *Melastoma malabathricum* leaf extract on growth and spawning of blue swimming crab (*Portunus pelagicus*)

N Alam, Y Fujaya, Haryati, D K Sari, M Achmad, M Rusdi and N Farizah

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012030

Chemical composition and antibacterial activity of honey collected from East Nusa Tenggara, Indonesia on pathogenic bacteria in aquaculture

Y Salosso



[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012031

Habitat characteristics and distribution of flyingfish in Fak-Fak and surrounding waters

P Boli, I Luhulima, F Simatauw, S Leatemia, S Tabay, D Parennden and A S Ananta

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012032

Antioxidant, antibacterial and antifungal activity of edible coating chitosan-galactose complex

Rieny Sulistijowati, Rahim Husain, Muhammad Cakra Datau and Kusbidinandri

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012033

The Effect of Dosage Combination and Feeding Frequency on Growth and Survival Rate of Vannamei Shrimp Juveniles in Ponds

Z Zainuddin, S Aslamyah, K Nur and Hadijah

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012034

Diversity of attached marine life in different types of artificial timber reefs

J F Alam, T Yamamoto, T Umino, S Nakahara and K Hiraoka

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012035

Osteological study of Titan Trigger fish, *Balistoides viridescens* (Bloch and Schneider, 1801) (Balistidae: Tetraodontiformes) from the Spermonde Archipelago Waters

M Afrisal, Nurjirana, Irmawati and A I Burhanuddin

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012036

Analysis of biological aspects of Scottish seine net catches in Mamuju waters, West Sulawesi

Najamuddin, M Palo, A Assir, A Asni and Busman

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012037

The effect of initial weight of seedlings grafted from tissue-cultured and local strain seedlings on growth and carrageenan content of the Red Seaweed (*Kappaphycus alvarezii*) using a grafting method

A L Embi, L O M Aslan, W Iba, A B Patadjai and E Sulistiani

[+ View abstract](#) [View article](#) [PDF](#)

Comparing skipjack tuna catch and oceanographic conditions at FAD locations in the Gulf of Bone and Makassar Strait

R Hidayat, M Zainuddin, A Mallawa, M A Mustapha and A R S Putri

[+](#) View abstract [View article](#) [PDF](#)

Evisceration rate of sandfish *Holothuria scabra* during transportation

A Tuwo, I Yasir, J Tresnati, R Aprianto, A Yanti, A D Bestari, Syafiuddin and M Nakajima

[+](#) View abstract [View article](#) [PDF](#)

Biological aspects of Indian scad (*Decapterus russelli* Ruppell, 1830) in south site of Madura Strait Waters, East Java

G Bintoro, T D Lelono, Rudianto and N D Utami

[+](#) View abstract [View article](#) [PDF](#)

The introduced Banggai cardinal fish (*Pterapogon kauderni*) population in Ambon Island, Indonesia

K Wibowo, U Y Arbi and I B Vimono

[+](#) View abstract [View article](#) [PDF](#)

Water bird habitat suitability analysis in an urban coastal wetland (case study: Lantebung mangrove ecotourism area)

A Purify, N Nurdin, R I Maulani and M Lanuru

[+](#) View abstract [View article](#) [PDF](#)

Grafting of *Kappaphycus alvarezii* seedlings using different seedling sources in Sasara Coastal Waters, Buton Utara, Southeast (SE) Sulawesi, Indonesia

Armin, L O M Aslan, A B Patadjai, W Iba, Yusnaeni and W H. Muskita

[+](#) View abstract [View article](#) [PDF](#)

The Effect of Different Oblique Incision Length in Slide-Slipped Grafting using Tissue Cultured and Local Seedlings on the Growth of Seaweed (*Kappaphycus alvarezii*) in Sasara Coastal Waters, Kulisusu Bay, Buton Utara, SE Sulawesi, Indonesia

R Hasriah, L O M. Aslan, W Iba, A B Patadjai, Ruslaini, M Balubi and E Sulistiani

[+](#) View abstract [View article](#) [PDF](#)

The Fishing Ground of Large Pelagic Fish during the Southeast Monsoon in Indonesian Fisheries Management Area-713

Safruddin, B Aswar, M Rijal Ashar, R Hidayat, Y K Dewi, M. T Umar, S. A Farhum, A Mallawa and M Zainuddin

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012046

Biodiversity of lobster larvae (*Panulirus* spp.) from the Indonesian Eastern Indian Ocean

A Setyanto, Soemarno, D G R Wiadnya and C Prayogo

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012047

The effect of differences in feed protein raw materials on the glycogen content, metamorphosis rate of mangrove crab larvae (*Scylla olivacea*) and feed price

Haryati, Y Fujaya and E Saade

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012048

The association of economically important fish with mangroves in Maumere Bay, Indonesia

A Vincentius, M N Nessa, J Jompa, A Saru, M Hatta and N Rukminasari

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012049

Evaluating Ecotourism Development in Bontang: Water Quality, Compatibility, and Carrying Capacity

Aspiany, Sutrisno Anggoro, Frida Purwanti and Bambang Indratno Gunawan

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012050

Preliminary study: human trampling effects on seagrass density

N Nurdin, Y La Nafie, M T Umar, M Jamal and A Moore

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012051

Macroscopic characteristics of the gonad maturity stages of dusky parrotfish *Scarus niger*

A Yanti, I Yasir, P Y Rahmani, R Aprianto, A Tuwo and J Tresnati

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012052

Exploring Biodiversity and Monitoring Genetic Resources of Aquatic Plants in Manado, North Sulawesi, Indonesia

M F I Nugraha, R Koneri, A Julzarika, Reflinur, W Enggarini, R Yunita, M A Radjamuddin and H Novita



[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012053

Model of investment reconstruction post moratorium of *Cantrang* fishing gear (case study: Makassar Strait Waters and Bone Bay in Indonesia)

Sri Suro Adhawati and Achmar Mallawa

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012054

Population dynamics and feeding habits of *Euthynnus affinis*, *Auxis thazard*, and *Auxis rochei* in South Coast of East Java waters

Tri Djoko Lelono and Gatut Bintoro

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012055

Histopathological changes in the intestine of *Channa micropeltes* infected with the cestode *Senga rostellariae*

Marina Hassan, Muhammad Syafiq Izzuddin Abdul Hadi, Mohd Fazrul Hisam Abd Aziz, Wahidah Wahab, Farizan Abdullah, Shuhaimi Deraman, Kismiyati and Mohd Ihwan Zakariah

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012056

Bridging a new concept of fisheries subsidies policy to support sustainable fisheries in Indonesia

Muhammad Nur

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012057

The productivity and the pattern of yellowfin tuna (*Thunnus albacares*) fishing season in Morotai Island waters

Titien sofiati and Djainudin Alwi

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012058

Development strategy and increased production of seaweed in Takalar District

Hamzah Tahang, Gunarto Latama and Kasri

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012059

Effects of increasing temperature and nitrate concentration on cell abundance, growth rate, biomass and free fatty acid of *Tetraselmis* sp

Nita Rukminasari, Sharifuddin Bin Andy Omar and Muhammad Lukman

[+ View abstract](#) [View article](#) [PDF](#)



Seasonal variation in growth and carrageenan yield of *Kappaphycus alvarezii* (Doty) Doty farmed using mass selection in Bungin Permai Coastal Waters, South Konawe District, Southeast (SE) Sulawesi, Indonesia

La Ode M. Aslan, Rahmad S. Patadjai, Ruslaini, Irwan J. Effendy, Abdul H. Sarita, Siti Amina, Nuraeni and Armin

[+](#) View abstract [View article](#) [PDF](#)

Inhibitory activity of *Sargassum hystrix* extract and its chloroform fractions on inhibiting the α -glucosidase activity

Rosiana Nafilatul Azizah, Amir Husni and Siti Ari Budhiyanti

[+](#) View abstract [View article](#) [PDF](#)

Sungkur rolling ship with pushing operation method for fish and shrimp catching in the coastal waters

Rusmilyansari, Erwin Rosadi, Iriansyah and Aulia Azhar Wahab

[+](#) View abstract [View article](#) [PDF](#)

Distribution patterns of gregarine parasitism of wild marine bivalve, *Anadara cornea* (reeve, 1844) concerning seasonality and water quality

Mohd Ihwan Zakariah, Hassan Mohd Daud, Reuben Sunil Kumar Sharma, Mhd. Ikhwanuddin and Marina Hassan

[+](#) View abstract [View article](#) [PDF](#)

Blue-forest in mangrove area at Kuri Caddi hamlet, Nisombalia Village, Maros Regency, South Sulawesi, Indonesia

Andi Hurul Auni Usman, Meta Dilianti Palimbunga, Basran Nur Basir, Aswar, Ma'rifa Baharuddin and Ira Taskirawati

[+](#) View abstract [View article](#) [PDF](#)

Impact of tsunami Sunda Strait to coastal tourism in Tanjung Lesung Special Economic Zone Pandeglang Regency Banten Province

LS Mulyawati, L Adrianto, K Soewandi and HA Susanto

[+](#) View abstract [View article](#) [PDF](#)

Exploitation level of shortfin scads fish (*Decapterus macrosoma*) caught with purse seine in Bulukumba waters, South Sulawesi

Andi Asni, Ihsan, Najamuddin and Mohammad Tauhid

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012067

Environmental characteristics and management challenges of brackishwater fish ponds in Cirebon Regency, West Java Province, Indonesia: a fine-scale GIS Approach

Tarunamulia, Hasnawi, R Asaf and A Faizal

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012068

Satellite image analysis and GIS approaches for tsunami vulnerability assessment

A B Sambah, L Tri Djoko and R Bayu

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012069

Projective mapping and descriptive analysis of commercial fish floss in Yogyakarta Region

Wahdan Fitriya and Nurfitri Ekantari

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012070

Law enforcement for fisheries crime (illegal fishing) through a transcendental approach

Muhammad Amin Hanafi, Absori and Khuzaifah Dimiyati

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012071

Implementation of Participatory Policy through Quality Awareness and Quarantine Community Movement (Gemasatukata) in Untia Village, Makassar City

Wahdania Suardi and Mardiansyah

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012072

Enhancing small-scale community for coastal management in Puntondo Bay, Indonesia

Achmad Zamroni, Tenny Apriliani, Risna Yusuf and Nendah Kurniasari

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012073

Fisheries cooperative as a catalyst for economic improvement of fishermen society

B A J Gosari, A Wahid, Firman and A S Cangara

[+ View abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012074

Syirkah of Catfish, Profit or Loss?

[+](#)

OPEN ACCESS

012075

Catching flying fish (*Hirundichthys oxycephalus*) in the central Makassar Strait fishing ground using drifting gillnet

M Palo, Najamuddin, M Zainuddin, S A Farhum and A A Marimba

OPEN ACCESS

012076

Optimization of temperature and time in carrageenan extraction of seaweed (*Kappaphycus alvarezii*) using ultrasonic wave extraction methods

Mahyati and Abdul Azis

OPEN ACCESS

012077

Catch marketing analysis of Frigate tuna (*Auxis thazard*): caught by lift-net at Bone District, South Sulawesi Province-Indonesia

Nurdin Kasim, Budiyati and Khairudin Isman

OPEN ACCESS

012078

Histopathology of liver and intestine of pangkulan bare fish (*Oryzias matanensis*) Polluted by nickel and iron in Lake Matano, South Sulawesi

Ummi Fahmi, Irma Andriani, Shelly Salmah, Triany Hastuti Hatta, Sharifuddin Bin Andi Omar and Dwi Kesuma Sari

OPEN ACCESS

012079

Stability of chocolate bars fortified with nanocapsules carotenoid of *Spirulina platensis*

Nurfitri Ekantari, Siti Ari Budhiyanti, Wahdan Fitriya, Asep Bayu Hamdan and Ciacia Riaty

OPEN ACCESS

012080

Implementation of coral propagation for coral reef garden in Nusa Dua, Bali

E E Ampou, P Hutasoit, N Janetski, S Yusuf, A Damar, C Petta and A A Hutahaean

OPEN ACCESS

012081

Repair technique for wooden fishing boats using fibreglass

Sunardi, Sukandar, E Sulkhani Y and M A Rahman

Economically important sea cucumber processing techniques in South Sulawesi, Indonesia

R Aprianto, N Amir, Kasmianti, Matusalach, Fahrul, Syahrul, J Tresnati, A Tuwo and M Nakajima

[+ View abstract](#)

[View article](#)

[PDF](#)

JOURNAL LINKS

[Journal home](#)

[Information for organizers](#)

[Information for authors](#)

[Search for published proceedings](#)

[Contact us](#)

[Reprint services from Curran Associates](#)

 **NOTICE:** Our engineering team is currently investigating significant increases in our website traffic. As they do so, it is possible that you will experience a degraded performance on IOPscience. We appreciate your patience as we work to resolve this situation

PAPER • OPEN ACCESS

Antioxidant, antibacterial and antifungal activity of edible coating chitosan-galactose complex

Rieny Sulistijowati¹, Rahim Husain¹, Muhammad Cakra Datau² and Kusbidinandri²

Published under licence by IOP Publishing Ltd

IOP Conference Series: Earth and Environmental Science, Volume 370, The 2nd International Symposium on Marine Science and Fisheries (ISMF2) - 2019 22 June 2019, Makassar, Indonesia

rienysulistijowati@ung.ac.id

¹ Faculty of Marine Science and Fisheries, Universitas Negeri Gorontalo, Indonesia

² Graduate Student, Faculty of Marine Science and Fisheries, Universitas Negeri Gorontalo, Indonesia

Rieny Sulistijowati *et al* 2019 *IOP Conf. Ser.: Earth Environ. Sci.* **370** 012032

<https://doi.org/10.1088/1755-1315/370/1/012032>

Buy this article in print

Abstract

The purpose of this research was to observe the antioxidant, antibacterial and antifungal activity of an edible coating chitosan galactose complex. The treatments were: A Control chitosan; B Control commercial chitosan; C Chitosan with 0.5 g Galactose; D Chitosan with 1 g Galactose; and E Chitosan with 1.5 g Galactose. The coatings were evaluated using in-vitro testing. The parameters analysed were antioxidant activity (DPPH method), antibacterial and anti fungal activity (inhibition zone method). The result showed that the 1 g galactose-chitosan complex performed better as an antioxidant than 

chitosan. Antioxidant analysis with the DPPH method found IC_{50} values of 43.20 – 73.15 ppm, with chitosan galactose complex (D) as the best antioxidant among the tested treatments. Antibacterial activity of the chitosan galactose complex (D) against pathogen bacteria from tilapia fillets produced a 12 mm inhibition zone. Antifungal activity of the chitosan galactose complex (D) against pathogenic fungi from smoked fish produced an 18 mm inhibition zone. This chitosan galactose complex could be used as a natural food preservative.

Export citation and abstract

[BibTeX](#)

[RIS](#)



Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

References

- [1] Sari S R, Baehaki A and Lestari S D 2013 Antioxidant Activity of Chitosan Monosaccharides Complex (Chitosan Monosaccharides Complex *J. Fishtech* **2** Google Scholar
- [2] Rao M S, Chander R and Sharma A 2005 Development of shelf-stable intermediate-moisture meat products using active edible coating and irradiation and mayonnaise-based shrimp salads *J. Food Prot.* **63** 202-9 Google Scholar
- [3] Li C B, Hein S and Wang K 2008 Biosorption of chitin and chitosan *Mater. Sci. Technol.* **24** 1088-99 Crossref Google Scholar
- [4] Tias F N 2010 *Antioxidant activity and bioactive compound Melo sp.* (Institut Pertanian Bogor) Google Scholar
- [5] Molyneux P 2004 The Use of The Stable Free Radical Dipenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity *Songklanakar J. Sci. Technol.* **26** 211-9 Google Scholar

[6] Kanatt S R, Chander R and Sharma A 2007 Chitosan glucose complex-anovel food preservative *Food Chem.* **106** 521 8-521

Crossref Google Scholar

Export references:

[BibTeX](#)

[RIS](#)

PAPER • OPEN ACCESS

Antioxidant, antibacterial and antifungal activity of edible coating chitosan-galactose complex

To cite this article: Rieny Sulistijowati *et al* 2019 *IOP Conf. Ser.: Earth Environ. Sci.* **370** 012032

View the [article online](#) for updates and enhancements.

Antioxidant, antibacterial and antifungal activity of edible coating chitosan-galactose complex

Rieny Sulistijowati¹, Rahim Husain¹, Muhammad Cakra Datau², Kusbidinandri²

¹Faculty of Marine Science and Fisheries, Universitas Negeri Gorontalo, Indonesia

²Graduate Student, Faculty of Marine Science and Fisheries, Universitas Negeri Gorontalo, Indonesia

Email: rienysulistijowati@ung.ac.id

Abstract The purpose of this research was to observe the antioxidant, antibacterial and antifungal activity of an edible coating chitosan galactose complex. The treatments were: A Control chitosan; B Control commercial chitosan; C Chitosan with 0.5 g Galactose; D Chitosan with 1 g Galactose; and E Chitosan with 1.5 g Galactose. The coatings were evaluated using in-vitro testing. The parameters analysed were antioxidant activity (DPPH method), antibacterial and anti fungal activity (inhibition zone method). The result showed that the 1 g galactose-chitosan complex performed better as an antioxidant than chitosan. Antioxidant analysis with the DPPH method found IC₅₀ values of 43.20 – 73.15 ppm, with chitosan galactose complex (D) as the best antioxidant among the tested treatments. Antibacterial activity of the chitosan galactose complex (D) against pathogen bacteria from tilapia fillets produced a 12 mm inhibition zone. Antifungal activity of the chitosan galactose complex (D) against pathogenic fungi from smoked fish produced an 18 mm inhibition zone. This chitosan galactose complex could be used as a natural food preservative.

1. Introduction

Most food packaging commonly used today is plastic. Plastics can endanger health and cause environmental pollution. To fulfil the demand for safe and environmentally friendly packaging materials, edible packaging based on chitosan has been developed. Edible coating is a type of packaging used as a semi-wet food coating for fruits and other fresh produce. Edible film is a thin and continuous layer formed through polymer chain interaction that produces a larger and more stable polymer aggregate. The chitosan packaging is both edible and biodegradable, and can be used as a coating or as an edible film.

Chitosan is commonly isolated from shrimp and crab waste, including the shells of these crustacea, through chitin deacetylation. Chitosan is a compound which has a positively charged free amino group that can bind to a negative charge on the microbial cell wall. This makes chitosan widely used in various fields, especially for preservation [1]. However, chitosan has several disadvantages, one of which is that it is not good at producing antioxidants; furthermore, in some applications, chitosan tends to be fragile and easily broken. These disadvantages can be overcome by adding materials to modify and enhance the properties of chitosan [2].

With the right modifications, the antioxidant and antimicrobial properties of chitosan-based compounds can be far superior to those of pure chitosan. The presence of amino groups and hydroxyl in chitosan means that chitosan can easily be chemically modified to produce chitosan derivatives.



These modifications can be produced through physical or chemical processes and are expected to improve the performance of chitosan and maintain its stability [3]. Some researchers have developed modification methods such as the addition of monosaccharides, glycerol and organic acids to improve the antimicrobial and antioxidant performance of chitosan. For example, a study by [1] concluded that a chitosan-galactose complex had the best antioxidant performance, with the intensity of brownish colour ranging from 0.031-0.224, while the antioxidant activity (measured with the DPPH method) was 92-131 ppm and the reduction power was 1,059-1,274. This study aimed to determine the antioxidant, antibacterial and antifungal activity of a range of chitosan-galactose complexes proposed for use as edible coatings.

2. Materials and Methods

This study was conducted at the Faculty of Marine Science and Fisheries, Universitas Negeri Gorontalo, in Gorontalo, Indonesia, and lasted for two months. The chitosan-galactose complex edible coatings were produced at the Faculty of Marine Science and Fisheries. The antibacterial, antifungal and antioxidant properties were tested at the Pharmaceutical Laboratory, Faculty of Sport and Health. The materials used to produce the edible coating complex were chitosan from vannamei shrimp shells, 1% acetic acid, galactose and 250 mL of distilled water. The materials used for antibacterial and antifungal activity tests were distilled water, Butterfield phosphate-buffer and Plate Count Agar (PCA) media, Potato dextrose Agar (PDA), sterile disc paper, physiological NaCl, sterile distilled water. The tools used were hot plate, magnetic stirrer, FTIR Spectroscopy (Bruker Tensor 37), oven (Yamato DV 40), incubator, vortex (Thermo Scientific), sterilization cabinet (Pathfinder).

The galactose was added to the chitosan in various concentrations. The treatments were: A Control chitosan; B Control commercial chitosan; C Chitosan with 0.5 g Galactose; D Chitosan with 1 g Galactose; and E Chitosan with 1.5 g Galactose. The coatings were evaluated using in-vitro testing. The parameters analysed were the antioxidant activity, tested with the DPPH method, and the antibacterial and antifungal activities both tested with an inhibition zone method using in-vitro testing. Antibacterial activity was tested on bacterial isolates from contaminated tilapia fillets, while antifungal activity was tested on pathogenic fungi isolates from smoked skipjack tuna. The data were analysed quantitatively.

2.1. Antioxidant Activity Test Procedure

Testing of antioxidant activity followed the protocols in [4] with modifications to the concentrations of the extracts of the sample mother liquor, the comparative antioxidants (Vitamins C and E) and the Diphenylpicrylhydrazil (DPPH) concentration. The sample extract solutions (pure chitosan, commercial chitosan, samples C, D, E and F) were prepared with a concentration of 1000 ppm, and then diluted to concentrations of 50, 75, and 100 ppm. Comparative antioxidants (Vitamin C and E) were made to a concentration of 1000 ppm and then diluted to concentrations of 50, 75, 100 ppm. The DPPH solution was made by dissolving DPPH crystals in ethanol as a solvent, with a concentration of 0.05 mM. The process of making the DPPH 0.05 mM solution was carried out in conditions with a low-temperature and protection from sunlight.

Aliquots of 4.5 ml were taken from the test solution or comparator and were reacted with 0.5 ml of DPPH 0.05 mM solution in a test tube. The mixture was incubated at 37°C for 30 minutes, and then the absorbance was measured using Uv-Vis spectrophotometry at a wavelength of 519 nm. The antioxidant activity of each sample and comparative antioxidant vitamins C and E was expressed as percentage (%) inhibition, calculated using the following formula:

$$\% \text{ inhibition} = \frac{\text{absorbance blanko} - \text{absorbance}}{\text{absorbance sample blanko}} \times 100 \%$$

Linear regression of sample inhibitory percentages versus concentration values (extracts or comparative antioxidants of Vitamin C and E) was performed with inhibitory percentages plotted on the x axis and concentration values on the y axis. The linear regression equation obtained in the form

of an equation of the form $y = a + bx$ was used to determine the IC₅₀ of each sample, where the IC₅₀ value is the concentration of the sample (extract or comparative antioxidant Vitamins C and E) which reduced DPPH radicals to 50% of the initial concentration by taking the 'y' value of 50 and the corresponding value of x as the IC₅₀ [4].

2.2. Antibacterial and antifungal activity test procedures

Antibacterial activity tests were conducted on bacterial isolates from contaminated tilapia fillet and antifungal activity tests were conducted on fungal isolates from smoked skipjack tuna. The inhibition zone method of in-vitro testing was implemented on agar plates. The diameter of the inhibition zone produced by each treatment (chitosan or chitosan-galactose compound) was measured.

3. Results

The test results are shown in Tables 1 to 3.

Table 1. Antioxidant properties of edible coating compounds measures by reduction on DPPH.

Edible coating formulation	IC ₅₀ (ppm)	Effectiveness
A Control chitosan	112.06	Average
B Control commercial chitosan	358.36	Low
C Chitosan-Galactose 0.5 g	56.82	Strong
D Chitosan-Galactose 1 g	43.20	Very strong
E Chitosan-Galactose 1.5 g	73.15	Strong
F Chitosan-Galactose 2 g	85.30	Very strong
G Vitamin C	16.00	Very strong
H Vitamin E	475.70	Low

Table 2. Edible coating antibacterial activity test results.

Edible Coating formulation	Inhibition Zone (mm)	Effectiveness
A Control chitosan	8	Average
B Control commercial chitosan	9	Average
C Chitosan-Galactose 0.5 g	10	Strong
D Chitosan-Galactose 1 g	12	Strong
E Chitosan-Galactose 1.5 g	10	Strong
F Chitosan-Galactose 2 g	11	Strong

Table 3. Antifungal Activity Test Results.

Edible Coating formulation	Inhibition Zone (mm)	Effectiveness
A Control chitosan	8	Average
B Control commercial chitosan	12	Strong
C Chitosan- Galactose 0.5 g	11	Strong
D Chitosan- Galactose 1 g	18	Very strong
E Chitosan- Galactose 1.5 g	14	Strong
F Chitosan- Galactose 2 g	15	Strong

4. Discussion

Table 1 shows that the antioxidant activity differed between the chitosan control solution and the chitosan galactose complex formulations. The IC₅₀ values ranged from 43.20 ppm to 73.15 ppm. Treatment D produced the lowest IC₅₀ of 43.20 ppm while treatment B produced the highest IC₅₀ value of 358.36 ppm. The lower the IC₅₀, the more active the sample tested as an antioxidant compound [5];

in the test used, the smaller the IC₅₀ value, the greater the ability of the sample to soak up free radicals (50% of the DPPH compounds). This shows that the 1g galactose chitosan complex (treatment D) had the highest antioxidant activity. The treatments with the second and third highest antioxidant activities were C (56.82 ppm) and (E 73.15) ppm while the control (pure chitosan) treatment had a much higher IC₅₀ value of 112 ppm.

Table 2 shows that the antibacterial activity of all the chitosan-galactose compounds (0.5 - 2g galactose) effectively inhibited the bacterial pathogens from the tilapia fillet. While several physical and chemical modifications of chitosan can be expected to improve its performance and can maintain its stability [3], these results show that the addition of galactose can produce antioxidant and antimicrobial activity that is more effective than that of chitosan alone. The presence of amino and hydroxyl groups in chitosan enables chitosan to be easily chemically modified; for example, the addition of 1% glucose in chitosan 1% and sterilised acetic acid 1% can produce a chitosan glucose complex which is proven to be able to fight food-destroying bacteria, fungi and pathogenic bacteria, and also contains antioxidants. While the addition of various sugars (glucose, fructose, lactose, arabinose and galactose) can inhibit the bacteria *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Escherichia coli* and *Bacillus cereus* [6]. This study showed that a range of chitosan-galactose complex formulae could enhance the food preservative properties of chitosan; however the formulation with 1 g galactose (formula or treatment D) produced the best results in terms of antioxidant, antibacterial and antifungal properties.

5. Conclusion

Edible coating chitosan galactose complex with 1 g galactose (formula or treatment D in this study) could be used as a natural preservative and packaging material. Antioxidant analysis with DPPH method gave an IC₅₀ of 43.20 ppm, with a 12 mm inhibition zone showing strong inhibition of pathogenic bacteria from tilapia fillets. Antifungal activity of the chitosan galactose complex (D) was very strong against pathogenic fungi from smoked fish, with an 18 mm inhibition zone.

Acknowledgements

The authors wish to thank the Directorate General of Research of the Ministry of Technology, Research and Higher Education of the Republic of Indonesia as sponsors of the 2019 fiscal year postgraduate grant which supported this research.

References

- [1] Sari S R, Baehaki A and Lestari S D 2013 Antioxidant Activity of Chitosan Monosaccharides Complex (Chitosan Monosaccharides Complex) *J. Fishtech* **2**
- [2] Rao M S, Chander R and Sharma A 2005 Development of shelf-stable intermediate-moisture meat products using active edible coating and irradiation and mayonnaise-based shrimp salads *J. Food Prot.* **63** 202–9
- [3] Li C B, Hein S and Wang K 2008 Biosorption of chitin and chitosan *Mater. Sci. Technol.* **24** 1088–99
- [4] Tias F N 2010 *Antioxidant activity and bioactive compound Melo sp.* (Institut Pertanian Bogor)
- [5] Molyneux P 2004 The Use of The Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity *Songklanakarini J. Sci. Technol.* **26** 211–9
- [6] Kanatt S R, Chander R and Sharma A 2007 Chitosan glucose complex-anovel food preservative *Food Chem.* **106** : 521- 521–8