

PAPER • OPEN ACCESS

2nd International Conference on Statistics, Mathematics, Teaching, and Research 2017

To cite this article: 2018 *J. Phys.: Conf. Ser.* **1028** 011001

View the [article online](#) for updates and enhancements.

Related content

- [Foreword](#)
Zhuang Qi Hu
- [Foreword](#)
Lord Rutherford
- [Description of the supporting factors of final project in Mathematics and Natural Sciences Faculty of Syiah Kuala University with multiple correspondence analysis](#)
Asep Rusyana, Nurhasanah and Maulizasari



IOP | ebooks™

Bringing together innovative digital publishing with leading authors from the global scientific community.

Start exploring the collection—download the first chapter of every title for free.

WELCOME SPEECH

Forewords from the Head of Committee

Assalamu Alaikum Warahmatullahi Wabarakatuh.

The honourable, Rector of Universitas Negeri Makassar (UNM) and all Vice Rectors, the Dean of Mathematics and Natural Sciences Faculty and all Vice Deans, all invited Speakers and Participants.

First of all, let us praise and thank to Allah Subhana Wata'ala, because his Blessings and Helpings, we are able to gather here to attend this conference.

Second, I would like to give our welcome to all delegates, speakers, and participants coming today in The Second International Conference on Statistics, Mathematics, Teaching and Research 2017 (2nd ICSMTR-2017) "Advanced Research for Statistics, Mathematics, Sciences and Education for Enhancing International Publications" organized by Mathematics and Natural Sciences Faculty, UNM.

This conference is conducted in two days from 9th to 10th of October 2017 in Grand Clarion Hotel Makassar. It involves: a keynote speaker, six invited speakers and approximately 300 parallel speakers coming from the West to East Indonesia and several countries.

Ladies and gentleman as, I previously said, the conference proudly invites keynote speaker and six invited speakers coming from several countries. Therefore, on behalf of the committee, I would like to express my sincere thanks to them, specifically: 1) Directorate General of Research and Development Strengthening, Ministry of Research, Technology, and Higher Education; 2) Prof. M. Shaheed Hartley (University of Western Cape, South Africa); 3) Prof. Ahmed A. Bahnassy (King Fahd Medical City, Saudi Arabia); 4) Prof. Madya Dr. Ahmad Johari Bin Sihes (Universiti Teknologi Malaysia, Malaysia); 5) Prof. Dr. Khairil Anwar Notodiputro, MS (Bogor Agricultural University, Indonesia); 6) Abbas Panakkal, Ph.D (Ma'din Academy Research Center and International Study, India); 7) Prof. Hamzah Upu, M.Ed. (Universitas Negeri Makassar, Indonesia) and 8) Prof. Muhammad Arif Tiro, Ph.D. (Universitas Negeri Makassar, Indonesia).

Next, I would like thanks to all sponsors and also thanks to all organizing committee who have been showing very good work and determination for the accomplishment of this conference. All of them working since the beginning of the planning stage and they are still here today for all of us, even though, they are very busy with their personal responsibilities.

On this occasion, I would like to apologize to all of you when there are some inconvenience during the conference.

Finally, I would like thanks to the speakers and participants listed in the 2nd ICSMTR 2017. Have a nice conference and also that you have a very pleasant stay in Makassar city. Thank you very much for attention. Assalamu Alaikum Warahmatullahi Wabarakatuh.

Head of Committee,

Prof. Dr. Syafruddin Side, M.Si.



**Forewords from the Dean of Mathematics and Natural Sciences Faculty,
Universitas Negeri Makassar**

Your excellency Rector of Universitas Negeri Makassar
Honourable Vice Rectors and Dean of All Faculties
Honorable Keynote Speakers
Distinguished all invited speakers from outstanding universities
Distinguished all speakers and guests
All participants,
Ladies & Gentlement,

Assalamu'alaykum Warahmatullahi Wabarakatuh. My greetings for all of you. May peace and God's blessing be upon us all. *Alhamdulillah*, all praises be to the Almighty God, Allah *subhanahu wata'ala*.

It is my pleasure to welcome you all to the opening of The 2nd International Conference on Statistics, Mathematics, Teaching, and Research (2nd ICSMTR). I am delighted to see that the Mathematics and Natural Sciences Faculty has again organized the second conference that capitalize on our strength and built on our commitment to promoting Mathematics, Science, Teaching and Research.

I do hope that this conference would bring a great opportunity for all of us to strengthen our contribution to the advancement of our nation.

I would like to take this opportunity to thank the conference organizing committee for their diligent work. I would also like to thank participants, especially those of you coming from abroad, for joining us and sharing your valuable experiences. Should you find any inconveniences and shortcomings, please accept our sincere apologies.

Finally, let me wish you fruitful discussion and a very pleasant stay in Makassar.

Thank you,
Wassalamu'alaykum Warahmatullahi Wabarakatuh

Dean of Faculty of Mathematics and Natural Sciences
Universitas Negeri Makassar

Prof. Dr. Abdul Rahman, M.Pd.

Forewords from Rector of UNM

Bismillahirrahmanirrahim

Assalamu'alaikum Warahmatullahi Wabarakatuh

Your respectable, the high officials of State University of Makassar, the committee, the speakers, and the participants of conference.

It gives me great pleasure to extend to you all a very warm welcome, especially to our keynote and invited speakers who have accepted our invitation to convene the conference. ICSMTR is one of our educational activities that covers a wide range of very interesting items relating to statistics, mathematics, teaching and research.

By taking participation of this conference, it is highly expected to all of us to share our research findings to society and continuously develop new ideas and knowledge. Those things are two significant steps in improving the quality of nations around the world, increasing our familiarity to each other, and even avoiding underdevelopment.

Furthermore, I would like to take this opportunity to express my heartfelt gratitude to all organizing committee for Faculty of Mathematics and Natural Sciences that primarily hosts this conference.

Finally, this is a great time for me to declare the official opening of the International Conference on Statistics, Mathematics, Teaching, and Research (ICSMTR) 2017.

I wish you a very enjoyable stay in Makassar

I warmly welcome you again, as in Makassar, we say "salamakki battu ri mangkasara"

Wassalamu'alaikum Warahmatullahi Wabarakatuh.

Prof. Dr. Husain Syam, M.TP

Rector of Universitas Negeri Makassar

CONFERENCE SCHEDULE
The 2ndICSMTR

Faculty of Mathematics and Natural Sciences
Universitas Negeri Makassar

Clarion Hotel, Makassar, Indonesia, 9 – 10 October 2017

Day 1: Monday, 9 October 2017		
07.00 – 08.00	Registration	Jasmine Hall
08.00 – 09.00	Opening Ceremony Traditional Dance Doa National Anthem: Indonesia Raya Welcome speech: a. Head of Committee Prof. Dr. Syafruddin Side, M.Si. b. Dean of Math & Natural Sciences Faculty Prof. Dr. Abdul Rahman, M.Pd. c. Rector of Universitas Negeri Makassar Prof. Dr. Husain Syam, M.TP.	Jasmine Hall
09.00 – 09.45	Keynote Speaker Directorate General of Research and Development Strengthening, Ministry of Research, Technology, and Higher Education	Jasmine Hall
09.45 – 10.00	Coffee Break	Jasmine Hall
10.00 – 12.00	Invited Speakers 1. Prof. M. Shaheed Hartley, Ph.D. 2. Prof. Dr. Hamzah Upu, M.Ed. 3. Prof. Madya Dr. Ahmad Johari Bin Sihes	Jasmine Hall
12.00 – 13.00	Lunch & Pray	
13.00 – 15.30	Parallel Sesion 1	Parallel Rooms
15.30 – 16.00	Coffee Break	Parallel Rooms
16.00 – 18.00	Parallel Session 2	Parallel Rooms
Day 2: Tuesday, 10 October 2017		
08.00 – 10.00	Invited Speakers 1. Prof. Dr. Khairil Anwar Notodiputro, M.S 2. Prof. Ahmed A. Bahnassy, Ph.D. 3. Prof. Muhammad Arif Tiro, Ph.D. 4. Abbas Panakkal, Ph.D.	Jasmine Hall
10.00 – 10.10	Coffee Break	Jasmine Hall
10.10 – 11.30	Parallel Session 3	Parallel Rooms
11.30 – 12.00	Closing Ceremony	Jasmine Hall
12.00 – 13.00	Lunch & Pray	
13.00 – End	City Tour	

INVITED SPEAKER SESSION

Day 1: Monday, 9 October 2017		
10.00 – 12.00	Professor M.Shaheed Hartley, Ph.D. University of Western Cape, South Africa <i>Training, supervision and mentorship on a professional development journey from 2010 to 2017: A reflection by students and supervisors</i>	Jasmine Hall
	Professor Dr. Hamzah Upu, M.Ed. Universitas Negeri Makassar, Indonesia <i>The Effectiveness of Mathematics Learning Packages Based on Bilingual Approach.</i>	
	Professor Madya Dr. Ahmad Johari Bin Sihes Universiti Technology Malaysia, Malaysia <i>Transformation of Higher Education Curriculum to Meet the 4th Industrial Revolution Challenges</i>	
Day 2: Tuesday, 10 October 2017		
08.00 – 10.00	Professor Dr. Khairil Anwar Notodiputro, M.S Bogor Agricultural University, Indonesia	Jasmine Hall
	Professor Ahmed A. Bahnassy, Ph.D. King Fahd Medical City, Saudi Arabia	
	Professor Muh. Arif Tiro, Ph.D. Universitas Negeri Makassar, Indonesia <i>National Movement for Statistical Literacy in Indonesia: An idea.</i>	
	Abbas Panakkal, Ph.D. Ma'din Academy Research Center, India <i>Technological Trajectories and Epistemological Paradigms in Social Science Researches.</i>	

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012240

Support Vector Regression Algorithm Modeling to Predict the Availability of Foodstuff in Indonesia to Face the Demographic Bonus

Sari Devia Agustina, Mustakim, Okfalisa, Celsa Bella and Muhammad Anang Ramadhan

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012241

Preferences of FMIPA UNM Students to the Quality of Lecturers in Joint Learning Semester

Muhammad Kasim Aidid and Sudarmin

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012242

Cox Proportional Hazard Regression Analysis of Dengue Hemorrhagic Fever

Suardi Annas, M. Nusrang, R. Arisandi, N Fadillah and P Kartikasari

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012243

Accuracy of Periodogram Analysis for Identification of Multiplicative SARIMA Models

Gungum Darmawan, Nuning Kurniasih and Ansari Saleh Ahmar

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012244

Brief Overview of STATCAL Statistical Application Program

Dian Utami Sutiksno, Prana Ugiana Gio, Rezyzy Eko Caraka and Ansari Saleh Ahmar

[+ Open abstract](#) [View article](#) [PDF](#)

JOURNAL LINKS

[Journal home](#)

[Journal Scope](#)

[Information for organizers](#)

[Information for authors](#)

[Contact us](#)

[Reprint services from Curran Associates](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012193

The Effect of Spiritual Intelligence, Emotion and Social Competence to the Leadership Competence

Dian Novita Siswanti, Rozainee Khairuddin and Fatimawati Halim

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012194

Forecasting Historical Data of Bitcoin using ARIMA and α -Sutte Indicator

Dian Utami Sutiksno, Ansari Saleh Ahmar, Nuning Kurniasih, Eko Susanto and Audrey Leiwakabessy

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012195

Forecasting Infant Mortality Rate for China: A Comparison Between α -Sutte Indicator, ARIMA, and Holt-Winters

Nuning Kurniasih, Ansari Saleh Ahmar, Dadang Rahmat Hidayat, Herlina Agustin and Edwin Rizal

[+ Open abstract](#) [View article](#) [PDF](#)

Physics

OPEN ACCESS

012196

Fabrication and Analysis of Optical Properties of Double Layer Glass Surface; Self Cleaning and Glowing Glass

Irfana Diah Faryuni, Asifa Asri, Dwiria Wahyuni and Mega Nurhanisa

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012197

Geophysical Exploration in Hot Springs Region Soppeng Regency, Indonesia

Agustinus Jarak Patandean and Abdul Hafid Hasim

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012198

Fractal analysis of land surface temperature for geothermal and non-geothermal sites characterization

J Sampurno, Apriyansyah, Riza Adriat and Wahyu Srigutomo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012199

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



FTIR, XRD and SEM Analysis of Microcrystalline Cellulose (MCC) Fibers from Corncores in Alkaline Treatment

Wiwini Rewini Kunusa, Ishak Isa, Lukman AR Laliyo and Hendrik Iyabu

[+ Open abstract](#) [View article](#) [PDF](#)

Physics Education

OPEN ACCESS 012200

Development of Authentic Assesment Tools in Physics Science Learning

Enos Taruh and Mursalin

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012201

Development of Authentic Affective Assessment Instrument in High School Physics Learning

Rabiudin, Enos Taruh and Mursalin

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012202

Implementation of Quantum Teaching Method with TANDUR Techniques on Learning Physics Student Result Class XI IPA SMA PPM Al-Ikhlas

Ummu Kalsum and Fadhila

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012203

Development and validation of science process skills instrument in physics

Sirajuddin Jalil, Herman, M. Sidin Ali and Abdul Haris

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012204

Perception of Prospective Physics Teacher to the Model of Learning Based on Local Wisdom

M. Agus Martawijaya

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012205

Analyzing Students' Problem Solving Difficulties on Modern Physics

Dewi Sartika and Nur Aisyah Humairah

[+ Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



Piracy Threat – Important update to keep your details safe and secure. [Click here for further information.](#)

Table of contents

Volume 1028

2018

◀ Previous issue Next issue ▶



2nd International Conference on Statistics, Mathematics, Teaching, and Research 2017 9–10 October 2017, Makassar, Indonesia



Accepted papers received: 09 May 2018

Published online: 14 June 2018

[Open all abstracts](#)



Preface


OPEN ACCESS 011001
2nd International Conference on Statistics, Mathematics, Teaching, and Research 2017
+ Open abstract  View article  PDF

OPEN ACCESS 011002
Peer review statement
+ Open abstract  View article  PDF

Papers

Applied Mathematics

OPEN ACCESS 012001
Knowledge and Attitudes with Family Role in Prevention of Pulmonary Tuberculosis in Maros, Indonesia
Yermi, Muhammad Ardi, Lahming, Suradi Tahmir and Nurlita Pertiwi
+ Open abstract  View article  PDF

OPEN ACCESS 012002
The Roles of Family in Preventing Dengue Fever in Regency of Maros, South Sulawesi, Indonesia
This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy. 

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012003

Group Decision Making With Unbalanced-Expertise

Shahryar Sorooshian

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012004

Response Surface Methodology to Optimize Microwave Sterilization of Palm Fruit

Maya Sarah, Isti Madinah and Siti Salamah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012005

Support Vector Machines for Classifying Policyholders Satisfactorily in Automobile Insurance

Zuherman Rustam and Ni Putu Ayu Audia Ariantari

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012006

Using K-Means Clustering to Cluster Provinces in Indonesia

Ansari Saleh Ahmar, Darmawan Napitupulu, Robbi Rahim, Rahmat Hidayat, Yance Sonatha and Meri Azmi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012007

Mapping of Poverty Characteristics, based on the quality of Fisherman's House, Bajo Tribe, South Halmahera, Indonesia

Rosmini Maru, Ramli Umar, Syukri Nyompa, Takdir Ismail, Amal Arfan, Sulaiman Zhiddiq and Uca Sideng

[+ Open abstract](#) [View article](#) [PDF](#)

Biology

OPEN ACCESS

012008

Histological study of the circulatory system of Sulawesi Medaka fish (*Oryzias celebensis*) for animal model research

Dwi Kesuma Sari, Irma Andriani and Khusnul Yaqin

[+ Open abstract](#) [View article](#) [PDF](#)

In vitro cytotoxicity of *Artocarpus lakoocha* aqueous extract and oxyresveratrol in SH-SY5Y cells

Hasriadi and Nanteetip Limpeanchob

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012010

The Potency Of Livestock Waste Into Renewable Energy (Biogas) In Palipu District Tana Toraja Regency

Frederik Palallo, Muhammad Ardi and Guntur Yusuf

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012011

Response Surfaces of Linoleic Acid of *Swietenia Mahagoni* in Supercritical Carbon Dioxide

Hartati, Liza Md Salleh, Halifah Pagarra and Rachmawaty

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012012

The Development of Students' Nature of Science Views in Cellular Respiration Context

A C Pratiwi, S Kijkuakul and P Sangin

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012013

Active Compounds Extraction of Cocoa Pod Husk (*Thebroma Cacao* l.) and Potential as Fungicides

Rachmawaty, A. Mu'nisa, Hasri, Halifah Pagarra, Hartati and Zulkifli Maulana

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012014

Effectivity of Anatonistic Bacteria in Controlling of Fusarium Wilt Diseases of Banana (*Musa paradisiaca*) by in Vitro

Hilda Karim, Hamka L, Nani Kurnia and Muhammad Junda

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012015

Characterization of Actinomycetes Antagonist *Fusarium oxysporum* f.sp. *passiflora* Isolated from Rhizosphere Soil of Purple Passion Fruit Plants, South Sulawesi, Indonesia

Alimuddin Ali, Muhammad Junda, Herlina Rante and Riska Nuramelia

[+ Open abstract](#) [View article](#) [PDF](#)

PAPER • OPEN ACCESS

FTIR, XRD and SEM Analysis of Microcrystalline Cellulose (MCC) Fibers from Corncorbs in Alkaline Treatment

To cite this article: Wiwin Rewini Kunusa *et al* 2018 *J. Phys.: Conf. Ser.* **1028** 012199

View the [article online](#) for updates and enhancements.

Related content

- [Preparation and Characterization of Cellulose Microcrystalline \(MCC\) from Fiber of Empty Fruit Bunch Palm Oil](#)
H Nasution, Yurnaliza, Veronicha *et al.*
- [Comparison of microcrystalline characterization results from oil palm midrib alpha cellulose using different delignization method](#)
S Yuliasmi, T R Pardede, Nerdy *et al.*
- [Characterization and analysis of the molecular weight of corn corbs microcrystalline cellulose \(MCC\) fiber using mass-spectrometry methods](#)
W R Kunusa, H Iyabu, M Taufik *et al.*



IOP | ebooks™

Bringing together innovative digital publishing with leading authors from the global scientific community.

Start exploring the collection—download the first chapter of every title for free.

FTIR, XRD and SEM Analysis of Microcrystalline Cellulose (MCC) Fibers from Corncores in Alkaline Treatment

Wiwini Rewini Kunusa*, Ishak Isa, Lukman AR Laliyo & Hendrik Iyabu

Department of Chemistry, Gorontalo State University, Gorontalo 96128, Indonesia

* rewini.kunusa2014@gmail.com

Abstract. In this paper, we report the isolation method of cellulose, alpha cellulose and microcrystalline cellulose from corncores waste in alkaline treatment NaOH 4%,6%,8%,10%,12%,14% and 17% solution. Dewaxing, dehemiselulosa, delignifikasi and bleaching is the stage of cellulose isolation. The MCC particles were extracted by acid hydrolysis with 0.1N HCl. The 4% NaOH concentration provides the highest α -cellulose content (60%) with total yield MCC of 84.53%. SEM, FT-IR and X-ray diffraction analyzes are used to determine of the MCC. FTIR spectra showed that each MCC had -OH group, stretching of C-O on cellulose fiber I and cellulose II. C-O bonds shows a change in rotation of glucose residue around the glycosidic bond into Cellulose II. SEM analysis showed that the concentration of 6% NaOH has a morphological structure such as cellulose standard. The 8% NaOH concentration yields a CrI value of 98%.

1. Introduction

Corn cob is lignocellulosic material consisting of 38.8%±2.5%, 44.4%±5.2%, hemicellulose and lignin cellulose 11.9% ± 2.3%. Cellulose is biodegradable and biocompatible which can be processed into product with economic value. Cellulose is unbranched macromolecule that consist of anhydroglucopyranose units which connected by the β -1,4-glycosidic bond. Each unit of anhydroglucopyranose has three OH groups [1]. The original crystalline structure of cellulose polymorphs is known as cellulose I, when dissolved and crystallized in the form of a more stable crystal in a solution called cellulose II. Cellulose II powder is used as an alternative raw material in the field of industrial, pharmaceutical, health and biofuel production [4][20].

In application, degradation of cellulose structures is an important step because it must find a solvent that not reduce polimerization degree (DP) of cellulose [14]. Cellulose fibers are not homogeneous depending on the source of the fiber and solvent quality through opening the pore of the amorphous-crystalline region and breakdown hydrogen bonds [28][15]. Pretreatment technology is required in hydrolysis process [22][14] to change the intra-inter chain structure of the molecule by swelling and insertion of the chemical group [24]. Methods of cellulose pretreatment include acetylation, mercerization, peroxidation, benzoylation, graft copolymerization. Bacterial media is the best method for surface modification of cellulose fibers that have been widely studied [12].

A study of lignocelluloses by various methods has been studied including hydrolysis using the enzyme Novozymes Cellic® C-Tec2 and H-Tec+ in 10% NaOH [12] modification of cellulose dissolution in NaOH/ZnO by enzymatic treatment of xylanase and endoglucanase with pulp solubility from 29% -81% [8] the mercerization method using NaOH [6][34][16] KOH [3] NH₃ solution [15]



NaOH/ H₂O₂/hypochlorite [21] NaOH/H₂O₂ [34] NaOH/NH₃ [9] NaOH/Urea [26] (NaOH). NaOH is very effective to breaking lignin and glycosidic bond in lignocellulosic bio-conversion (HOO) and NaOH method [14,6,33] method of microwave oven with use KOH and NaOH 0.75% - 3% [3] NaOH 4%, 8%, 13%, 18% termination of lignin bonding and glycosidic polysaccharides [19-27]. The cellulose structure has a more open surface facilitating the interaction of the fibers [20] 12% -18% NaOH and NH₃ forming cellulose II and cellulose-ammonia complexes [1] NaOH 4% cellulose II \pm 50% and extractive 72% [21]. NH₃ and NaOH altered the crystal-alomorph structure of cellulose II and III [8].

Cellulose can be made into Microcrystallin Cellulose or nanocellulose by strong acid hydrolysis [22][32] in the form of white, odorless, tasteless white crystalline powders.[32] Cornstarch cellulose (CPNs) with α -cellulose content 47.27% according to Avicel® PH 101 [4-29] NaOH 4% yields 47.6% oxidized cellulose with NaClO 7.5 mmol/gr yields 36.5% alkaline cellulose nanofibrils (ACNFs) [11] MCC is synthesized using H₂SO₄, HCl and HBr [29] MCC is stronger and stiffer than amorphous cellulose or native cellulose [20]. The CRC (CrI) index of sugar palm obtained was 97.5% [17] CrI sample 83.46% [18] Cellulose-based nanoparticles (CPNs) of corncobs with KOH had CrI values 57.28% [2] with H₂SO₄ values CrI nanocellulose was higher at 60.2% [22]. In this research cellulose, α -cellulose and MCC will be isolated from corncob in alkali treatment with variation of NaOH concentration with 4%, 6%, 8%, 10%, 12%, 14 and 17%. Dewaxing, dehemicelulosa, delignifikasi and bleaching is the stage of cellulose isolation. The MCC particles were extracted by acid hydrolysis with 0.1N HCl ratio 1:2 and refluxed at 80 °C for \pm 2 hours. The processing parameters like acid concentration, temperature, time and mechanical force were kept constant. The MCC particles were studied by FTIR, XRD and SEM analysis concentration.

2. Experimental details

2.1. Raw material

Corncob from Milango Village, Pohuwato District, Gorontalo Province, Indonesia. The reagents were of analytical grades, NaOH (reagent grade, 98%), HCl (ACS reagent, 37%), H₂O₂ (technical grade), K₂Cr₂O₇, H₂SO₄, Avicel 102 (technical grade), Ethanol (95% pa), Tholuena (95% pa), and distilled water used as solvent.

2.2. Isolation of cellulose

Corncob waste was cut into small pieces \pm 2 cm, washed with aquadest and in oven temperature 60 °C-70 °C for 24 hours. The dried sample is blended and in the shaken to obtain corncob powder particles 180 micron by size. Cellulose isolation is a modified procedure [12-14] dewaxing stage: 50 gr of 180 micron corncob powder was soxhleted in ethanol : toluene (2:1) for 4 hours. Sample was filtered and washed until neutral pH, then it was dried with oven at 60 °C for 8 hours. de-hemicellulose stage: 10 gr of 180 micron corncob powder was dissolved into 200 mL of 4%, 6%, 8%, 10%, 12%, 14% and 17% NaOH solution. The mixture was heated on hot plate at 100°C for \pm 2 hours. Then it was filtered and washed until neutral pH, dried with oven at 60 °C. de-lignification and bleaching stage using H₂O₂ 4% for \pm 1 hour at room temperature. Then sample was filtered and washed until neutral pH. It was oven-dried at 60 °C for 8 hours.

2.3. Production of alpha cellulose

Purification of α -cellulose was done by 5gr of cellulose dissolved in 500 ml of 17.5% NaOH at a temperature of 80°C for 30 min. Furthermore the precipitate was filtered and washed until neutral pH, and oven-dried at 60°C for 8 hours [12-14].

2.4. Production of microcrystalline cellulose (MCC)

The preparation of MCC modification of the analytical procedure [9,12,17]. α -cellulose product was hydrolysed with 0.1N HCl ratio 1: 2 and refluxed at 80 °C for \pm 2 hours. The precipitate was filtered and washed with aquadest until neutral pH and oven-dried at 60 °C for 8 hours.

2.5. Characterization of MCC fiber

2.5.1. Fourier Transform Infrared (FTIR). FT-IR spectroscopy analysis was used to determine the cellulose microcrystalline functional group were carried out using (Shimadzu IR-Prestige21, Instrumen Laboratories Brawijaya University, Malang). Bands were recorded in the region from 4000 to 500 cm^{-1}

2.5.2. X-ray diffraction (XRD). Morphological changes in the crystalline structure of MCC fiber were analyzed using a high-resolution X-ray diffractometer (PANalytical, X'Pert HighScore, at Geologi Laboratories, Bandung). The crystallinity of MCC fiber was determined from X-ray diffraction curves based on the Segal Method (Segal et al, 1959) in Kyoung-Hwa Choi, et al, 2016)[16]. Crystallinity index (CrI) was calculated based on Eq.1

$$\text{CrI (\%)} = I_{002} - I_{\text{Am}} / I_{002} \times 100 \quad (1)$$

where I_{002} is the peak height at 22.4 (2 θ) and I_{Am} is the peak height of amorphous cellulose to 19.5 (2 θ).

2.5.3. Morphological characteristic. SEM was used to examine the microscopic structure and the surface morphology of MCC fiber. The instrument used was SEM-EDS JEOL JSM-6360LA, Japan, at Geologi Laboratories, Bandung.

3. Result and discussion

Effect of alkaline charge on the isolation of cellulose and α -cellulose levels. NaOH is a cellulose-swelling complex [14], improving particle dispersion to form alkali-cellulose by the reaction of $\text{Cel-OH} + \text{NaOH} \leftrightarrow \text{Cel-ONa} + \text{H}_2\text{O}$ [21][16]. Alkali as a swelling of the cellulose chain (swelling) and penetrating the crystal lattice reacts with the OH group after breaking the hydrogen bonds producing the cellulose-alkali complex [21][24]. At the dewaxing stage, dehemiacellulose, delignification, impurities such as extractives, lignin and hemicellulose decreases. Proteins, inorganic salts, fatty acids, resin acids, waxes, tannins and colored compounds are extracted in both solvents and alkalis. As the NaOH concentration increases, more and more short-chain carbohydrates are degraded [18][33]. NaOH 4% gives the highest α -cellulose content (60%). The swelling of inter-crystalline swell is followed by oxidative degradation which largely confined to the amorphous region of fiber ie the degradation of cellulose intercrystalline. Dissolution of extraactive compounds, hemicellulose and lignin molecules due to the breaking of aryl-ether bonds, carbon-carbon, aryl-aryl and alkali-alkali to obtain high purity cellulose. The higher the concentration of NaOH, the lower the content of α -cellulose will be, because strong degradation occurs through intracrystalline swelling, where the reactant penetrates the crystalline region [18][22][33].

Effect of hidrolisis charge on the yield of MCC. NaOH 4% concentration gives the highest yield of MCC (84.53%). The purity of α -cellulose and hydrolysis processes affects the MCC fibril structure. The hydrolysis level is influenced by the structural properties of the biomass substrate, such as cellulose crystallinity, surface area, DP and porosity [9]. During hydrolysis of HCl, Cl^- ions will penetrate cellulose strands and hydrolyze the amorphous regions resulting in highly crystalline substrate with different CrI values [16] Concentration NaOH 10%-17% extensively alters the cellulose molecular structure and supramolecules of cellulose I into cellulose II with decreased crystallinity [9].

3.1. Infrared spectroscopy

FT-IR spectra of the MCC fiber and their intermediate products are shown in Figure 1.




Figure 1. FT-IR Spectra of MCC fiber

Spectra at 4000-2995 cm^{-1} , 2900 cm^{-1} , 1430 cm^{-1} , 1375 cm^{-1} , and 900 cm^{-1} indicate crystal and amorphous regions. There are structure changing of cellulose I to cellulose II with NaOH 6%, which is showed by stretching OH at 3331 cm^{-1} , 3347 cm^{-1} , 3360 cm^{-1} and stretching C=O at 1642-1649 cm^{-1} . The characteristics of the glycosidic group of C-O, C-O-C, and C-OH bonds with concentration variations were seen at 1161.83 cm^{-1} . The formation of alkali-cellulose is reinforced by stretching of C-O and C-C groups at 1063-1065 cm^{-1} . For NaOH 4% and 6%, there are sharp peak at 897 cm^{-1} which typical for β -glycosidic linkages of cellulose I. Cellulose with NaOH $\geq 6\%$, showed peak shifts at 998 cm^{-1} , 995 cm^{-1} , 895 cm^{-1} . This is indicate occurrence of cellulose crystal structure II. This peaks correspond to cellulose spectrum [29].

3.2. X-ray diffraction (XRD)

X-ray diffraction spectra of MCC fiber and their intermediate products are shown in Figure 2. The XRD analysis results (Fig.2), gives the amorphous form data at $2\theta=14.6^\circ(4\%)$, $12.1^\circ(6\%)$, $11.9^\circ(8\%)$, $19.5^\circ(10\%)$, $12.2^\circ(12\%)$, $12.1^\circ(14\%)$, $12.3^\circ(17\%)$ and the crystal is read at $2\theta=22.4^\circ(4\%)$, $21.9^\circ(6\%)$, $21.8^\circ(8\%)$, $19.8^\circ(10\%)$, $21.8^\circ(12\%)$, $21.8^\circ(14\%)$, $19.7^\circ(17\%)$. NaOH 4% showed typical diffraction pattern of cellulose I with angle diffraction angle 2θ ie 14.84° , 20.20° , 22.63° . Increasing the concentration of NaOH ($\geq 4\%$) will decrease intensity and diffraction pattern formed two new crystallinity peaks ie crystal structure II at angle $2\theta=12.5^\circ$ and 21.68° [9][31] micro-fibril swelling, degradation and formation of new crystal lattice [33] NaOH 17.5% during the α -cellulose isolation process [5]. The highest crystal structure produced on MCC due to the removal of amorphous alpha cellulose region with acid hydrolysis and 8% NaOH concentration yields a degree of crystallinity (CrI) of 98%. It is interesting to note that the MCC in the present case shows doublet in the intensity of the main peaks corroborating the coexistence of cellulose I and cellulose II allomorphs. The large different spectra between MCC with cellulose and alpha cellulose results in the appearance of two significant peaks indicating the highly crystalline structure of MCC. High crystallinity indicates an ordered compact molecular structure, when the crystalline cellulose content is high, these two peaks are more pronounced [7].




Figure 2. XRD Spectra of MCC fiber

3.3. Scanning Electron Microscopic (SEM)

Figure 3 shows the microscopic structure and surface morphology of MCC fiber.




Figure 3. Photo SEM (a) Corncorb, (b) Avicel 102, (c) NaOH 4%, (d) NaOH 6%, (e) NaOH 8%, (f) NaOH 10%, (g) NaOH 12%, (h) NaOH 14%, (i) NaOH 17%.

Micrographic SEM reading (Fig.3) NaOH 6% has a surface structure similarity with Avicel 102. The 8%, 10%, 12%, 14% and 17% NaOH concentrations illustrate the porous (vascularular) texture of the macrofibril shape and the unequal distribution of macrofibrils in cellulose suggest that

mercerization causes fibrillation and fiber damage to small pieces that increase surface area. In this case, after microfibrils were hydrolyzed and rinsed, the volume of amorphous cellulose was occupied by water molecules that were then removed; the remaining microfibrils contain large amounts of naked microfibril bundles.

4. Conclusion

The MCC particles were studied by FTIR, XRD and SEM analysis. FTIR spectra showed that each MCC had -OH group at wave number 3422, 3331, 3347, and 3360 cm^{-1} . The C-O bond at 1635 cm^{-1} , 1642-1649 cm^{-1} shows the different stretching of C-O on cellulose fiber I and cellulose II and C-O bonds at 1161.83 and 1063-1065 cm^{-1} . 995-895 cm^{-1} shows a change in rotation of glucose residue around the glycosidic bond into Cellulose II. SEM analysis showed that NaOH 6% had a standard pore cell surface structure. Acid hydrolysis and NaOH concentration increase the CrI of MCC. I_{002} is the peak height at 22.4(2 θ) and I_{Am} is the peak height of amorphous at 19.5(2 θ). The highest crystal structure produced on MCC due to the removal of amorphous alpha cellulose region with acid hydrolysis and 8% NaOH concentration yields a degree of crystallinity (CrI) of 98%.

Acknowledgments

We would like to convey our sincere appreciation with deep gratitude to all participants who involve in this study.

References

- [1] Hermin S, Sutriyo, Hasty R S and Dianah R 2017 Preparation of microcrystalline cellulose from water hyacinth powder by enzymatic hydrolysis using cellulose of local isolate *JyoungParm* 99(1)
- [2] A ElOudiani, Y Chaabouni, S Msahli, F Sakli 2011 Crystal transition from cellulose I to cellulose II in NaOH treated *Agave americana* L. fibre. *Carbohydrate Polymers* 86(3)
- [3] Boonyisa W, Apanee L and Sujitra W 2012 Characterization of corn cobs from microwave and potassium hydroxide pretreatment *J. of Chemical, Molecular, Nuclear, Materials and Metallurgical Engineering* 6(4)
- [4] Chukwuemeka P A, Augustine O O and Robin D R 2011 Physicochemical properties of maize cob cellulose powders reconstituted from ionic liquid solution *Springer Science Cellulose* DOI 10.1007/s10570-011-9631-y
- [5] Chukwuemeka P A and Augustine O O 2012 Physicochemical, spectroscopic and thermal properties of microcrystalline cellulose derived from corn cobs *Int. J. of Recycling of Organic Waste in Agriculture* DOI: 10.1186/2251-7715-1-9
- [6] C E Maepa, J Jayaramudu, J O Okonkwo, S S Ray, E R Sadiku and J Ramontja 2015 Extraction and characterization of natural cellulose fibers from maize tassel *Int. J. of Polymer Analysis and Characterization* 20(2)
- [7] H Nasution, Yurnaliza, Veronicha, Irmadani and S Sitompul 2017 Preparation and characterization of cellulose microcrystalline (MCC) from fiber of empty fruit bunch palm oil *Applied Science and Engineering Conference IOP Publishing IOP Conf. Series: Materials Science and Engineering* 180 012007 doi:10.1088/1757-899X/180/1/012007
- [8] Heléne A, Ambjörnsson, 2013. *Mercerization and enzymatic pretreatment of cellulose in dissolving pulps* Dissertation Karlstad University Faculty of Health, Science and Technology Department of Engineering and Chemical Sciences ISSN 1403-8099. ISBN 91-7063-499-4
- [9] Ashutosh M, Rui K, M E Himmel and David K J 2011 Effects of alkaline or liquid-ammonia treatment on crystalline cellulose: changes in crystalline structure and effects on enzymatic digestibility *Biotechnology for Biofuels* 4(41) DOI: 10.1186/1754-6834-4-41
- [10] Jeannie S, Irvan K and Haznan A 2017 Kinetic studies of cellulose enzymatic hydrolysis from pretreated corn cob *AIP Conf. Proc.* 1803 020014

- [11] Jin G and You-Lo H 2017 Alkaline cellulose nanofibrils from streamlined alkali treated rice straw *ACS Sustainable Chem. Eng* 5(2) pp 1730–1737
- [12] Josephine C H L, FuiKiew L, Sinin H, Md Rezaur R, Mohamad R, Md Faruk H and Md Mizanur R 2015 Synthesis and characterization of cellulose from green bamboo by chemical treatment with mechanical process *J. of Chemistry* ID 212158 6 pages
- [13] Keikhosro K and Mohammad J T 2016 A critical review on analysis in pretreatment of lignocelluloses: Degree of polymerization, adsorption/desorption, and accessibility *J. Bioresource Technology* 203 pp 348-356
- [14] Kihlman 2013 Cellulose dissolution in an alkali based solvent: influence of additives and pretreatments *J. Braz. Chem. Soc.* 24(2) ISSN 0103-5053
- [15] Kuzmina 2013 *Preswelling of cellulose pulp for dissolution* Institute of Biopolymers and Chemical Fibers, Lodz, Poland
- [16] Kyoung-HwaChoi, Ah Ram K and Byoung-UkCho 2016 effects of alkali swelling and beating treatments on properties of kraft pulp fibers *J. Bioresources* 11(2) pp 3769-3782
- [17] Maulida L, Mari B H, Muhammad H S G, Mora S and Hidayatul A 2016 Effect of microcrystalline cellulose (mcc) from sugar palm fibres and glycerol addition on mechanical properties of bioplastic from avocado seed starch (*Persea americana* mill) *Full Paper Proc.* 331(3) pp 1-10 ISBN 978-969-670-957-2
- [18] Md Ziaul K, Zaira Z C, Sharifah B A H and Md Eaqub A 2014 Statistical optimization for acid hydrolysis of microcrystalline cellulose and its physiochemical characterization by using metal ion catalyst *Materials* 7 6982-6999 DOI:10.3390/ma7106982 ISSN 1996-1944.
- [19] Motaung T E and Mtibe A 2015 Alkali treatment and cellulose nanowhiskers extracted from maize stalk residues *Materials Sciences and Applications* 6 pp 1022-1032
- [20] M Pointner, P Kuttner, T Obrlik, A Jäger and H Kahr 2014 Composition of corncobs as a substrate for fermentation of biofuels *J. Agronomy Research* 12(2) pp 391–396
- [21] Nor F J, Jamaludin K, Nur F Y, Muslyza C H and Iffah I M 2014 Effect of alkali treatment on mechanical and physical properties of oil palm frond-polypropylene matrix *Int. J. of Latest Research in Science and Technology* 3(6) pp 150-154 ISSN 2278-5299
- [22] Nor F M Z, Salma M Y and Ishak A Preparation and characterization of cellulose and nanocellulose from pomelo (*Citrus grandis*) Albedo *J. of Nutrition & Food Sciences* 5(1) 1000334 ISSN: 2155-9600
- [23] Oluwasina O, Lajide L and O B 2014 Microcrystalline cellulose from plant wastes through sodium hydroxide-antraquinone-ethanol pulping *Bioresource* 9(4) 6166-6192
- [24] Patrick N and Céline C 2011 Cellulose swelling and dissolution as a tool to study the fiber structure *Member of the European Polysaccharides Network of Excellence* (1) BP 207 06904 Sophia Antipolis, France
- [25] Qianqian W, Weiwei, Xia L, Jianzhong S, Jing H and Mingxiong H 2016 Comparative study of alkali and acidic cellulose solvent pretreatment of corn stover for fermentable sugar production *Bioresources* 11(1)
- [26] Saba H, Yumei Z and Huaping W 2015 Role of ionic liquids in dissolution and regeneration of cellulose *Modification of Chemical Fibers and Polymer Materials* Donghua University Shanghai Sci. 40 (2015) 215-226
- [27] Sun B Z, Peng, Gege, Duan L, Xu, Aihua and Li X 2015 Pretreatment by NaOH swelling and then HCl regeneration to enhance the acid hydrolysis of cellulose to glucose *Bioresource Technology* 196 pp 454-458
- [28] Shuai Z, Wen C W, Fa X and Jian-Yong Y 2013 Swelling and dissolution of cellulose in naoh aqueous solvent systems *Cellulose Chemistry And Technology* 47 (9-10) pp 671-679
- [29] Samit K, Yuvraj S N and Jugmendra S U 2010 Studies on characterization of corn cob based nanoparticles *Adv. Mat. Lett.* 1(3) pp 246-253
- [30] Sherif S Z H 2017 Microcrystalline cellulose: the inexhaustible treasure for pharmaceutical industry *Nanoscience and Nanotechnology Research* 4(1) pp 17-24

- [31] Syed 2012 *Cold caustic extraction of spruce sulfite dissolving pulp* Faculty of Technology and Science Department of Chemical Engineering Karlstad University.
- [32] Suvachittanont S and Ratanapan P 2013 Optimization of micro crystalline cellulose production from corn cob for pharmaceutical industry investment *J. of Chemistry and Chemical Eng.* 7(12) pp 1136-1141.
- [33] V P Arthanarieswaran, A. Kumaravel and S S Saravanakumar 2015 Physico-chemical properties of alkali-treated *Accacia leucophloea* Fibers *Int. J. of Polymer Analysis and Characterization.* 20(8) pp 704-713
- [34] Yesim Y, Onur Y, Emir Z H and Berrin B 2013 Effect hydrogen peroxide concentration and temperatur on alkali pre-treatmen of sunflower stalks for fermentable sugar *ISESCO Journal of Science and Technology* 12(21)
- [35] Yiyang Y 2011 *A comparative study of cellulose I and II and fibers and nanocrystals* Louisiana State University and Agricultural and Mechanical LSU Master's Theses Graduate School, Agricultural and Mechanical College in Partial Fulfillment of the Requirements for the degree of Master of Science in The School of Renewable Natural Resources.
- [36] Y Cao, S Sakamoto and K Goda 2014 *Effects of heat and alkali treatments on mechanical properties of kenaf fibers* Department of Mechanical Engineering, Yamaguchi University, Yamaguchi, Japan.